



SAFETY DATA SHEET

Section 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name or designation of the mixture	Hi-Flow 225U
Registration number	-
Synonyms	None.
Date of first issue	28-March-2012
Version number	01
Revision date	-
Supersedes date	-

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Electrical insulation and heat conduction.
Uses advised against	None known.

Details of the supplier of the safety data sheet

Manufacturer/Supplier	The Bergquist Company
Address:	18930 West 78th Street Chanhassen, MN. 55317
Non-Emergency calls:	1-800-347-4572
Contact person:	M-SDSadmin@BergquistCompany.com
Chemical Emergency Call CHEMTREC Day or Night	
Within USA and Canada:	1-800-424-9300
Outside USA and Canada:	+1 703-527-3887 (Collect Calls Accepted)

Section 2: Hazards identification

Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation does not meet the criteria for classification according to Directive 1999/45/EC as amended.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary

Physical hazards	Not classified for physical hazards.
Health hazards	Not classified for health hazards.
Environmental hazards	Not classified for hazards to the environment.
Specific hazards	Elevated temperatures or mechanical action may form dust and fumes which may be irritating to the eye, mucous membranes and respiratory tract. Chronic effects are not expected when this product is used as intended.
Main symptoms	The ingredients are encapsulated within the synthetic wax matrix. Under normal conditions of intended use, this material does not pose a risk to health.

Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard statements	The mixture does not meet the criteria for classification.
-------------------	--

Precautionary statements

Prevention	Observe good industrial hygiene practices.
Response	Wash thoroughly after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None.

Other hazards None known.

Section 3: Composition/information on ingredients

Mixture

The components are not hazardous or are below required disclosure limits.

Section 4: First aid measures

General information If you feel unwell, seek medical advice (show the label where possible).

Description of first aid measures

Inhalation	Move to fresh air. Get medical attention if symptoms occur.
Skin contact	Wash skin with soap and water. Get medical attention if irritation persists after washing.
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion	Rinse mouth thoroughly with water and give large amounts of milk or water to people not unconscious. Do not give anything by mouth to an unconscious person. Get medical attention if any discomfort occurs.

Most important symptoms and effects, both acute and delayed Under normal conditions of intended use, this material does not pose a risk to health.

Indication of any immediate medical attention and special treatment needed Treat symptomatically.

Section 5: Firefighting measures

General fire hazards Combustible solid.

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	None known.

Special hazards arising from the substance or mixture Will burn as a combustible solid.

Advice for firefighters

Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.
Special firefighting procedures	Move containers from fire area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Avoid contact with skin and eyes. See Section 8 for personal protective equipment.
For emergency responders	Keep unnecessary personnel away.

Environmental precautions Environmental manager must be informed of all major spillages.

Methods and material for containment and cleaning up Sweep up or vacuum up spillage and collect in suitable container for disposal. For waste disposal, see Section 13.

Reference to other sections See Section 8 for personal protective equipment. For waste disposal, see section 13.

Section 7: Handling and storage

Precautions for safe handling Keep the workplace clean. Provide adequate ventilation. Avoid generation and spreading of dust. Avoid inhalation and contact with skin and eyes. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in closed original container in a dry place. Keep away from ignition, flame and heat sources. Strong oxidising agents.

Specific end use(s) Electrical insulation and heat conduction.

Section 8: Exposure controls/personal protection

Control parameters

Occupational exposure limits

Austria. MAK List Components	Type	Value	Form
Graphite (7782-42-5)	MAK	5 mg/m ³	Respirable dust.
	STEL	10 mg/m ³	Respirable dust.

Belgium. Exposure Limit Values.

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	2 mg/m3	Respirable fraction.

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	5 mg/m3	Inhalable fraction.

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	10 mg/m3	

Czech Republic. OELs. Government Decree 361

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	10 mg/m3	Total dust.
		10 mg/m3	Respirable dust.

Denmark. Exposure Limit Values

Components	Type	Value	Form
Graphite (7782-42-5)	TLV	2,5 mg/m3	Respirable.

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	5 mg/m3	Dust.

Finland. Workplace Exposure Limits

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	2 mg/m3	

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Components	Type	Value	Form
Graphite (7782-42-5)	VME	2 mg/m3	Respirable fraction.

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	4 mg/m3	Inhalable fraction.
		1,5 mg/m3	Respirable fraction.

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components	Type	Value	Form
Graphite (7782-42-5)	AGW	3 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.

Greece. OELs (Decree No. 90/1999, as amended)

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Inhalable

Iceland. OELs. Regulation 154/1999 on occupational exposure limits

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	5 mg/m3	Total dust.
		2,5 mg/m3	Respirable dust.

Ireland. Occupational Exposure Limits

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.

Italy. OELs

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	2 mg/m3	Respirable fraction.

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	2 mg/m3	Dust.

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements (Hygiene Norm HN 23:2007)

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	3 mg/m3	Dust.

Norway. Administrative Norms for Contaminants in the Workplace

Components	Type	Value	Form
Graphite (7782-42-5)	TLV	2 mg/m3	Respirable dust.
		10 mg/m3	Total dust.

Poland. MACs. Minister of Labour and Social Policy Regarding Maximum Allowable Concentrations and Intensities in Working Environment

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	4 mg/m ³	Total dust.
		1 mg/m ³	Respirable dust.

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	2 mg/m ³	Respirable fraction.

Slovakia. OELs. Decree of the government of the Slovak Republic concerning protection of health in work with chemical agents

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	2 mg/m ³	Respirable fraction.
		10 mg/m ³	Total

Spain. Occupational Exposure Limits

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	2 mg/m ³	Dust.

Sweden. Occupational Exposure Limit Values

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	5 mg/m ³	Total dust.

Switzerland. SUVA Grenzwerte am Arbeitsplatz

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	5 mg/m ³	Inhalable dust.
		2,5 mg/m ³	Respirable dust.

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value	Form
Graphite (7782-42-5)	TWA	4 mg/m ³	Respirable dust.
		10 mg/m ³	Inhalable dust.

Recommended monitoring procedures Follow standard monitoring procedures.

DNEL

Components	Type	Route	Value	Form
Graphite (7782-42-5)	Workers	Inhalation	0,17 mg/m ³	Acute exposure local effects
		Inhalation	0,01 mg/m ³	Long term exposure local effects

PNEC

Components	Type	Route	Value
Graphite (7782-42-5)	Aqua (freshwater)	Not applicable	1 mg/l
	Aqua (marine water)	Not applicable	0,1 mg/l
	STP	Not applicable	50 mg/l

Exposure controls

Appropriate engineering controls Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. The listed ingredients in section 3 and 8 are encapsulated within the synthetic wax matrix, therefore no exposure to these materials is expected during normal use/handling of this product. The exposure limits listed are provided for safety reasons.

Individual protection measures, such as personal protective equipment

- General information** Use personal protective equipment as required. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
- Eye/face protection** Risk of contact: Wear approved safety goggles.
- Skin protection**
- Hand protection** Use suitable protective gloves if risk of skin contact. Suitable gloves can be recommended by the glove supplier.
- Other** If prolonged or repeated contact is likely, chemical resistant clothing is recommended.
- Respiratory protection** In case of inadequate ventilation, use respiratory protection. Use respiratory equipment with particle filter, type P2.
- Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.

Environmental exposure controls Environmental manager must be informed of all major releases.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Solid.
Form	Solid.
Colour	Black.
Odour	Slight.
Odour threshold	Not available.
pH	Not applicable.
Melting point/freezing point	Not available.
Boiling point, initial boiling point, and boiling range	Not available.
Flash point	Not applicable.
Auto-ignition temperature	Not applicable.
Flammability (solid, gas)	Not available.
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Oxidising properties	Not applicable.
Explosive properties	Not applicable.
Explosive limit	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Relative density	1,07
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not applicable.
Decomposition temperature	Not available.
Viscosity	Not applicable.
Percent volatile	Not available.
Other information	No relevant additional information available.

Section 10: Stability and reactivity

Reactivity	The product is stable and non reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerisation does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	In case of fire: Carbon oxides.

Section 11: Toxicological information

General information Not available.

Information on likely routes of exposure

Ingestion	Ingestion of dusts generated during working operations may cause nausea and vomiting.
Inhalation	Elevated temperatures or mechanical action may form dust and fumes which may be irritating to the mucous membranes and respiratory tract.
Skin contact	Prolonged skin contact may cause temporary irritation.

Eye contact	Elevated temperatures or mechanical action may form dust and fumes which may be irritating to the eye.
Symptoms	Under normal conditions of intended use, this material does not pose a risk to health.
Information on toxicological effects	
Acute toxicity	Under normal conditions of intended use, this material does not pose a risk to health.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Elevated temperatures or mechanical action may form dust and fumes which may be irritating to the eye.
Respiratory sensitisation	No data available.
Skin sensitisation	No data available.
Germ cell mutagenicity	No data available.
Carcinogenicity	No data available.
Reproductive toxicity	No data available.
Specific target organ toxicity - single exposure	No data available.
Specific target organ toxicity - repeated exposure	No data available.
Aspiration hazard	No data available.
Mixture versus substance information	Chronic effects are not expected when this product is used as intended.
Other information	Not available.

Section 12: Ecological information

Toxicity	No toxicity data noted for the ingredient(s).
Persistence and degradability	This product mainly consists of inorganic compounds which are not biodegradable. The remaining components of the product are expected to be heavily biodegradable.
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
Mobility	The product is insoluble in water.
Environmental fate - Partition coefficient	Not available.
Mobility in soil	Not available.
Results of PBT and vPvB assessment	Not available.
Other adverse effects	The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Section 13: Disposal considerations

Waste treatment methods	
Residual waste	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.
Contaminated packaging	Since emptied containers retain product residue, follow label warnings even after container is emptied.
EU waste code	16 05 09 The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Section 14: Transport information

ADR	The product is not covered by international regulation on the transport of dangerous goods.
RID	The product is not covered by international regulation on the transport of dangerous goods.
ADN	The product is not covered by international regulation on the transport of dangerous goods.
IATA	The product is not covered by international regulation on the transport of dangerous goods.
IMDG	The product is not covered by international regulation on the transport of dangerous goods.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code No information available.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V

Not listed.

Directive 96/61/EC concerning integrated pollution prevention and control (IPPC): Article 15, European Pollution Emission Registry (EPER)

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1). Candidate List

Not listed.

Other regulations

The product does not need to be labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations

Follow national regulation for work with chemical agents.

Chemical safety assessment

No Chemical Safety Assessment has been carried out.

Section 16: Other information

List of abbreviations

DNEL: Derived No-Effect Level.
PNEC: Predicted No-Effect Concentration.
PBT: Persistent, bioaccumulative and toxic.
vPvB: Very Persistent and very Bioaccumulative.

References

Registry of Toxic Effects of Chemical Substances (RTECS)
HSDB® - Hazardous Substances Data Bank

Information on evaluation method leading to the classification of mixture

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.

Full text of any statements or R-phrases and H-phrases under Sections 2 to 15

None.

Training information

Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet was prepared by a globally recognized, third party chemical, regulatory, and compliance information services provider for the Bergquist Company, Thermal Products Division / TIM, and is offered for your consideration and guidance when exposed to this product. The Bergquist Company disclaims all expressed or implied warranties and assumes no responsibility for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process. This Safety Data Sheet may not be changed or altered in any way without the expressed knowledge and permission of The Bergquist Company.

Issue date

28-March-2012

Revision date

28-March-2012

Print date

28-March-2012