

## SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

### Hydrochloric Acid with Inhibitor, MUSOL and DCA-22001

Revision Date: 21-Jan-2015

Revision Number: 4

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1. Product Identifier**

**Product Name** Hydrochloric Acid with Inhibitor, MUSOL and DCA-22001

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Recommended Use** Solvent

**1.3. Details of the supplier of the safety data sheet**

Halliburton Energy Services  
Halliburton House, Howemoss Place  
Kirkhill Industrial Estate  
Dyce  
Aberdeen, AB21 0GN  
United Kingdom

Emergency Phone Number: +44 1224 795277 or +1 281 575 5000

[www.halliburton.com](http://www.halliburton.com)

For further information, please contact

**E-Mail address:** [fdunexchem@halliburton.com](mailto:fdunexchem@halliburton.com)

**1.4. Emergency telephone number**

+44 1224 795277 or +1 281 575 5000

Emergency telephone - §45 - (EC)1272/2008	
<b>Europe</b>	112
<b>Croatia</b>	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
<b>Cyprus</b>	+210 7793777
<b>Denmark</b>	Poison Control Hotline (DK): +45 82 12 12 12
<b>France</b>	ORFILA (FR): + 01 45 42 59 59
<b>Germany</b>	Poison Center Berlin (DE): +49 030 30686 790
<b>Italy</b>	Poison Center, Milan (IT): +39 02 6610 1029
<b>Netherlands</b>	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
<b>Norway</b>	Poisons Information (NO): +47 22 591300
<b>Poland</b>	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
<b>Romania</b>	+40 21 318 36 06
<b>Spain</b>	Poison Information Service (ES): +34 91 562 04 20
<b>United Kingdom</b>	NHS Direct (UK): +44 0845 46 47

#### SECTION 2: Hazards Identification

**2.1. Classification of the substance or mixture**

**REGULATION (EC) No 1272/2008**

Skin Corrosion / irritation	Category 1 - H314
Serious Eye Damage / Eye Irritation	Category 1 - H318

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R/H-phrases mentioned in this Section, see Section 16

**Classification** C - Corrosive.  
**Risk Phrases** R34 Causes burns.

## 2.2. Label Elements

### Hazard Pictograms



**Signal Word** Danger

### Hazard Statements

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

### Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/physician

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

### Contains

#### Substances

Hydrochloric acid

Ethylene glycol monobutyl ether

#### CAS Number

7647-01-0

111-76-2

## 2.3. Other Hazards

None known

## SECTION 3: Composition/information on Ingredients

Substances	EINECS	CAS Number	PERCENT (w/w)	EEC Classification	EU - CLP Substance Classification	REACH No.
Hydrochloric acid	231-595-7	7647-01-0	10 - 30%	C; R34 Xi; R37	Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) Met. Corr. 1 (H290)	01-2119484862-27
Ethylene glycol monobutyl ether	203-905-0	111-76-2	10 - 30%	Xn; R20/21/22 Xi; R36/38	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	01-2119475108-36

For the full text of the R/H-phrases mentioned in this Section, see Section 16

## SECTION 4: First aid measures

**4.1. Description of first aid measures**

<b>Inhalation</b>	If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.
<b>Eyes</b>	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
<b>Skin</b>	In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse.
<b>Ingestion</b>	Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

**4.2. Most important symptoms and effects, both acute and delayed**

May cause severe eye irritation. May cause severe skin irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically

**SECTION 5: Firefighting Measures****5.1. Extinguishing media****Suitable Extinguishing Media**

Water fog, carbon dioxide, foam, dry chemical.

**Extinguishing media which must not be used for safety reasons**

None known.

**5.2. Special hazards arising from the substance or mixture****Special Exposure Hazards**

May form explosive mixtures with strong alkalis. Decomposition in fire may produce toxic gases. Reaction with steel and certain other metals generates flammable hydrogen gas. Do not allow runoff to enter waterways.

**5.3. Advice for firefighters****Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Use appropriate protective equipment.  
See Section 8 for additional information

**6.2. Environmental precautions**

Prevent from entering sewers, waterways, or low areas.

**6.3. Methods and material for containment and cleaning up**

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Neutralize to pH of 6-8. Scoop up and remove.

**6.4. Reference to other sections**

See Section 8 and 13 for additional information.

**SECTION 7: Handling and Storage****7.1. Precautions for Safe Handling**

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities**

Store away from alkalis. Store in a cool well ventilated area. Keep container closed when not in use.

**7.3. Specific End Use(s)**

**Exposure Scenario** No information available  
**Other Guidelines** No information available

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

#### Exposure Limits

Substances	CAS Number	EU	UK	Netherlands	France
Hydrochloric acid	7647-01-0	Not applicable	TWA: 1 ppm TWA: 2 mg/m <sup>3</sup> STEL: 5 ppm STEL: 8 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup> STEL: 15 mg/m <sup>3</sup>	STEL: 5 ppm STEL: 7.6 mg/m <sup>3</sup>
Ethylene glycol monobutyl ether	111-76-2	Not applicable	TWA: 25 ppm TWA: 123 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup>	TWA: 100 mg/m <sup>3</sup> STEL: 246 mg/m <sup>3</sup>	2 ppm

Substances	CAS Number	Germany	Spain	Portugal	Finland
Hydrochloric acid	7647-01-0	TWA: 2 ppm TWA: 3 mg/m <sup>3</sup>  TWA: 3.0 mg/m <sup>3</sup>	TWA: 5 ppm TWA: 7.6 mg/m <sup>3</sup> 10 ppm STEL [VLA-EC]; 15 mg/m <sup>3</sup> STEL [VLA-EC]	TWA: 5 ppm TWA: 8 mg/m <sup>3</sup> STEL: 10 ppm STEL: 15 mg/m <sup>3</sup>	STEL: 5 ppm STEL: 7.6 mg/m <sup>3</sup>
Ethylene glycol monobutyl ether	111-76-2	TWA: 10 ppm TWA: 49 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> 50 ppm STEL [VLA-EC]; 245 mg/m <sup>3</sup> STEL [VLA-EC]	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup>

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Hydrochloric acid	7647-01-0	TWA: 5 ppm TWA: 8 mg/m <sup>3</sup> STEL" 10 ppm STEL" 15 mg/m <sup>3</sup>	5 ppm TWA; 8 mg/m <sup>3</sup> TWA 10 ppm STEL (as F); 15 mg/m <sup>3</sup> STEL	TWA: 2 ppm TWA: 3.0 mg/m <sup>3</sup> STEL: 4 ppm STEL: 6 mg/m <sup>3</sup>	Not applicable
Ethylene glycol monobutyl ether	111-76-2	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL" 40 ppm STEL" 200 mg/m <sup>3</sup>	20 ppm TWA; 98 mg/m <sup>3</sup> TWA 50 ppm STEL; 246 mg/m <sup>3</sup> STEL	TWA: 10 ppm TWA: 49 mg/m <sup>3</sup> STEL: 20 ppm STEL: 98 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 20 ppm STEL: 75 mg/m <sup>3</sup>

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Hydrochloric acid	7647-01-0	TWA: 5 ppm TWA: 8 mg/m <sup>3</sup> STEL: 10 ppm STEL: 15 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup> STEL: 16 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>
Ethylene glycol monobutyl ether	111-76-2	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup>	TWA: 98 mg/m <sup>3</sup> STEL: 200 mg/m <sup>3</sup>	TWA: 98 mg/m <sup>3</sup> STEL: 246 mg/m <sup>3</sup>	TWA: 100 mg/m <sup>3</sup>

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Hydrochloric acid	7647-01-0	Not applicable	TWA: 5 ppm TWA: 8 mg/m <sup>3</sup> STEL: 10 ppm STEL: 15 mg/m <sup>3</sup>	TWA: 5 ppm TWA: 8 mg/m <sup>3</sup> STEL: 10 ppm STEL: 15 mg/m <sup>3</sup>	TWA: 5 ppm TWA: 8 mg/m <sup>3</sup> STEL: 10 ppm STEL: 15 mg/m <sup>3</sup>
Ethylene glycol monobutyl ether	111-76-2	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup>	TWA: 30 ppm TWA: 150 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> STEL: 246 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup>

#### Derived No Effect Level (DNEL)

No information available.

#### Worker

Substances	Long-term exposure - systemic effects, Inhalation	Acute / short term exposure - systemic effects, Inhalation	Long-term exposure - local effects, Inhalation	Acute / short term exposure - local effects, Inhalation	Long-term exposure - systemic effects, Dermal	Acute / short term exposure - systemic effects, Dermal	Long-term exposure - local effects, Dermal	Acute / short term exposure - local effects, Dermal	Hazards for the eyes - local effects
Hydrochloric acid	Not available	Not available	8 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>	Not available	Not available	Not available	Not available	Not available

Ethylene glycol monobutyl ether	98 mg/m <sup>3</sup>	663 mg/m <sup>3</sup>	Not available	246 mg/m <sup>3</sup>	75 mg/kg bw/day	89 mg/kg bw/day	Not available	Not available	Not available
---------------------------------	----------------------	-----------------------	---------------	-----------------------	-----------------	-----------------	---------------	---------------	---------------

**General Population**

Substances	Long-term exposure - systemic effects, Inhalation	Acute / short term exposure - systemic effects, Inhalation	Long-term exposure - local effects, Inhalation	Acute / short term exposure - local effects, Inhalation	Long-term exposure - systemic effects, Dermal	Acute / short term exposure - systemic effects, Dermal	Long-term exposure - local effects, Dermal	Acute / short term exposure - local effects, Dermal	Long-term exposure - systemic effects, Oral	Acute / short term exposure - local effects, Oral	Hazards for the eyes - local effects
Ethylene glycol monobutyl ether	49 mg/m <sup>3</sup>	426 mg/m <sup>3</sup>	Not available	123 mg/m <sup>3</sup>	38 mg/kg bw/day	44.5 mg/kg bw/day	Not available	Not available	3.2 mg/kg bw/day	13.4 mg/kg bw/day	Not available

**Predicted No Effect Concentration (PNEC)**

No information available.

Substances	Freshwater	Marine water	Intermittent release	Sewage treatment plant	Sediment (freshwater)	Sediment (marine water)	Air	Soil	Secondary poisoning
Hydrochloric acid	36 ug/L	36 ug/L	45 ug/L	36 ug/L	Not available	Not available	Not available	Not available	Not available
Ethylene glycol monobutyl ether	8.8 mg/L	0.88 kg/L	9.1 mg/L	463 mg/L	34.6 mg/kg	3.46 mg/kg	Not available	3.13 mg/kg soil dw	0.02 g/kg food

**8.2. Exposure controls**

**Engineering Controls**

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

**Personal protective equipment**

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

**Respiratory Protection**

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional. Acid gas respirator.

**Hand Protection**

Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Nitrile gloves. (>= 0.4 mm thickness)  
This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great diversity of types.

**Skin Protection**

Full protective chemical resistant clothing. Rubber boots.

**Eye Protection**

Chemical goggles; also wear a face shield if splashing hazard exists.

**Other Precautions**

Eyewash fountains and safety showers must be easily accessible.

**Environmental Exposure Controls** No information available

**SECTION 9: Physical and Chemical Properties**

**9.1. Information on basic physical and chemical properties**

**Physical State:** Liquid **Color:** Clear colorless  
**Odor:** Pungent acrid **Odor Threshold:** No information available

Property	Values
Remarks/ - Method	
<b>pH:</b>	0.8
<b>Freezing Point/Range</b>	No data available
<b>Melting Point/Range</b>	No data available
<b>Boiling Point/Range</b>	No data available
<b>Flash Point</b>	> 67 °C PMCC
<b>Evaporation rate</b>	No data available

Vapor Pressure	No data available
Vapor Density	No data available
Specific Gravity	No data available
Water Solubility	Miscible with water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

**9.2. Other information**

VOC Content (%)	No data available
-----------------	-------------------

<b>SECTION 10: Stability and Reactivity</b>
---

**10.1. Reactivity**

Not applicable

**10.2. Chemical Stability**

Stable

**10.3. Possibility of Hazardous Reactions**

Will Not Occur

**10.4. Conditions to Avoid**

None anticipated

**10.5. Incompatible Materials**

Strong alkalis.

**10.6. Hazardous Decomposition Products**

Flammable hydrogen gas. Chlorine. Hydrogen sulfide.

<b>SECTION 11: Toxicological Information</b>
--

**11.1. Information on Toxicological Effects****Acute Toxicity**

<b>Inhalation</b>	Causes severe respiratory irritation.
<b>Eye Contact</b>	May cause eye burns.
<b>Skin Contact</b>	May cause skin burns.
<b>Ingestion</b>	Causes burns of the mouth, throat and stomach.

**Chronic Effects/Carcinogenicity** Prolonged, excessive exposure may cause erosion of the teeth.

**Toxicology data for the components**

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrochloric acid	7647-01-0	No data available	5010 mg/kg (Rabbit) >5010 mg/kg (Rabbit) 1449 mg/kg (Mouse)	3124 ppm (Rat) 1 h 3.2 mg/L (Mouse) 8.3 mg/L (aerosol, Rat) 1405 ppm (Rat) 554 ppm (Mouse)
Ethylene glycol monobutyl ether	111-76-2	470 mg/kg (Rat) 1414 mg/kg (Guinea pig) 1746 mg/kg (Rat) 320 mg/kg (Rabbit) 530 mg/kg (Rat) 560 mg/kg (Rat) 3000 mg/kg (Rat) 2400 mg/kg (Rat)	220 mg/kg (Rabbit) 2270 mg/kg (Rat) 200 mg/kg (Guinea pig) >2000 mg/kg (Rabbit) 841 mg/kg (Rabbit) 435 mg/kg (Rabbit) >2000 mg/kg (Guinea pig) >2000 mg/kg (Rat) 100 mg/kg (Rabbit) 207 mg/kg (Guinea pig) 400-500 mg/kg (Rabbit)	450 ppm (Rat) 4h 2.174 mg/L (Rat) 4h 2.21 mg/L (Rat) 4h 450-486 ppm (Rat) 4h 925 ppm (Rat) 4h >633 ppm (Guinea pig) 1h

Substances	CAS Number	Skin corrosion/irritation
Hydrochloric acid	7647-01-0	Causes severe burns
Ethylene glycol monobutyl ether	111-76-2	Causes moderate skin irritation. (rabbit)

Substances	CAS Number	Eye damage/irritation
Hydrochloric acid	7647-01-0	Causes severe burns
Ethylene glycol monobutyl ether	111-76-2	Causes moderate eye irritation. (rabbit)

Substances	CAS Number	Skin Sensitization
Hydrochloric acid	7647-01-0	Did not cause sensitization on laboratory animals (guinea pig)
Ethylene glycol monobutyl ether	111-76-2	Did not cause sensitization on laboratory animals (guinea pig)

Substances	CAS Number	Respiratory Sensitization
Hydrochloric acid	7647-01-0	No information available
Ethylene glycol monobutyl ether	111-76-2	No information available

Substances	CAS Number	Mutagenic Effects
Hydrochloric acid	7647-01-0	Not regarded as mutagenic.
Ethylene glycol monobutyl ether	111-76-2	In vivo tests did not show mutagenic effects. In vitro tests did not show mutagenic effects

Substances	CAS Number	Carcinogenic Effects
Hydrochloric acid	7647-01-0	Did not show carcinogenic effects in animal experiments
Ethylene glycol monobutyl ether	111-76-2	Not regarded as carcinogenic.

Substances	CAS Number	Reproductive toxicity
Hydrochloric acid	7647-01-0	Embryo and fetotoxicity has been observed in female rats exposed to maternally toxic levels of hydrogen chloride (450 mg/m <sup>3</sup> , 1hr.).
Ethylene glycol monobutyl ether	111-76-2	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.

Substances	CAS Number	STOT - single exposure
Hydrochloric acid	7647-01-0	Causes severe respiratory irritation.
Ethylene glycol monobutyl ether	111-76-2	No data of sufficient quality are available.

Substances	CAS Number	STOT - repeated exposure
Hydrochloric acid	7647-01-0	No significant toxicity observed in animal studies at concentration requiring classification.
Ethylene glycol monobutyl ether	111-76-2	None under normal use conditions

Substances	CAS Number	Aspiration hazard
Hydrochloric acid	7647-01-0	Not applicable
Ethylene glycol monobutyl ether	111-76-2	No adverse health effects are expected from swallowing.

## SECTION 12: Ecological Information

### 12.1. Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates

Hydrochloric acid	7647-01-0	EC50 (72h): 4.7 (pH) (Chlorella vulgaris)	LC50: 282 mg/L (Gambusia affinis) LC50: 20.5 mg/L (Lepomis macrochirus) LC50 (96h): 3.25 – 3.5 (pH) (Lepomis macrochirus)	EC50(3h): >= 5 and <= 5.5 (pH) (Activated sludge, domestic)	EC50(48h): 4.9 (pH) (Daphnia magna)
Ethylene glycol monobutyl ether	111-76-2	EC50: 839.56 mg/l (Skeletonema costatum) EC50(72h): 911 mg/L (biomass) EC50: > 500 mg/l (Scenedesmus subspicatus) NOEC(72h): 88 mg/L (biomass)(Pseudokirchn erella subcapitata)	LC50: > 1000 mg/l (Scophthalmus maximus juvenile) LC50(96h): 1474 mg/L (Oncorhynchus mykiss) NOEC(21d): > 100mg/L (Danio rerio)	TT/EC3(48h): 463 mg/L (Uronema parduzci) TT/EC3(72h): 73 mg/L (Entosiphon sulcatum) TT/EC3(16h): 700 mg/L (Pseudomonas putida)	EC50: >1000 mg/L (Daphnia magna) EC50 (48h): 1800 mg/L (Daphnia magna) EC50: 1875 mg/l (Daphnia magna) NOEC(21d)(reproduction ): 100 mg/L (Daphnia magna)

## 12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Hydrochloric acid	7647-01-0	The methods for determining biodegradability are not applicable to inorganic substances.
Ethylene glycol monobutyl ether	111-76-2	Readily biodegradable (75-88% @ 28d)

## 12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Hydrochloric acid	7647-01-0	0.25
Ethylene glycol monobutyl ether	111-76-2	0.81

## 12.4. Mobility in soil

No information available

## 12.5. Results of PBT and vPvB assessment

No information available.

## 12.6. Other adverse effects

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

#### Disposal Method Contaminated Packaging

Disposal should be made in accordance with federal, state, and local regulations.  
Follow all applicable national or local regulations.

## SECTION 14: Transport Information

### IMDG/IMO

UN Number:	UN1789
UN Proper Shipping Name:	Hydrochloric Acid Solution
Transport Hazard Class(es):	8
Packing Group:	II
Environmental Hazards:	Not applicable
EMS:	EmS F-A, S-B

### RID

UN Number:	UN1789
UN Proper Shipping Name:	Hydrochloric Acid Solution
Transport Hazard Class(es):	8
Packing Group:	II
Environmental hazard:	Not applicable

**ADR**

**UN Number:** UN1789  
**UN Proper Shipping Name:** Hydrochloric Acid Solution  
**Transport Hazard Class(es):** 8  
**Packing Group:** II  
**Environmental hazard:** Not applicable

**IATA/ICAO**

**UN Number:** UN1789  
**UN Proper Shipping Name:** Hydrochloric Acid Solution  
**Transport Hazard Class(es):** 8  
**Packing Group:** II  
**Environmental hazard:** Not applicable

- 14.1. UN Number:** UN1789
- 14.2. UN Proper Shipping Name:** Hydrochloric Acid Solution
- 14.3. Transport Hazard Class(es):** 8
- 14.4. Packing Group:** II
- 14.5. Environmental Hazards:** Not applicable
- 14.6. Special Precautions for User:** None
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Not applicable

**SECTION 15: Regulatory Information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****International Inventories**

<b>EINECS Inventory</b>	This product, and all its components, complies with EINECS
<b>US TSCA Inventory</b>	All components listed on inventory or are exempt.
<b>Canadian DSL Inventory</b>	All components listed on inventory or are exempt.

**Legend**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**Germany, Water Endangering Classes (WGK)** WGK 1: Low hazard to waters.

**15.2. Chemical Safety Assessment**

No information available

**SECTION 16: Other Information****Full text of R-phrases referred to under Sections 2 and 3**

R20/21/22 Harmful by inhalation, by contact with skin and if swallowed.  
R34 Causes burns.  
R36/38 Irritating to eyes and skin.  
R37 Irritating to respiratory system.

**Full text of H-Statements referred to under sections 2 and 3**

H290 - May be corrosive to metals  
H302 - Harmful if swallowed  
H312 - Harmful in contact with skin  
H314 - Causes severe skin burns and eye damage  
H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H319 - Causes serious eye irritation  
H332 - Harmful if inhaled  
H335 - May cause respiratory irritation

**Key or legend to abbreviations and acronyms**

bw – body weight  
CAS – Chemical Abstracts Service  
CLP – REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures  
EC – European Commission  
EC10 – Effective Concentration 10%  
EC50 – Effective Concentration 50%  
EEC – European Economic Community  
ErC50 – Effective Concentration growth rate 50%  
IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
LC50 – Lethal Concentration 50%  
LD50 – Lethal Dose 50%  
LL0 – Lethal Loading 0%  
LL50 – Lethal Loading 50%  
MARPOL – International Convention for the Prevention of Pollution from Ships  
mg/kg – milligram/kilogram  
mg/L – milligram/liter  
NIOSH – National Institute for Occupational Safety and Health  
NOEC – No Observed Effect Concentration  
NTP – National Toxicology Program  
OEL – Occupational Exposure Limit  
PBT – Persistent Bioaccumulative and Toxic  
PC – Chemical Product category  
PEL – Permissible Exposure Limit  
ppm – parts per million  
PROC – Process category  
REACH – REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals  
STEL – Short Term Exposure Limit  
SU – Sector of Use category

**Key literature references and sources for data**

[www.ChemADVISOR.com/](http://www.ChemADVISOR.com/)

**Revision Date:** 21-Jan-2015

**Revision Note**

Update to Format SECTION: 8

**This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010**

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**