

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Identification of the substance or mixture

Product name: INDUSTREX Single Part Developer Replenisher

6620041 Product code:

Use of the Substance/Mixture

Product Use: Photographic chemical, Restricted to professional users.

Company/Undertaking Identification

Manufacturer: Kodak (Wuxi) Company Ltd,

No. 18, Changjiang Road, Wuxi, JiangSu Province,

China 214028

For further information, please contact:

For environment, health and safety information, email: WW-EHS@carestreamhealth.com

Emergency telephone

For Chemical Emergency Information, call: 0510-85252120

HAZARDS IDENTIFICATION

Classification of the substance or mixture

Acute oral toxicity	Category 5
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ Cell Mutagenicity	Category 2
Carcinogenicity	Category 2
Acute aquatic toxicity	Category 1
Corrosive to Metals	Category 1

GHS Label elements, including precautionary statements



DANGER

Hazard statements

- H303 May be harmful if swallowed
- H318 Causes serious eye damage
- H317 May cause an allergic skin reaction
- H341 Suspected of causing genetic defects
- H351 Suspected of causing cancer
- H400 Very toxic to aquatic life
- H290 May be corrosive to metals

Precautionary Statements

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection
- P272 Contaminated work clothing should not be allowed out of the workplace
- P273 Avoid release to the environment
- P312 Call a POISON CENTER or doctor/ physician if you feel unwell
- P308 + P313 IF exposed or concerned: Get medical advice/ attention
- P321 Specific treatment (see supplemental first aid instructions on this label)
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337 + P313 If eye irritation persists: Get medical advice/ attention
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water
- P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention
- P390 Absorb spillage to prevent material damage
- P391 Collect spillage
- P404 Store in a closed container
- P405 Store locked up
- P406 Store in corrosive resistant container with a resistant inliner
- P501 Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

Contact with strong acids liberates sulfur dioxide May be irritating to the skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %
Water	>60
Potassium sulfite	10-20
Hydroquinone	5-10
Potassium carbonate	1-5
Sodium bromide	1-5
Glycine, N,N-bis[2-[bis(carboxymethyl)amino]ethyl]-, pentasodium salt	1-5

4. FIRST AID MEASURES

Description of necessary first-aid measures

General advice

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Product code: 6620041 Revision Date 2013-03-13

Page 3/10

Main Symptoms Irritation

May cause an allergic skin reaction

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention immediately if symptoms occur.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing before re-use. Get medical attention immediately if symptoms occur.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if

symptoms occur.

Ingestion If swallowed, call a poison control center or doctor immediately. Do not induce vomiting

without medical advice. Clean mouth with water and afterwards drink plenty of water. Never

give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed

Skin contact May cause skin irritation and/or dermatitis. Prolonged or repeated contact may dry skin and

cause irritation.

Eye contact Causes eye irritation.

InhalationNo hazard from product as supplied. May cause irritation of respiratory tract. Contact with

strong acids liberates sulfur dioxide.

Ingestion May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Carbon dioxide (CO₂). Dry chemical. Foam.

Extinguishing media which shall not be used for safety

reasons

No information available.

Specific hazards arising from the chemical

Special Hazard Hazard Hazardous decomposition products due to incomplete

combustion.

Special protective actions for fire-fighters

Special protective equipment for fire-fighters Wear self-contained breathing apparatus and protective suit.

Other information

Other information None known.

Page 4/10

Version 3

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For personal protection see section 8. Ensure adequate ventilation.

Environmental precautions

Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up

Prevent further leakage or spillage if safe to do so.

Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Other information

See Section 12 for additional Ecological information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, e

Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure

adequate ventilation. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep container tightly closed in a dry and well-ventilated place.

Materials to Avoid Oxidizing agents. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits

Chemical Name	Taiwan	China	ACGIH TLV	European Union
Hydroquinone	STEL 4 mg/m ³	TWA 1 mg/m ³	TWA: 1 mg/m ³	
		STEL 2 mg/m ³		

Appropriate engineering controls

Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment (PPE)

Page 5/10

Product code: 6620041

General Information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Eye Protection Tightly fitting safety goggles

Skin and body protection Wear suitable protective clothing. Protective shoes or boots.

Hand Protection Protective gloves

Hygiene measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before

re-use. Provide regular cleaning of equipment, work area and clothing.

Odor Odorless

Color colorless - light yellow

Autoignition temperature: No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state liquid

ph 10.7

Flash point: Does not flash

Boiling point/boiling range 100 °C

Vapor Pressure 24 mbar @ 20 °C

Vapor density 0.6

Density No information available **Water Solubility** completely soluble

Melting point/range: No information available

Specific Gravity 1.26

Bulk Density: No information available

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Contact with strong acids liberates sulfur dioxide.

Conditions to Avoid

Heat, flames and sparks.

Materials to Avoid

Oxidizing agents. Strong acids.

Page 6/10 Version 3

Hazardous Decomposition Products

Carbon oxides, Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity Product Information.

Skin contact May cause skin irritation and/or dermatitis. Prolonged or repeated contact may dry skin and

cause irritation.

Eye contact Causes eye irritation.

InhalationNo hazard from product as supplied. May cause irritation of respiratory tract. Contact with

strong acids liberates sulfur dioxide.

Ingestion May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Acute toxicity 24.815% of the mixture consists of ingredient(s) of unknown toxicity

 Oral
 4,337.43 mg/kg

 Dermal
 23,699.09 mg/kg

Inhalation

GasNo information availableMistNo information availableVaporNo information available

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	90,000 mg/kg (Rat)		
Hydroquinone	320 mg/kg (Rat)	> 4800 mg/kg (Rat)	
Potassium carbonate	1870 mg/kg (Rat)	>2000 mg/kg (Rabbit)	
Sodium bromide	3400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	
Chemical Name		Other applicable information	1
Potassium sulfite		Mild skin irritation	
		-	
		Moderate skin irritation	

Hydroquinone	Moderate eye irritation
	Causes sensitization on guinea-pigs
	Mild skin irritation
	Can be absorbed through skin (1.1 ug/cm2/hr)
	Negative in bacterial mutagenicity assays. Evidence for mutagenicity (chromosome breakage, sister-chromatid exchanges) in in vivo and in vitro animal studies Hydroquinone has been classified as a Category 3 mutagen and carcinogen by the European Union based on testing of rats and mice given hydroquinone by stomach tube or at high dietary levels. The International Agency for Research on Cancer (IARC) under ranking for cancer potential has classified hydroquinone in Group 3, i.e. "not classifiable" as a carcinogen. In the European Union a Category 3 mutagen attracts the risk phrase R68 "Possible risk of irreversible effects" at concentrations above 1%, and a Category 3 carcinogen attracts the risk phrase R40 "Limited evidence of a carcinogenic effect" at concentrations above 1%. Exposure to products containing such substances should be controlled to below established control limits and special care should be taken with pregnant or breast-feeding women to ensure appropriate controls are in place to control the risk.
Sodium bromide	Ingestion of bromide salts can cause nausea, vomiting, headache, irritability, delirium, memory loss, decreased appetite, joint pain, hallucinations, stupor, coma, and acne like rash on
Aggravated Medical Conditions	face, legs, and trunk. Preexisting eye disorders, Skin disorders, Respiratory disorders.

Subchronic toxicity no data available

Chronic toxicity

Chronic toxicity Sensitization

Effects expected to be similar to those seen acutely.

This mixture contains hydroquinone which is classified as a dermal sensitizer in some jurisdictions. A very similar mixture was negative in dermal sensitization studies with and without prior sensitization to hydroquinone. Based on the results of these studies, this

mixture is not expected to present a dermal sensitization hazard to humans.

Neurological effects No information available.

Target Organ Effects Skin, Eyes, Respiratory system, Reproductive system.

CMR Effects

Contains a known or suspected carcinogen. Carcinogenicity

mutagenic effects

No specific testing was done on this product. Mutagenic testing of the hazardous ingredient in this product has resulted in some positive mutagenic results.

· · · · · · · · · · · · · · · · · · ·		
Chemical Name	GHS-Germ cell Mutagenicity	Japan
Hydroquinone	2	

Reproductive toxicity

Contains ingredients that are suspected reproductive hazards. However, based on available data the product should not be classified for reproductive effects.

12. ECOLOGICAL INFORMATION

Product code: 6620041 Revision Date 2013-03-13

Page 8/10

Ecotoxicity

Very toxic to aquatic organisms

Acute aquatic toxicity Product Information

No information available

Acute aquatic toxicity Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Potassium sulfite		LC50 220 - 460 mg/L Leuciscus idus 96 h	
Hydroquinone	13.5 mg/L EC50 120 h (Desmodesmus subspicatus) 0.335 mg/L EC50 72 h (Pseudokirchneriella subcapitata)	LC50= 0.044 mg/L Oncorhynchus mykiss 96 h LC50= 0.044 mg/L Pimephales promelas 96 h LC50 0.1 - 0.18 mg/L Pimephales promelas 96 h LC50= 0.17 mg/L Brachydanio rerio 96 h	EC50 = 0.29 mg/L 48 h (Daphnia magna)
Sodium bromide	5800 - 24000 mg/L EC50 96 h (Scenedesmus pannonicus)	LC50 24000 - 96000 mg/L Oryzias latipes 96 h LC50= 24000 mg/L Oryzias latipes 96 h LC50 16000 - 24000 mg/L Poecilia reticulata 96 h LC50= 16000 mg/L Poecilia reticulata 96 h LC50 15614 - 17428 mg/L Pimephales promelas 96 h LC50> 1000 mg/L Lepomis macrochirus 96 h LC50 0.054 - 0.081 mg/L Oncorhynchus mykiss 96 h LC50> 1000 mg/L Oncorhynchus mykiss 96 h	EC50 5800 - 48000 mg/L 48 h (Daphnia magna) EC50 5700 - 10800 mg/L 48 h (Daphnia magna)
Glycine, N,N-bis[2-[bis(carboxymethyl)a mino]ethyl]-, pentasodium salt	2.6 mg/L EC50 72 h (Desmodesmus subspicatus)	LC50> 300 mg/L Pimephales promelas 96 h LC50 1005 - 1250 mg/L Lepomis macrochirus 96 h	EC50 > 500 mg/L 48 h (Daphnia magna)

Persistence and degradability

No data is available on the product itself. Expected to be readily biodegradable.

Bioaccumulative potential

No information available

Chemical Name	log Pow
Hydroquinone	0.5
Glycine, N,N-bis[2-[bis(carboxymethyl)amino]ethyl]-, pentasodium salt	-3.05

Mobility in soil

No information available

13. DISPOSAL CONSIDERATIONS

Waste from Residues / Unused Products

Should not be released into the environment. Dispose of in accordance with local regulations.

Contaminated packagingDo not re-use empty containers. Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

Product code: 6620041 Revision Date 2013-03-13

Page 9/10

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

ADR/RID

UN/ID No UN3266

Proper Shipping Name
Corrosive liquid, basic, inorganic, n.o.s.
Hydroquinone, Potassium carbonate

Hazard class 8
Packing Group III
Classification Code C5
ADR/RID-Labels 8
Special Provisions 274
ADR Hazard Id (Kemmler Number)

Limited Quantity 5 L

IMDG/IMO

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s.

Technical Name Hydroquinone, Potassium carbonate

Hazard class 8
Packing Group III
Marine Pollutant P

Marine pollutantHydroquinoneEmS No.F-A, S-BSpecial Provisions223, 274Limited quantity DFDA5 L

ICAO/IATA

UN/ID No UN3266

Proper Shipping NameCorrosive liquid, basic, inorganic, n.o.s. **Technical Name**Hydroquinone, Potassium carbonate

Hazard class 8
Packing Group III
ERG Code 8L
Special Provisions A3, A803
Limited quantity DFDA 1 L

ADN

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s.

Technical Name Hydroquinone, Potassium carbonate

Hazard class 8
Packing Group III
Classification Code C5
Special Provisions 274
Limited quantity DFDA 5 L

DOT

UN/ID No UN3266

Proper Shipping NameCorrosive liquid, basic, inorganic, n.o.s.Technical NameHydroquinone, Potassium carbonate

Hazard class 8
Packing Group III

Version 3

IB3, T7, TP1, TP28 **Special Provisions**

TDG

Page 10/10

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. **Technical Name** Hydroquinone, Potassium carbonate

Hazard class Ш **Packing Group**

For transportation information, go to: http://ship.carestreamhealth.com.

15. REGULATORY INFORMATION

"Does not comply" indicates a component is either not on the public inventory or is subject to exemption requirements. If additional information is needed contact Carestream Health.

International Inventories

EINECS/ELINCS Does not comply **TSCA** Complies **DSL/NDSL** Does not comply **ENCS** Complies **IECSC** Does not comply **KECL** Does not comply Does not comply **PICCS** Complies AICS Does not comply **NZIoC**

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

National regulatory information

China None known.

16. OTHER INFORMATION

Revision Date 2013-03-13

Revision Note Classification update, Product name

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Material Safety Data Sheet