

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

INJECTROL® COMPONENT A

Revision Date: 09-Dec-2014

Revision Number: 25

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name INJECTROL® COMPONENT A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Light Weight Cement Additive
Sector of use Refer to the Annex for a listing of uses.

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services
Halliburton House, Howemoss Place
Kirkhill Industrial Estate
Dyce
Aberdeen, AB21 0GN
United Kingdom

Emergency Phone Number: +44 1224 795277 or +1 281 575 5000

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

1.4. Emergency telephone number

+44 1224 795277 or +1 281 575 5000

Emergency telephone - §45 - (EC)1272/2008	
Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO): + 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Skin Corrosion / irritation	Category 1 - (H314)
Serious Eye Damage / Eye Irritation	Category 1 - (H318)

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Eyes	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
Skin	In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse.
Ingestion	Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

May cause eye and skin burns. May cause respiratory irritation

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

SECTION 5: Firefighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Special Exposure Hazards

Decomposition in fire may produce toxic gases.

5.3. Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Neutralize to pH of 6-8. Scoop up and remove. Do NOT spread spilled product with water.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse. Avoid breathing mist.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

7.2. Conditions for safe storage, including any incompatibilities

Store away from acids. Store in a cool well ventilated area. Keep container closed when not in use.

7.3. Specific End Use(s)**Exposure Scenario**

Please refer to the attached Annex for a listing of exposure scenarios.

Other Guidelines

No information available

SECTION 8: Exposure Controls/Personal Protection**8.1. Control parameters****Exposure Limits**

Substances	CAS Number	EU	UK	Netherlands	France
Sodium silicate	1344-09-8	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Germany	Spain	Portugal	Finland
Sodium silicate	1344-09-8	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Sodium silicate	1344-09-8	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Sodium silicate	1344-09-8	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Sodium silicate	1344-09-8	Not applicable	Not applicable	Not applicable	Not applicable

Derived No Effect Level (DNEL)**Worker**

Substances	Long-term exposure - systemic effects, Inhalation	Acute / short term exposure - systemic effects, Inhalation	Long-term exposure - local effects, Inhalation	Acute / short term exposure - local effects, Inhalation	Long-term exposure - systemic effects, Dermal	Acute / short term exposure - systemic effects, Dermal	Long-term exposure - local effects, Dermal	Acute / short term exposure - local effects, Dermal	Hazards for the eyes - local effects
Sodium silicate	5.61 mg/m ³	Not available	Not available	Not available	1.59 mg/kg bw/day	Not available	Not available	Not available	Not available

General Population

Substances	Long-term exposure - systemic effects, Inhalation	Acute / short term exposure - systemic effects, Inhalation	Long-term exposure - local effects, Inhalation	Acute / short term exposure - local effects, Inhalation	Long-term exposure - systemic effects, Dermal	Acute / short term exposure - systemic effects, Dermal	Long-term exposure - local effects, Dermal	Acute / short term exposure - local effects, Dermal	Long-term exposure - systemic effects, Oral	Acute / short term exposure - local effects, Oral	Hazards for the eyes - local effects
Sodium silicate	1.38 mg/m ³	Not available	Not available	Not available	0.80 mg/kg bw/day	Not available	Not available	Not available	0.80 mg/kg	Not available	Not available

Predicted No Effect Concentration (PNEC)

Substances	Freshwater	Marine water	Intermittent release	Sewage treatment plant	Sediment (freshwater)	Sediment (marine water)	Air	Soil	Secondary poisoning
Sodium silicate	7.5 mg/L	1 mg/L	7.5 mg/L	348 mg/L	Not available	Not available	Not available	Not available	Not available

8.2. Exposure controls**Engineering Controls**

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional. Dust/mist respirator. (N95, P2/P3)

Hand Protection	Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Nitrile gloves. (>= 0.65 mm thickness) This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great diversity of types.
Skin Protection	Full protective chemical resistant clothing.
Eye Protection	Chemical goggles; also wear a face shield if splashing hazard exists.
Other Precautions	Eyewash fountains and safety showers must be easily accessible.

Environmental Exposure Controls No information available

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid	Color: Clear to hazy
Odor: Slightly soapy	Odor Threshold: No information available

Property	Values
Remarks/ - Method	
pH:	11.2
Freezing Point/Range	-1 °C
Melting Point/Range	No data available
Boiling Point/Range	101 °C
Flash Point	No data available
Evaporation rate	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Specific Gravity	1.4
Water Solubility	Soluble in water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

9.2. Other information

VOC Content (%) No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Not applicable

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

Strong acids. Amphoteric metals such as aluminum, magnesium, lead, tin, or zinc.

10.6. Hazardous Decomposition Products

Toxic fumes.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

Inhalation Causes severe respiratory irritation.

Eye Contact	May cause eye burns.
Skin Contact	May cause moderate skin irritation.
Ingestion	Causes burns of the mouth, throat and stomach.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are chronic health hazards.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium silicate	1344-09-8	1153 mg/kg (Rat) 1100 mg/kg (Mouse) 3400 mg/kg (Rat) 5150 mg/kg (Rat)	4640 mg/kg (Rabbit) > 5000 mg/kg (Rat) (similar substance – Potassium silicate)	> 2.06 mg/L (Rat) 4 h (similar substance – Potassium silicate)

Substances	CAS Number	Skin corrosion/irritation
Sodium silicate	1344-09-8	Corrosive to skin (rabbit)

Substances	CAS Number	Eye damage/irritation
Sodium silicate	1344-09-8	Corrosive to eyes (rabbit)

Substances	CAS Number	Skin Sensitization
Sodium silicate	1344-09-8	Did not cause sensitization on laboratory animals (mouse) (similar substances)

Substances	CAS Number	Respiratory Sensitization
Sodium silicate	1344-09-8	No information available

Substances	CAS Number	Mutagenic Effects
Sodium silicate	1344-09-8	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects.

Substances	CAS Number	Carcinogenic Effects
Sodium silicate	1344-09-8	No information available.

Substances	CAS Number	Reproductive toxicity
Sodium silicate	1344-09-8	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)

Substances	CAS Number	STOT - single exposure
Sodium silicate	1344-09-8	May cause respiratory irritation.

Substances	CAS Number	STOT - repeated exposure
Sodium silicate	1344-09-8	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	Aspiration hazard
Sodium silicate	1344-09-8	Not applicable

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Sodium silicate	1344-09-8	EC50(72h): 207 mg/L (biomass) (Desmodesmus subspicatus)	LC50(96h): 1108 mg/L (Danio rerio) LC50(96h): 260 – 310 mg/L (Oncorhynchus mykiss)	EC0(20m): 3454 mg/L (Pseudomonas putida) EC0(18h): > 348 mg/L (Pseudomonas putida)	EC50(48h): 1700 mg/L (Daphnia magna)

12.2. Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

Substances	CAS Number	Persistence and Degradability
Sodium silicate	1344-09-8	No information available

12.3. Bioaccumulative potential

Does not bioaccumulate

Substances	CAS Number	Log Pow
Sodium silicate	1344-09-8	No information available

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations**13.1. Waste treatment methods****Disposal Method**

Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging

Follow all applicable national or local regulations.

SECTION 14: Transport Information**IMDG/IMO**

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

RID

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental hazard:	Not applicable

ADR

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental hazard:	Not applicable

IATA/ICAO

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted

Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental hazard: Not applicable

14.1. UN Number: Not restricted

14.2. UN Proper Shipping Name: Not restricted

14.3. Transport Hazard Class(es): Not applicable

14.4. Packing Group: Not applicable

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory	This product does not comply with EINECS
US TSCA Inventory	All components listed on inventory or are exempt.
Canadian DSL Inventory	All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering Classes (WGK) WGK 1: Low hazard to waters.

15.2. Chemical Safety Assessment

Yes

SECTION 16: Other Information

Full text of R-phrases referred to under Sections 2 and 3

R34 Causes burns.
R37 Irritating to respiratory system.

Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage
H335 - May cause respiratory irritation
H290 - May be corrosive to metals

Key or legend to abbreviations and acronyms

bw – body weight

CAS – Chemical Abstracts Service

CLP – REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures

EC – European Commission

EC10 – Effective Concentration 10%

EC50 – Effective Concentration 50%

EEC – European Economic Community

ErC50 – Effective Concentration growth rate 50%

IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

LC50 – Lethal Concentration 50%

LD50 – Lethal Dose 50%

LL0 – Lethal Loading 0%

LL50 – Lethal Loading 50%

MARPOL – International Convention for the Prevention of Pollution from Ships

mg/kg – milligram/kilogram

mg/L – milligram/liter

NIOSH – National Institute for Occupational Safety and Health

NOEC – No Observed Effect Concentration

NTP – National Toxicology Program

OEL – Occupational Exposure Limit

PBT – Persistent Bioaccumulative and Toxic

PC – Chemical Product category

PEL – Permissible Exposure Limit

ppm – parts per million

PROC – Process category

REACH – REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL – Short Term Exposure Limit

SU – Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/

Revision Date: 09-Dec-2014

Revision Note

Update to Format SECTION: 8

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet