

INTEC SUMP C

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): NA (C): NA
METHOD: None

FLAMMABLE LIMITS IN AIR

- LOWER (%): None
- UPPER (%): None

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

NO

SENSITIVITY TO STATIC DISCHARGE:

Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA:

Carbon Dioxide, Dry Chemicals, Foam.

FIRE FIGHTING PROCEDURES:

Treat as an oil fire. Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Use water spray to cool nearby containers and structures exposed to fire.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:

Pick up with absorbant material.

LARGE SPILLS:

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Keep out of drains, sewers, streams, or other bodies of water.

PERSONAL PRECAUTIONS:

NA

ENVIRONMENTAL PRECAUTIONS:

NA

METHODS FOR CLEANING UP:

NA

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN
IN HANDLING AND STORAGE:

Do not store near heat, sparks or flame. Emptied containers may retain hazardous properties. Do not cut, puncture or weld on or near the container. Keep from freezing. Wash thoroughly after handling.

OTHER PRECAUTIONS:

No other spill procedures necessary.

SPECIFIC USE(S):

NA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

None known.

RESPIRATORY PROTECTION:

Not normally required. If mist or vapors in air exceed exposure limit, use NIOSH approved organic vapor respirator.

PROTECTIVE GLOVES:

For continuous occupational exposure, wear impervious gloves (rubber, nitrile, neoprene). Polyvinylchloride. Polyvinyl alcohol gloves. Viton gloves.

EYE PROTECTION:

Safety Glasses. Goggles.

OTHER PERSONAL PROTECTION

Appropriate protective clothing as needed to prevent skin contact.

EQUIPMENT:

VENTILATION:

None required.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Clear yellow liquid. Characteristic odor.

BOILING POINT (F):

> 212°F

(C) NA

VAPOR PRESSURE:

NA

VAPOR DENSITY (AIR=1):

> 1

SOLUBILITY IN WATER:

Complete

INTEC SUMP C

9. PHYSICAL AND CHEMICAL PROPERTIES

SPECIFIC GRAVITY: 1.055
VOV Content (%): 50 - 60
EVAPORATION RATE: > 1

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.
HAZARDOUS DECOMPOSITION: Oxides of Carbon. Oxides of Hydrogen. Oxides of Nitrogen.
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidents, such as nitric acid, or hypochlorites. Reducing agents.
CONDITIONS/HAZARDS TO AVOID: Keep away from heat, sparks and flame.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE
EFFECTS OF CHRONIC EXPOSURE: NE
OTHER TOXIC EFFECTS: NE

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: NA
PERSISTENCE/DEGRADABILITY: NA
BIOACCUMULATIVE POTENTIAL: NA
OTHER ADVERSE EFFECTS: NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Ethylene glycol butyl ether 111-76-2	3 - 5	Listed	Listed	Listed	Not Listed
Isoparaffinic hydrocarbon 64742-48-9	3 - 5	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Ethylene glycol butyl ether 111-76-2	3 - 5	Not Listed	Not Listed	Listed
Isoparaffinic hydrocarbon 64742-48-9	3 - 5	Not Listed	Not Listed	Not Listed

INTEC SUMP C

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Ethylene glycol butyl ether 111-76-2	3 - 5	Listed
Isoparaffinic hydrocarbon 64742-48-9	3 - 5	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Ethylene glycol butyl ether 111-76-2	3 - 5	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Ethylene glycol butyl ether 111-76-2	3 - 5	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Ethylene glycol butyl ether 111-76-2	3 - 5	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***