

# SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

## INVERMUL® NT

Revision Date: 25-Nov-2015

Revision Number: 42

### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### 1.1. Product Identifier

Product Name INVERMUL® NT  
Internal ID Code HM003765

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Emulsifier  
Sector of use Refer to the Annex for a listing of uses.

#### 1.3. Details of the supplier of the safety data sheet

Halliburton Manufacturing Services, Ltd.  
Halliburton House, Howemoss Crescent  
Kirkhill Industrial Estate  
Dyce  
Aberdeen, AB21 0GN  
United Kingdom

[www.halliburton.com](http://www.halliburton.com)

For further information, please contact

E-Mail address: [fdunexchem@halliburton.com](mailto:fdunexchem@halliburton.com)

#### 1.4. Emergency telephone number

+44 8 08 189 0979 / 1-760-476-3961

#### **Emergency telephone - §45 - (EC)1272/2008**

Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

### **SECTION 2: Hazards Identification**

#### 2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Skin Sensitization	Category 1 - (H317)
Specific Target Organ Toxicity - (Single Exposure)	Category 3 - (H336)

#### 2.2. Label Elements

Hazard Pictograms

**Signal Word****Warning****Hazard Statements**

H317 - May cause an allergic skin reaction  
 H336 - May cause drowsiness or dizziness

**Precautionary Statements - EU (§28, 1272/2008)**

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray  
 P280 - Wear protective gloves/eye protection/face protection  
 P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
 P332 + P313 - If skin irritation occurs: Get medical advice/attention  
 P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing  
 P312 - Call a POISON CENTER or doctor/physician if you feel unwell

**Contains****Substances**

Hydrotreated light petroleum distillate  
 Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine  
 Ethylene glycol monobutyl ether  
 Diethylene glycol monobutyl ether

**CAS Number**

64742-47-8  
 68990-47-6  
 111-76-2  
 112-34-5

**2.3. Other Hazards**

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).  
 This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**SECTION 3: Composition/information on Ingredients****3.2. Mixtures**

## Mixture

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Hydrotreated light petroleum distillate	265-149-8	64742-47-8	10 - 30%	Asp. Tox. 1 (H304)	01-2119484819-18
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	273-601-0	68990-47-6	10 - 30%	Skin Sens. 1 (H317)	01-2119496070-42
Ethylene glycol monobutyl ether	203-905-0	111-76-2	1 - 5%	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	01-2119475108-36
Diethylene glycol monobutyl ether	203-961-6	112-34-5	1 - 5%	Eye Irrit. 2 (H319)	01-2119475104-44

For the full text of the H-phrases mentioned in this Section, see Section 16

**SECTION 4: First aid measures****4.1. Description of first aid measures**

<b>Inhalation</b>	If inhaled, move victim to fresh air and seek medical attention.
<b>Eyes</b>	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
<b>Skin</b>	In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention.
<b>Ingestion</b>	Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

**4.2. Most Important symptoms and effects, both acute and delayed**

May cause allergic skin reaction. Causes mild skin irritation. May cause headache, dizziness, and other central nervous system effects.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically

**SECTION 5: Firefighting Measures****5.1. Extinguishing media****Suitable Extinguishing Media**

Water fog, carbon dioxide, foam, dry chemical.

**Extinguishing media which must not be used for safety reasons**

None known.

**5.2. Special hazards arising from the substance or mixture****Special Exposure Hazards**

Use water spray to cool fire exposed surfaces. Closed containers may explode in fire. Decomposition in fire may produce harmful gases.

**5.3. Advice for firefighters****Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Remove sources of ignition. Use appropriate protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation.

See Section 8 for additional information

**6.2. Environmental precautions**

Prevent from entering sewers, waterways, or low areas.

**6.3. Methods and material for containment and cleaning up**

Isolate spill and stop leak where safe. Remove ignition sources and work with non-sparking tools. Contain spill with sand or other inert materials. Scoop up and remove.

**6.4. Reference to other sections**

See Section 8 and 13 for additional information.

**SECTION 7: Handling and Storage****7.1. Precautions for Safe Handling**

Remove sources of ignition. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Avoid breathing mist. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in a cool well ventilated area. Store away from oxidizers. Keep from heat, sparks, and open flames. Keep container closed when not in use.

**7.3. Specific End Use(s)**

**Exposure Scenario** Please refer to the attached Annex for a listing of exposure scenarios.

**Other Guidelines**

No information available

**SECTION 8: Exposure Controls/Personal Protection****8.1. Control parameters****Exposure Limits**

Substances	CAS Number	EU	UK	Netherlands	France
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable	Not applicable	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	Not applicable	TWA: 25 ppm TWA: 123 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup>	TWA: 100 mg/m <sup>3</sup> STEL: 246 mg/m <sup>3</sup>	2 ppm
Diethylene glycol monobutyl ether	112-34-5	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup> STEL: 15 ppm STEL: 101.2 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup> STEL: 15 ppm STEL: 101.2 mg/m <sup>3</sup>	TWA: 50 mg/m <sup>3</sup> STEL: 100 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup> STEL: 15 ppm STEL: 101.2 mg/m <sup>3</sup>

Substances	CAS Number	Germany	Spain	Portugal	Finland
Hydrotreated light petroleum distillate	64742-47-8	TWA: 20 ppm TWA: 140 mg/m <sup>3</sup>	Not applicable	Not applicable	Not applicable
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable	Not applicable	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	TWA: 10 ppm TWA: 49 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> 50 ppm STEL [VLA-EC]; 245 mg/m <sup>3</sup> STEL [VLA-EC]	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> 50 ppm STEL [VLA-EC]; 246 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> 50 ppm STEL [VLA-EC]; 250 mg/m <sup>3</sup>
Diethylene glycol monobutyl ether	112-34-5	TWA: 10 ppm TWA: 67 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup> 15 ppm STEL [VLA-EC]; 101.2 mg/m <sup>3</sup> STEL [VLA-EC]	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup> 15 ppm STEL [VLA-EC]; 101.2 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 68 mg/m <sup>3</sup>

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable	Not applicable	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL" 40 ppm STEL" 200 mg/m <sup>3</sup>	20 ppm TWA: 98 mg/m <sup>3</sup> TWA: 49 mg/m <sup>3</sup> 50 ppm STEL; 246 mg/m <sup>3</sup> STEL	TWA: 10 ppm TWA: 49 mg/m <sup>3</sup> 50 ppm STEL; 20 ppm STEL: 98 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 20 ppm STEL: 75 mg/m <sup>3</sup>
Diethylene glycol monobutyl ether	112-34-5	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup> STEL" 15 ppm STEL" 101.2 mg/m <sup>3</sup>	10 ppm TWA: 67.5 mg/m <sup>3</sup> TWA: 67 mg/m <sup>3</sup> 15 ppm STEL; 101.2 mg/m <sup>3</sup> STEL	TWA: 10 ppm TWA: 67 mg/m <sup>3</sup> 15 ppm STEL STEL: 101 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 68 mg/m <sup>3</sup> STEL: 20 ppm STEL: 102 mg/m <sup>3</sup>

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable	Not applicable	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup>	TWA: 98 mg/m <sup>3</sup> STEL: 200 mg/m <sup>3</sup>	TWA: 98 mg/m <sup>3</sup> STEL: 246 mg/m <sup>3</sup>	TWA: 100 mg/m <sup>3</sup>

		STEL: 50 ppm STEL: 246 mg/m <sup>3</sup>			
Diethylene glycol monobutyl ether	112-34-5	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup> STEL: 15 ppm STEL: 101.2 mg/m <sup>3</sup>	TWA: 67 mg/m <sup>3</sup> STEL: 100 mg/m <sup>3</sup>	TWA: 67.5 mg/m <sup>3</sup> STEL: 101.2 mg/m <sup>3</sup>	TWA: 100 mg/m <sup>3</sup>

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable	Not applicable	Not applicable
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable	Not applicable	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup>	TWA: 30 ppm TWA: 150 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> STEL: 246 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup> STEL: 50 ppm STEL: 246 mg/m <sup>3</sup>
Diethylene glycol monobutyl ether	112-34-5	TWA: 10 ppm TWA: 68 mg/m <sup>3</sup>	TWA: 150 mg/m <sup>3</sup> STEL: 250 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup> STEL: 15 ppm STEL: 101.2 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup> STEL: 15 ppm STEL: 101.2 mg/m <sup>3</sup>

#### Derived No Effect Level (DNEL)

##### Worker

Substances	Long-term exposure - systemic effects, Inhalation	Acute / short term exposure - systemic effects, Inhalation	Long-term exposure - local effects, Inhalation	Acute / short term exposure - local effects, Inhalation	Long-term exposure - systemic effects, Dermal	Acute / short term exposure - systemic effects, Dermal	Long-term exposure - local effects, Dermal	Acute / short term exposure - local effects, Dermal	Hazards for the eyes - local effects
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	14693 µg/m <sup>3</sup>	29386 µg/m <sup>3</sup>	14693 µg/m <sup>3</sup>	14693 µg/m <sup>3</sup>	16666 µg/kg bw/day	33332 µg/kg bw/day	1388 µg/cm <sup>2</sup>	1388 µg/cm <sup>2</sup>	Not available
Ethylene glycol monobutyl ether	98 mg/m <sup>3</sup>	663 mg/m <sup>3</sup>	Not available	246 mg/m <sup>3</sup>	75 mg/kg bw/day	89 mg/kg bw/day	Not available	Not available	Not available
Diethylene glycol monobutyl ether	67.5 mg/m <sup>3</sup>	Not available	67.5 mg/m <sup>3</sup>	101.2 mg/m <sup>3</sup>	20 mg/kg bw/day	Not available	Not available	Not available	Not available

##### General Population

Substances	Long-term exposure - systemic effects, Inhalation	Acute / short term exposure - systemic effects, Inhalation	Long-term exposure - local effects, Inhalation	Acute / short term exposure - local effects, Inhalation	Long-term exposure - systemic effects, Dermal	Acute / short term exposure - systemic effects, Dermal	Long-term exposure - local effects, Dermal	Acute / short term exposure - local effects, Dermal	Long-term exposure - systemic effects, Oral	Acute / short term exposure - local effects, Oral	Hazards for the eyes - local effects
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	3623 µg/m <sup>3</sup>	7246 µg/m <sup>3</sup>	3623 µg/m <sup>3</sup>	3623 µg/m <sup>3</sup>	8333 µg/kg bw/day	16666 µg/kg bw/day	694 µg/cm <sup>2</sup>	694 µg/cm <sup>2</sup>	8333 µg/kg bw/day	16666 µg/kg bw/day	Not available
Ethylene glycol monobutyl ether	49 mg/m <sup>3</sup>	426 mg/m <sup>3</sup>	Not available	123 mg/m <sup>3</sup>	38 mg/kg bw/day	44.5 mg/kg bw/day	Not available	Not available	3.2 mg/kg bw/day	13.4 mg/kg bw/day	Not available
Diethylene glycol monobutyl ether	34 mg/m <sup>3</sup>	Not available	34 mg/m <sup>3</sup>	50.6 mg/m <sup>3</sup>	10 mg/kg bw/day	Not available	Not available	Not available	1.25 mg/kg bw/day	Not available	Not available

#### Predicted No Effect Concentration (PNEC)

Substances	Freshwater	Marine water	Intermittent release	Sewage treatment plant	Sediment (freshwater)	Sediment (marine water)	Air	Soil	Secondary poisoning
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepenta mine, and triethylenetetramine	0.00217 mg/L	0.000217 mg/L	0.0217 mg/L	1 mg/L	180 mg/kg sediment dw	18 mg/kg sediment dw	Not available	146 mg/kg soil dw	33.34 mg/kg food
Ethylene glycol monobutyl ether	8.8 mg/L	0.88 kg/L	9.1 mg/L	463 mg/L	34.6 mg/kg	3.46 mg/kg	Not available	3.13 mg/kg soil dw	0.02 g/kg food
Diethylene glycol monobutyl ether	1.0 mg/L	0.1 mg/L	3.9 mg/L	200 mg/L	4.0 mg/kg	0.4 mg/kg	Not available	0.4 mg/kg	56 mg/kg food

## 8.2. Exposure controls

### Engineering Controls

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

### Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

#### Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional. Organic vapor respirator with a dust/mist filter. (A2P2/P3) In high concentrations, supplied air respirator or a self-contained breathing apparatus.

#### Hand Protection

Chemical-resistant protective gloves (EN 374) Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374): Nitrile gloves. (>= 0.35 mm thickness)  
This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great diversity of types.

Rubber apron.

Chemical goggles; also wear a face shield if splashing hazard exists.

Eyewash fountains and safety showers must be easily accessible.

**Environmental Exposure Controls** Do not allow material to contaminate ground water system

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

**Physical State:** Liquid

**Color:** Black

**Odor:** Mild hydrocarbon

**Odor Threshold:** No information available

#### Property

#### Remarks/ - Method

**pH:**

#### Values

4-7

**Freezing Point/Range**

No data available

**Melting Point/Range**

No data available

**Boiling Point/Range**

199 °C / 390 °F

**Flash Point**

69 °C / 156 °F PMCC

**Flammability (solid, gas)**

No data available

upper flammability limit

4.7 %

lower flammability limit

0.6 %

**Evaporation rate**

No data available

**Vapor Pressure**

No data available

**Vapor Density**

No data available

**Specific Gravity**

0.92-0.95

**Water Solubility**

Insoluble in water

<b>Solubility in other solvents</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	> 3
<b>Autoignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	No data available
<b>Viscosity</b>	178 mm <sup>2</sup> /s
<b>Explosive Properties</b>	No information available
<b>Oxidizing Properties</b>	No information available

**9.2. Other information**

<b>VOC Content (%)</b>	No data available
------------------------	-------------------

**SECTION 10: Stability and Reactivity****10.1. Reactivity**

Not expected to be reactive.

**10.2. Chemical Stability**

Stable

**10.3. Possibility of Hazardous Reactions**

Will Not Occur

**10.4. Conditions to Avoid**

Keep away from heat, sparks and flame.

**10.5. Incompatible Materials**

Strong oxidizers.

**10.6. Hazardous Decomposition Products**

Oxides of nitrogen. Hydrocarbons. Carbon monoxide and carbon dioxide.

**SECTION 11: Toxicological Information****11.1. Information on Toxicological Effects****Acute Toxicity**

<b>Inhalation</b>	May cause respiratory irritation. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.
<b>Eye Contact</b>	May cause mild eye irritation.
<b>Skin Contact</b>	May cause an allergic skin reaction. Causes mild skin irritation.
<b>Ingestion</b>	May cause central nervous system depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions.

<b>Chronic Effects/Carcinogenicity</b>	No data available to indicate product or components present at greater than 0.1% are chronic health hazards.
--	--

**Toxicology data for the components**

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrotreated light petroleum distillate	64742-47-8	> 5000 mg/kg (Rat) (similar substance)	> 2000 mg/kg (Rabbit) (similar substance)	> 5.28 mg/L (Rat) 4h (similar substance)
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	> 2020 mg/kg (Rat)	> 2000 mg/kg (Rat)	No data available
Ethylene glycol monobutyl ether	111-76-2	470 mg/kg (Rat) 1414 mg/kg (Guinea pig) 1746 mg/kg (Rat) 320 mg/kg (Rabbit) 530 mg/kg (Rat) 560 mg/kg (Rat) 3000 mg/kg (Rat) 2400 mg/kg (Rat)	220 mg/kg (Rabbit) 2270 mg/kg (Rat) 200 mg/kg (Guinea pig) >2000 mg/kg (Rabbit) 841 mg/kg (Rabbit) 435 mg/kg (Rabbit) >2000 mg/kg (Guinea pig) >2000 mg/kg (Rat) 100 mg/kg (Rabbit) 207 mg/kg (Guinea pig) 400-500 mg/kg (Rabbit)	450 mg/L (Rat) 4h 2.174 mg/L (Rat) 4h 2.21 mg/L (Rat) 4h 450-486 mg/L (Rat) 4h 925 mg/L (Rat) 4h >633 mg/L (Guinea pig) 1h
Diethylene glycol monobutyl ether	112-34-5	3384 mg/kg (Rat) 6560 mg/kg (Rat) 5660 mg/kg (Rat)	2700 mg/kg (Rabbit) 2764 mg/kg (Rabbit)	No data available

		2406 mg/kg (Mouse) 2000 mg/kg (Guinea pig)		
--	--	---	--	--

<b>Substances</b>	<b>CAS Number</b>	<b>Skin corrosion/irritation</b>
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to the skin (similar substances)
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Non-irritating to the skin
Ethylene glycol monobutyl ether	111-76-2	Causes moderate skin irritation. (Rabbit)
Diethylene glycol monobutyl ether	112-34-5	Mild skin irritation (Rabbit)

<b>Substances</b>	<b>CAS Number</b>	<b>Eye damage/irritation</b>
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to rabbit's eye
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Non-irritating to the eye
Ethylene glycol monobutyl ether	111-76-2	Causes moderate eye irritation. (Rabbit)
Diethylene glycol monobutyl ether	112-34-5	Causes moderate eye irritation. (Rabbit)

<b>Substances</b>	<b>CAS Number</b>	<b>Skin Sensitization</b>
Hydrotreated light petroleum distillate	64742-47-8	Did not cause sensitization on laboratory animals (guinea pig) (similar substances)
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Skin sensitizer in guinea pig.
Ethylene glycol monobutyl ether	111-76-2	Did not cause sensitization on laboratory animals (guinea pig)
Diethylene glycol monobutyl ether	112-34-5	Did not cause sensitization on laboratory animals (guinea pig)

<b>Substances</b>	<b>CAS Number</b>	<b>Respiratory Sensitization</b>
Hydrotreated light petroleum distillate	64742-47-8	No information available
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	No information available
Ethylene glycol monobutyl ether	111-76-2	No information available
Diethylene glycol monobutyl ether	112-34-5	No information available

<b>Substances</b>	<b>CAS Number</b>	<b>Mutagenic Effects</b>
Hydrotreated light petroleum distillate	64742-47-8	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects. (similar substances)
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	In vivo tests did not show mutagenic effects.
Ethylene glycol monobutyl ether	111-76-2	In vivo tests did not show mutagenic effects. In vitro tests did not show mutagenic effects

Diethylene glycol monobutyl ether	112-34-5	In vivo tests did not show mutagenic effects. In vitro tests did not show mutagenic effects
-----------------------------------	----------	---

Substances	CAS Number	Carcinogenic Effects
Hydrotreated light petroleum distillate	64742-47-8	Did not show carcinogenic effects in animal experiments
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	No information available.
Ethylene glycol monobutyl ether	111-76-2	Not regarded as carcinogenic.
Diethylene glycol monobutyl ether	112-34-5	No information available.

Substances	CAS Number	Reproductive toxicity
Hydrotreated light petroleum distillate	64742-47-8	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Animal testing did not show any effects on fertility.
Ethylene glycol monobutyl ether	111-76-2	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.
Diethylene glycol monobutyl ether	112-34-5	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.

Substances	CAS Number	STOT - single exposure
Hydrotreated light petroleum distillate	64742-47-8	May cause disorder and damage to the Central Nervous System (CNS) (similar substances)
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	No information available
Ethylene glycol monobutyl ether	111-76-2	No data of sufficient quality are available.
Diethylene glycol monobutyl ether	112-34-5	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	STOT - repeated exposure
Hydrotreated light petroleum distillate	64742-47-8	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	No data of sufficient quality are available.
Ethylene glycol monobutyl ether	111-76-2	No data of sufficient quality are available.
Diethylene glycol monobutyl ether	112-34-5	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	Aspiration hazard
Hydrotreated light petroleum distillate	64742-47-8	Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal.
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Not applicable
Ethylene glycol monobutyl ether	111-76-2	No adverse health effects are expected from swallowing.

Diethylene glycol monobutyl ether	112-34-5	Not applicable
-----------------------------------	----------	----------------

## SECTION 12: Ecological Information

### 12.1. Toxicity

#### Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Hydrotreated light petroleum distillate	64742-47-8	EC50 (72h) > 1,000 mg/L (Skeletonema costatum) ErL50 (72h) > 1000 mg/L (Pseudokirchneriella subcapitata) EbL50 (72h) > 1000 mg/L (Pseudokirchneriella subcapitata) NOELR (72h) 1000 mg/L (Pseudokirchneriella subcapitata)	LC50 (96h) > 10,000 mg/L (Scophthalmus maximus) LL50 (96h) > 1000 mg/L (Oncorhynchus mykiss)	No information available	LC50 (48h) > 10,000 mg/L (Acartia tonsa) EC50 (48h) 1100 mg/L (Daphnia pulex) LC50 (48h) 0.12 mg/L (Daphnia magna) EL50 (48h) > 1000 mg/L (Daphnia magna)
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	EC50 (72h) > 100 mg/L (growth rate) (Pseudokirchneriella subcapitata)	LC50 (96h) > 100 mg/L (Danio rerio)	EC50 (3h) > 100 mg/L (Activated sludge) (respiration rate)	IC50 (48h) > 100 mg/L (Daphnia magna)
Ethylene glycol monobutyl ether	111-76-2	EC50 839.56 mg/L (Skeletonema costatum) EbC50 (72h) 911 mg/L EC50 > 500 mg/L (Scenedesmus subspicatus) NOEC (72h) 88 mg/L (biomass)(Pseudokirchneriella subcapitata)	LC50 > 1000 mg/L (Scophthalmus maximus, juvenile) LC50 (96h) 1474 mg/L (Oncorhynchus mykiss) NOEC (21d) > 100mg/L (Danio rerio)	TT/EC3 (48h) 463 mg/L (Uronema parduzci) TT/EC3 (72h) 73 mg/L (Entosiphon sulcatum) TT/EC3 (16h) 700 mg/L (Pseudomonas putida)	No information available
Diethylene glycol monobutyl ether	112-34-5	EC50 > 100 mg/L (Desmodesmus subspicatus)	LC50 1300 mg/L (Lepomis macrochirus)	EC10 >1995 mg/L (Activated sludge, industrial)	EC50 > 100 mg/L (Daphnia magna)

### 12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Hydrotreated light petroleum distillate	64742-47-8	Readily biodegradable (40% @ 28d)
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	Readily biodegradable (71% @ 28d)
Ethylene glycol monobutyl ether	111-76-2	Readily biodegradable (75-88% @ 28d)
Diethylene glycol monobutyl ether	112-34-5	Readily biodegradable (85% @ 28d)

### 12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Hydrotreated light petroleum distillate	64742-47-8	No information available
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	2.4
Ethylene glycol monobutyl ether	111-76-2	0.81
Diethylene glycol monobutyl ether	112-34-5	1.0

### 12.4. Mobility in soil

Substances	CAS Number	Mobility
Hydrotreated light petroleum distillate	64742-47-8	No information available
Fatty acid, tall-oil, reaction product with	68990-47-6	No information available

diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine		
Ethylene glycol monobutyl ether	111-76-2	No information available
Diethylene glycol monobutyl ether	112-34-5	No information available

#### **12.5. Results of PBT and vPvB assessment**

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

<b>Substances</b>	<b>PBT and vPvB assessment</b>
Hydrotreated light petroleum distillate	Not PBT/vPvB
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	Not PBT/vPvB
Ethylene glycol monobutyl ether	Not PBT/vPvB
Diethylene glycol monobutyl ether	Not PBT/vPvB

#### **12.6. Other adverse effects**

##### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

### **SECTION 13: Disposal Considerations**

#### **13.1. Waste treatment methods**

**Disposal Method** Disposal should be made in accordance with federal, state, and local regulations.  
**Contaminated Packaging** Follow all applicable national or local regulations.

### **SECTION 14: Transport Information**

#### **IMDG/IMO**

**UN Number:** Not restricted  
**UN Proper Shipping Name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

#### **RID**

**UN Number:** Not restricted  
**UN Proper Shipping Name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

#### **ADR**

**UN Number:** Not restricted  
**UN Proper Shipping Name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

#### **IATA/ICAO**

**UN Number:** Not restricted  
**UN Proper Shipping Name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

**14.1. UN Number:** Not restricted

**14.2. UN Proper Shipping Name:** Not restricted

**14.3. Transport Hazard Class(es):** Not applicable

**14.4. Packing Group:** Not applicable

**14.5. Environmental Hazards:** Not applicable

**14.6. Special Precautions for User:** None**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Not applicable**SECTION 15: Regulatory Information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****International Inventories**

EINECS Inventory This product, and all its components, complies with EINECS

US TSCA Inventory All components listed on inventory or are exempt.

Canadian DSL Inventory Product contains one or more components not listed on the inventory.

**Legend**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering WGK 1: Low hazard to waters.  
Classes (WGK)**List of the carcinogenic, mutagenic and toxic for reproduction substances SZW**

(Complex) petroleum and coal derivatives

Substances	CAS Number	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization
Diethylene glycol monobutyl ether	112-34-5	Use restricted. See item 55. Conditions of restrictions 27 June 2010	Not applicable

**15.2. Chemical Safety Assessment**

Yes

**SECTION 16: Other Information****Full text of H-Statements referred to under sections 2 and 3**

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H336 - May cause drowsiness or dizziness

**Key or legend to abbreviations and acronyms**

bw – body weight

CAS – Chemical Abstracts Service

CLP – REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures

EC – European Commission

EC10 – Effective Concentration 10%

EC50 – Effective Concentration 50%

EEC – European Economic Community

ErC50 – Effective Concentration growth rate 50%

IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

LC50 – Lethal Concentration 50%

LD50 – Lethal Dose 50%

LL0 – Lethal Loading 0%

LL50 – Lethal Loading 50%

MARPOL – International Convention for the Prevention of Pollution from Ships

mg/kg – milligram/kilogram

mg/L – milligram/liter

NIOSH – National Institute for Occupational Safety and Health

NOEC – No Observed Effect Concentration

NTP – National Toxicology Program

OEL – Occupational Exposure Limit

PBT – Persistent Bioaccumulative and Toxic

PC – Chemical Product category

PEL – Permissible Exposure Limit

ppm – parts per million

PROC – Process category

REACH – REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL – Short Term Exposure Limit

SU – Sector of Use category

**Key literature references and sources for data**

[www.ChemADVISOR.com/](http://www.ChemADVISOR.com/)

NZ CCID

**Revision Date:** 25-Nov-2015

**Revision Note**

SDS sections updated: 3

**This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010**

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**