

ITW PRO BRANDS

SAFETY DATA SHEET

ACC. TO HCS AND GHS

PRINTING DATE: 11/24/2014

REVIEWED ON: 11/24/2014

1 IDENTIFICATION

PRODUCT IDENTIFIER:

TRADE NAME: CRAWLING INSECT KILLER

ARTICLE NUMBER: 185

APPLICATION OF THE SUBSTANCE / THE MIXTURE: INSECTICIDE

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

MANUFACTURER/SUPPLIER:

ITW PRO BRANDS

805 EAST OLD 56 HIGHWAY

OLATHE, KANSAS 66061

PHONE: 1-800-224-4860

EMERGENCY TELEPHONE NUMBER:

INFOTRAC EMERGENCY HOTLINE: 1-800-535-5053

2 HAZARD(S) IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

GHS04: GAS CYLINDER

PRESS. GAS:

H280: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

GHS07: EXCLAMATION MARK

SKIN SENS. 1:

H317: MAY CAUSE AN ALLERGIC SKIN REACTION.

LABEL ELEMENTS:

GHS LABEL ELEMENTS:

THE PRODUCT IS CLASSIFIED AND LABELED ACCORDING TO THE GLOBALLY HARMONIZED SYSTEM (GHS).

HAZARD PICTOGRAMS:
GHS04: GAS CYLINDER
GHS07: EXCLAMATION MARK

SIGNAL WORD: WARNING

HAZARD-DETERMINING COMPONENTS OF LABELING: PERMETHRIN (ISO)

HAZARD STATEMENTS:
H280: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.
H317: MAY CAUSE AN ALLERGIC SKIN REACTION.

PRECAUTIONARY STATEMENTS:

P101: IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT CONTAINER OR LABEL AT HAND.

P102: KEEP OUT OF REACH OF CHILDREN.

P103: READ LABEL BEFORE USE.

P210: KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING.

P251: PRESSURIZED CONTAINER: DO NOT PIERCE OR BURN, EVEN AFTER USE.

P261: AVOID BREATHING MIST/VAPOURS/SPRAY.

P280: WEAR PROTECTIVE GLOVES / EYE PROTECTION.

P333+P313:
IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION.

P302+P352:
IF ON SKIN: WASH WITH PLENTY OF WATER.

P410: PROTECT FROM SUNLIGHT.

P501:
DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH
LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS.

ADDITIONAL INFORMATION:
PRESSURIZED CONTAINER: MAY BURST IF HEATED.
CONTAINS PERMETHRIN (ISO). MAY PRODUCE AN ALLERGIC REACTION.

HAZARD DESCRIPTION:

WHMIS-SYMBOLS:
A - COMPRESSED GAS
D2B - TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS

CLASSIFICATION SYSTEM:

NFPA RATINGS (SCALE 0-4):
HEALTH 2
FIRE 0
REACTIVITY 1

HMIS-RATINGS (SCALE 0-4):

HEALTH 2*
FIRE 0
REACTIVITY 1

OTHER HAZARDS:

RESULTS OF PBT AND VPVB ASSESSMENT:

PBT: NOT APPLICABLE.
VPVB: NOT APPLICABLE.

3 COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERIZATION: MIXTURES

DESCRIPTION:

MIXTURE OF THE SUBSTANCES LISTED BELOW WITH NONHAZARDOUS ADDITIONS.

DANGEROUS COMPONENTS:

75-28-5	ISOBUTANE FLAM. GAS 1, H220 PRESS. GAS, H280	<15%
64742-47-8	DISTILLATES (PETROLEUM), HYDROTREATED LIGHT ASP. TOX. 1, H304	2.5-10%
74-98-6	PROPANE FLAM. GAS 1, H220 PRESS. GAS, H280	<10%
52645-53-1	PERMETHRIN (ISO) AQUATIC ACUTE 1, H400 AQUATIC CHRONIC, 1, H410 ACUTE TOX. 4, H302 ACUTE TOX. 4, H332 SKIN SENS. 1, H317	</=2.5%
8003-34-7	PYRETHRINS AND PYRETHROIDS ACUTE TOX. 3, H301 ACUTE TOX. 3, H311 AQUATIC ACUTE 1, H400 ACUTE TOX. 4, H332	</=2.5%

DANGEROUS COMPONENTS (ALTERNATIVE CLASSIFICATIONS):

75-28-5	ISOBUTANE FLAM. GAS 1, H220 PRESS. GAS, H280	10-25%
64742-47-8	DISTILLATES (PETROLEUM), HYDROTREATED LIGHT ASP. TOX. 1, H304	2.5-10%

74-98-6	PROPANE FLAM. GAS 1, H220 PRESS. GAS, H280	</=2.5%
51-03-6	2-(2-BUTOXYETHOXY)ETHYL 6-PROPYLPIPERONYLETHETHER AQUATIC ACUTE 1, H400 AQUATIC CHRONIC 1, H410	</=2.5%
52645-53-1	PERMETHRIN (ISO) AQUATIC ACUTE 1, H400 AQUATIC CHRONIC 1, H410 ACUTE TOX. 4, H302 ACUTE TOX. 4, H332 SKIN SENS. 1, H317	</=2.5%

4 FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES:

GENERAL INFORMATION: TAKE AFFECTED PERSONS OUT INTO THE FRESH AIR.

AFTER INHALATION:

SUPPLY FRESH AIR; CONSULT DOCTOR IN CASE OF COMPLAINTS.

PROVIDE OXYGEN TREATMENT IF AFFECTED PERSON HAS DIFFICULTY BREATHING.

AFTER SKIN CONTACT:

IMMEDIATELY WASH WITH WATER AND SOAP AND RINSE THOROUGHLY.

IN CASES OF FROSTBITE, RINSE WITH PLENTY OF WATER. DO NOT REMOVE CLOTHING.

IF SKIN IRRITATION CONTINUES, CONSULT A DOCTOR.

AFTER EYE CONTACT:

REMOVE CONTACT LENSES IF WORN.

RINSE OPENED EYE FOR SEVERAL MINUTES UNDER RUNNING WATER. IF SYMPTOMS PERSIST, CONSULT A DOCTOR.

AFTER SWALLOWING:

RINSE OUT MOUTH AND THEN DRINK PLENTY OF WATER.

DO NOT INDUCE VOMITING; IMMEDIATELY CALL FOR MEDICAL HELP.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

HEADACHE

CRAMP

COUGHING

FROSTBITE

NAUSEA

GASTRIC OR INTESTINAL DISORDERS WHEN INGESTED.

ALLERGIC REACTIONS

DANGER: NO FURTHER RELEVANT INFORMATION AVAILABLE.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

TREAT FROST-BITTEN AREAS APPROPRIATELY.

CONTAINS PERMETHRIN (ISO). MAY PRODUCE AN ALLERGIC REACTION.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA:

SUITABLE EXTINGUISHING AGENTS:

USE FIRE FIGHTING MEASURES THAT SUIT THE ENVIRONMENT.

FOR SAFETY REASONS UNSUITABLE EXTINGUISHING AGENTS: NONE.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

FORMATION OF TOXIC GASES IS POSSIBLE DURING HEATING OR IN CASE OF FIRE.

ADVICE FOR FIREFIGHTERS:

PROTECTIVE EQUIPMENT:

WEAR SELF-CONTAINED RESPIRATORY PROTECTIVE DEVICE.

WEAR FULLY PROTECTIVE SUIT.

ADDITIONAL INFORMATION:

LEAKING GAS FIRE: DO NOT EXTINGUISH, UNLESS LEAK CAN BE STOPPED SAFELY.

IF AEROSOLS ARE BURSTING, STAY CLEAR UNTIL SAFE. AEROSOL CONTAINERS CAN BE PROJECTILES WHEN BURSTING.

COOL ENDANGERED RECEPTACLES WITH WATER FOG.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

USE RESPIRATORY PROTECTIVE DEVICE AGAINST THE EFFECTS OF FUMES/DUST/AEROSOL.

ENSURE ADEQUATE VENTILATION.

ENVIRONMENTAL PRECAUTIONS:

DO NOT ALLOW TO ENTER SEWERS/ SURFACE OR GROUND WATER.

DO NOT ALLOW PRODUCT TO REACH SEWAGE SYSTEM OR ANY WATER COURSE.

INFORM RESPECTIVE AUTHORITIES IN CASE OF SEEPAGE INTO WATER COURSE OR SEWAGE SYSTEM.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

ABSORB LIQUID COMPONENTS WITH LIQUID-BINDING MATERIAL.

DISPOSE CONTAMINATED MATERIAL AS WASTE ACCORDING TO ITEM 13.

ENSURE ADEQUATE VENTILATION.

SEND FOR RECOVERY OR DISPOSAL IN SUITABLE RECEPTACLES.

REFERENCE TO OTHER SECTIONS:

SEE SECTION 7 FOR INFORMATION ON SAFE HANDLING.

SEE SECTION 8 FOR INFORMATION ON PERSONAL PROTECTION EQUIPMENT.
SEE SECTION 13 FOR DISPOSAL INFORMATION.

7 HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:
KEEP AWAY FROM HEAT AND DIRECT SUNLIGHT.
USE ONLY IN WELL VENTILATED AREAS.

INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES:
NO SPECIAL MEASURES REQUIRED.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

STORAGE:

REQUIREMENTS TO BE MET BY STOREROOMS AND RECEPTACLES:

OBSERVE OFFICIAL REGULATIONS ON STORING PACKAGINGS WITH PRESSURIZED CONTAINERS.

PROVIDE VENTILATION FOR RECEPTACLES.

STORE ONLY IN THE ORIGINAL RECEPTACLE.

INFORMATION ABOUT STORAGE IN ONE COMMON STORAGE FACILITY:
STORE AWAY FROM FOODSTUFFS.
STORE AWAY FROM OXIDIZING AGENTS.

FURTHER INFORMATION ABOUT STORAGE CONDITIONS:
STORE IN A COOL PLACE. HEAT WILL INCREASE PRESSURE AND MAY LEAD TO THE RECEPTACLE BURSTING.

PROTECT FROM FROST.

SPECIFIC END USE(S): NO FURTHER RELEVANT INFORMATION AVAILABLE.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

ADDITIONAL INFORMATION ABOUT DESIGN OF TECHNICAL SYSTEMS:
NO FURTHER DATA; SEE ITEM 7.

CONTROL PARAMETERS:

COMPONENTS WITH LIMIT VALUES THAT REQUIRE MONITORING AT THE WORKPLACE:

75-28-5 ISOBUTANE:

TLV (USA):
SHORT-TERM VALUE: 2370 MG/M3, 1000 PPM

EV (CANADA):

LONG-TERM VALUE: 800 PPM

LMPE (MEXICO):

LONG-TERM VALUE: 1000 PPM

64742-47-8 DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:

EL (CANADA):

LONG-TERM VALUE: 200 MG/M3

SKIN

74-98-6 PROPANE:

PEL (USA):

LONG-TERM VALUE: 1800 MG/M3, 1000 PPM

REL (USA):

LONG-TERM VALUE: 1800 MG/M3, 1000 PPM

TLV (USA): REFER TO APPENDIX F

EL (CANADA):

LONG-TERM VALUE: 1000 PPM

EV (CANADA):

LONG-TERM VALUE: 1.000 PPM

LMPE (MEXICO):

LONG-TERM VALUE: 1000 PPM

ADDITIONAL INFORMATION:

THE LISTS THAT WERE VALID DURING THE CREATION WERE USED AS BASIS.

EXPOSURE CONTROLS:

PERSONAL PROTECTIVE EQUIPMENT:

GENERAL PROTECTIVE AND HYGIENIC MEASURES:

THE USUAL PRECAUTIONARY MEASURES FOR HANDLING CHEMICALS SHOULD BE FOLLOWED.

KEEP AWAY FROM FOODSTUFFS, BEVERAGES AND FEED.

WASH HANDS BEFORE BREAKS AND AT THE END OF WORK.

DO NOT INHALE GASES / FUMES / AEROSOLS.

AVOID CLOSE OR LONG TERM CONTACT WITH THE SKIN.

AVOID CONTACT WITH THE EYES.

BREATHING EQUIPMENT:

NOT REQUIRED UNDER NORMAL CONDITIONS OF USE.

FOR SPILLS, RESPIRATORY PROTECTION MAY BE ADVISABLE.

USE SUITABLE RESPIRATORY PROTECTIVE DEVICE IN CASE OF INSUFFICIENT VENTILATION.

PROTECTION OF HANDS: PROTECTIVE GLOVES

THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/THE

SUBSTANCE/THE PREPARATION. SELECTION OF THE GLOVE MATERIAL ON CONSIDERATION OF THE PENETRATION TIMES, RATES OF DIFFUSION AND THE DEGRADATION

MATERIAL OF GLOVES:

THE SELECTION OF THE SUITABLE GLOVES DOES NOT ONLY DEPEND ON THE MATERIAL, BUT ALSO ON FURTHER MARKS OF QUALITY AND VARIES FROM MANUFACTURER TO MANUFACTURER. AS THE PRODUCT IS A PREPARATION OF SEVERAL SUBSTANCES, THE RESISTANCE OF THE GLOVE MATERIAL CAN NOT BE CALCULATED IN ADVANCE AND HAS THEREFORE TO BE CHECKED PRIOR TO THE APPLICATION.

PENETRATION TIME OF GLOVE MATERIAL:

THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.

EYE PROTECTION: SAFETY GLASSES

BODY PROTECTION: PROTECTIVE WORK CLOTHING

LIMITATION AND SUPERVISION OF EXPOSURE INTO THE ENVIRONMENT:
NO FURTHER RELEVANT INFORMATION AVAILABLE.

9 PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

GENERAL INFORMATION:

APPEARANCE:

FORM: LIQUID

COLOR: WHITE

ODOR: CHARACTERISTIC

ODOR THRESHOLD: NOT DETERMINED.

PH-VALUE: NOT DETERMINED.

CHANGE IN CONDITION:

MELTING POINT/MELTING RANGE: UNDETERMINED.

BOILING POINT/BOILING RANGE: 100 DEG. C (212 DEG. F)

FLASH POINT: NOT APPLICABLE, AS AEROSOL.

FLAMMABILITY (SOLID, GASEOUS): NOT APPLICABLE.

AUTO-IGNITION TEMPERATURE: NOT DETERMINED.

DECOMPOSITION TEMPERATURE: NOT DETERMINED.

AUTO IGNITING: PRODUCT IS NOT SELF-IGNITING.

DANGER OF EXPLOSION: NOT DETERMINED.

EXPLOSION LIMITS:

LOWER: NOT DETERMINED.
UPPER: NOT DETERMINED.

VAPOR PRESSURE AT 21 DEG. C (70 DEG. F): 55 - 85 PSIG

DENSITY AT 20 DEG. C (68 DEG. F):
0.958 - 0.978 G/CM³ (7.995 - 8.161 LBS/GAL)

RELATIVE DENSITY: NOT DETERMINED.

VAPOUR DENSITY: >1 (AIR=1)

EVAPORATION RATE: NOT APPLICABLE.

SOLUBILITY IN/MISCIBILITY WITH WATER: FULLY MISCIBLE.

PARTITION COEFFICIENT (N-OCTANOL/WATER): NOT DETERMINED.

VISCOSITY:
DYNAMIC: NOT DETERMINED.
KINEMATIC: NOT DETERMINED.

SOLVENT CONTENT:
VOC CONTENT: 14.98%
VOC (CALIFORNIA) 20%

OTHER INFORMATION: NO FURTHER RELEVANT INFORMATION AVAILABLE.

10 STABILITY AND REACTIVITY

REACTIVITY:

CHEMICAL STABILITY:

THERMAL DECOMPOSITION / CONDITIONS TO BE AVOIDED:
NO DECOMPOSITION IF USED AND STORED ACCORDING TO SPECIFICATIONS.

POSSIBILITY OF HAZARDOUS REACTIONS: REACTS WITH OXIDIZING AGENTS.

CONDITIONS TO AVOID:
KEEP AWAY FROM HEAT AND DIRECT SUNLIGHT.
EXCESSIVE HEAT.

INCOMPATIBLE MATERIALS: NO FURTHER RELEVANT INFORMATION AVAILABLE.

HAZARDOUS DECOMPOSITION PRODUCTS: HYDROCARBONS

11 TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS:

ACUTE TOXICITY:

LD/LC50 VALUES THAT ARE RELEVANT FOR CLASSIFICATION:

64742-47-8 DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:

ORAL:

LD50: >5000 MG/KG (RAT)

DERMAL:

LD50: >2000 MG/KG (RABBIT)

51-03-6 2-(2-BUTOXYETHOXY)ETHYL 6-PROPYLPIPERONYLETHETHER:

ORAL:

LD50: 5630 MG/KG (RAT)

DERMAL:

LD50: >2000 MG/KG (RABBIT)

INHALATIVE:

LC50/4H: >5.9 MG/L (RAT)

PRIMARY IRRITANT EFFECT:

ON THE SKIN: NO IRRITANT EFFECT.

ON THE EYE: NO IRRITATING EFFECT.

SENSITIZATION:

SENSITIZING EFFECT BY SKIN CONTACT IS POSSIBLE WITH PROLONGED EXPOSURE.

ADDITIONAL TOXICOLOGICAL INFORMATION:

TOXIC AND/OR CORROSIVE EFFECTS MAY BE DELAYED UP TO 24 HOURS.

CARCINOGENIC CATEGORIES:

NTP (NATIONAL TOXICOLOGY PROGRAM): NONE OF THE INGREDIENTS IS LISTED.

OSHA-CA (OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION):

NONE OF THE INGREDIENTS IS LISTED.

REPEATED DOSE TOXICITY:

REPEATED EXPOSURES MAY RESULT IN SKIN AND/OR RESPIRATORY SENSITIVITY.

12 ECOLOGICAL INFORMATION

TOXICITY:

AQUATIC TOXICITY: TOXIC FOR AQUATIC ORGANISMS

51-03-6 2-(2-BUTOXYETHOXY)ETHYL 6-PROPYLPIPERONYLETHETHER:

EC50:

0.51 MG/KG (DAPHNIA) (48HR)

LC50:

5.37 MG/L (LEPOMIS MACROCHIRUS) (96 HR)
6.12 MG/L (ONCORHYNCHUS MYKISS) (96 HR)

PERSISTENCE AND DEGRADABILITY: NO FURTHER RELEVANT INFORMATION AVAILABLE.

BIOACCUMULATIVE POTENTIAL: NO FURTHER RELEVANT INFORMATION AVAILABLE.

MOBILITY IN SOIL: NO FURTHER RELEVANT INFORMATION AVAILABLE.

ECOTOXICAL EFFECTS:
REMARK: VERY TOXIC FOR FISH

ADDITIONAL ECOLOGICAL INFORMATION:

GENERAL NOTES:
DO NOT ALLOW PRODUCT TO REACH GROUND WATER, WATER COURSE OR SEWAGE SYSTEM.
ALSO POISONOUS FOR FISH AND PLANKTON IN WATER BODIES.
VERY TOXIC FOR AQUATIC ORGANISMS

RESULTS OF PBT AND VPVB ASSESSMENT:
PBT: NOT APPLICABLE.
VPVB: NOT APPLICABLE.

OTHER ADVERSE EFFECTS: NO FURTHER RELEVANT INFORMATION AVAILABLE.

13 DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS:

RECOMMENDATION:
MUST NOT BE DISPOSED OF TOGETHER WITH HOUSEHOLD GARBAGE. DO NOT ALLOW
PRODUCT TO REACH SEWAGE SYSTEM. CONTACT WASTE PROCESSORS FOR RECYCLING
INFORMATION.

THE USER OF THIS MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED
MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL,
STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND
DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES. RESIDUAL MATERIALS SHOULD
BE TREATED AS HAZARDOUS.

UNCLEANED PACKAGINGS:
RECOMMENDATION: DISPOSAL MUST BE MADE ACCORDING TO OFFICIAL REGULATIONS.

14 TRANSPORT INFORMATION

UN-NUMBER:
DOT, ADR, IMDG, IATA: UN1950

UN PROPER SHIPPING NAME:
| LIMITED QUANTITY FOR PACKAGES LESS THAN 30 KG (66 LB) AND INNER
| PACKAGINGS LESS THAN 1 L (0.3 GAL).

DOT: AEROSOLS

ADR: 1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS

IMDG: AEROSOLS

IATA: AEROSOLS, NON-FLAMMABLE

TRANSPORT HAZARD CLASS(ES) :

DOT: CLASS 2.2, NON-FLAMMABLE AND NON-TOXIC GASES

CLASS: 2.2

LABEL: 2.2

ADR:

CLASS 2.2, NON-FLAMMABLE AND NON-TOXIC GASES
ENVIRONMENT

CLASS: 2 5A GASES

LABEL: 2.2

IMDG:

CLASS 2.2 - NON-FLAMMABLE GASES
ENVIRONMENT

CLASS: 2 GASES

LABEL: 2.2

IATA: CLASS 2.2, NON-FLAMMABLE AND NON-TOXIC GASES

CLASS: 2.2

LABEL: 2.2

PACKING GROUP:

DOT, ADR, IMDG, IATA: NOT REGULATED

ENVIRONMENTAL HAZARDS:

MARINE POLLUTANT: YES

SYMBOL (FISH AND TREE)

SPECIAL MARKING (ADR): SYMBOL (FISH AND TREE)

SPECIAL PRECAUTIONS FOR USER:

WARNING: GASES

DANGER CODE (KEMLER):

EMS NUMBER: F-D, S-U

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE:
NOT APPLICABLE.

TRANSPORT/ADDITIONAL INFORMATION:

ADR:

EXCEPTED QUANTITIES (EQ):
CODE: E0
NOT PERMITTED AS EXCEPTED QUANTITY

IMDG:
LIMITED QUANTITIES (LQ): 1L

EXCEPTED QUANTITIES (EQ):
CODE: E0
NOT PERMITTED AS EXCEPTED QUANTITY

UN "MODEL REGULATION": UN1950, AEROSOLS, 2.2

15 REGULATORY INFORMATION

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE:

SARA:

SECTION 355 (EXTREMELY HAZARDOUS SUBSTANCES):
NONE OF THE INGREDIENTS IS LISTED.

SECTION 313 (SPECIFIC TOXIC CHEMICAL LISTINGS):
NONE OF THE INGREDIENTS ARE LISTED.

TSCA (TOXIC SUBSTANCES CONTROL ACT): NOT ALL INGREDIENTS LISTED.

PROPOSITION 65 (CALIFORNIA):
CHEMICALS KNOWN TO CAUSE CANCER: NONE OF THE INGREDIENTS ARE LISTED.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR FEMALES:
NONE OF THE INGREDIENTS ARE LISTED.

CHEMICALS KNOWN TO CAUSE REPRODUCTIVE TOXICITY FOR MALES:
NONE OF THE INGREDIENTS IS LISTED.

CHEMICALS KNOWN TO CAUSE DEVELOPMENTAL TOXICITY:
NONE OF THE INGREDIENTS IS LISTED.

CARCINOGENIC CATEGORIES:

EPA (ENVIRONMENTAL PROTECTION AGENCY):
EPA PRODUCT REGISTRATION: 11694-110.

NONE OF THE INGREDIENTS IS LISTED.

FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT (FIFRA):
THIS CHEMICAL IS A PESTICIDE PRODUCT REGISTERED BY THE ENVIRONMENTAL PROTECTION AGENCY AND IS SUBJECT TO CERTAIN LABELING REQUIREMENTS UNDER FEDERAL PESTICIDE LAW. THESE REQUIREMENTS DIFFER FROM THE CLASSIFICATION

CRITERIA AND HAZARD INFORMATION REQUIRED FOR SAFETY DATA SHEETS, AND FOR WORKPLACE LABELS OF NON-PESTICIDE CHEMICALS. FOLLOWING IS THE HAZARD INFORMATION AS REQUIRED ON THE PESTICIDE LABEL:

PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION. HARMFUL IF INHALED. AVOID BREATHING VAPORS OR SPRAY MIST. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

FIRST AID:

IF INHALED:
MOVE PERSON TO FRESH AIR. IF PERSON IS NOT BREATHING, CALL 911 OR AN AMBULANCE, THEN GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH-TO-MOUTH IF POSSIBLE.

CALL A POISON CONTROL CENTER OR DOCTOR FOR FURTHER TREATMENT ADVICE.

ENVIRONMENTAL HAZARDS:
THIS PRODUCT IS TOXIC TO FISH AND OTHER AQUATIC INVERTEBRATES. DO NOT APPLY DIRECTLY TO ANY BODY OF WATER.

PHYSICAL OR CHEMICAL HAZARDS:
CONTENTS UNDER PRESSURE. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. DO NOT PUNCTURE OR INCINERATE CONTAINER. EXPOSURE TO TEMPERATURES ABOVE 130 DEG. F MAY CAUSE BURSTING.

DO NOT USE THIS PRODUCT IN OR ON ELECTRICAL EQUIPMENT DUE TO THE POSSIBILITY OF SHOCK HAZARD.

STORAGE AND DISPOSAL:

STORAGE:
STORE IN A COOL DRY AREA AWAY FROM HEAT OR OPEN FLAME. DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE AND DISPOSAL.

DISPOSAL: DO NOT PUNCTURE OR INCINERATE!

IF EMPTY: PLACE IN TRASH OR OFFER FOR RECYCLING IF AVAILABLE.

IF PARTLY FILLED:
CALL YOUR LOCAL SOLID WASTE AGENCY OR 1-800-CLEANUP FOR DISPOSAL INSTRUCTIONS.

IARC (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER):

51-03-6	2-(2-BUTOXYETHOXY)ETHYL 6-PROPYLPIPERONYLETHER	3
52645-53-1	PERMETHRIN (ISO)	3

TLV (THRESHOLD LIMIT VALUE ESTABLISHED BY ACGIH):

8003-34-7	PYRETHRINS AND PYRETHROIDS	A4
-----------	----------------------------	----

NIOSH-CA (NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH):
NONE OF THE INGREDIENTS IS LISTED.

STATE RIGHT TO KNOW LISTINGS: NONE OF THE INGREDIENTS IS LISTED.

CANADIAN SUBSTANCE LISTINGS:

CANADIAN DOMESTIC SUBSTANCES LIST (DSL): ALL INGREDIENTS ARE LISTED.

CANADIAN INGREDIENT DISCLOSURE LIST (LIMIT 0.1%):

NONE OF THE INGREDIENTS IS LISTED.

CANADIAN INGREDIENT DISCLOSURE LIST (LIMIT 1%):

NONE OF THE INGREDIENTS IS LISTED.

OTHER REGULATIONS, LIMITATIONS AND PROHIBITIVE REGULATIONS:

THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH HAZARD CRITERIA OF THE CONTROLLED PRODUCTS REGULATIONS AND THE SDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CONTROLLED PRODUCTS REGULATIONS.

CHEMICAL SAFETY ASSESSMENT:

A CHEMICAL SAFETY ASSESSMENT HAS NOT BEEN CARRIED OUT.

16 OTHER INFORMATION

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS SHALL NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP.

DATE OF PREPARATION / LAST REVISION: 11/24/2014

ABBREVIATIONS AND ACRONYMS:

ADR:

ACCORD EUROPEEN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD)

IMDG: INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS

DOT: US DEPARTMENT OF TRANSPORTATION

IATA: INTERNATIONAL AIR TRANSPORT ASSOCIATION

ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS

EINECS: EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES

ELINCS: EUROPEAN LIST OF NOTIFIED CHEMICAL SUBSTANCES

CAS: CHEMICAL ABSTRACTS SERVICE (DIVISION OF THE AMERICAN CHEMICAL SOCIETY)

NFPA: NATIONAL FIRE PROTECTION ASSOCIATION (USA)

HMIS: HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (USA)

WHMIS: WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (CANADA)

VOC: VOLATILE ORGANIC COMPOUNDS (USA, EU)

LC50: LETHAL CONCENTRATION, 50 PERCENT

LD50: LETHAL DOSE, 50 PERCENT

FLAM. GAS 1: FLAMMABLE GASES, HAZARD CATEGORY 1

PRESS. GAS: GASES UNDER PRESSURE: COMPRESSED GAS

ACUTE TOX. 3: ACUTE TOXICITY, HAZARD CATEGORY 3

ACUTE TOX. 4: ACUTE TOXICITY, HAZARD CATEGORY 4

SKIN SENS. 1: SENSITISATION - SKIN, HAZARD CATEGORY 1

ASP. TOX. 1: ASPIRATION HAZARD, HAZARD CATEGORY 1

AQUATIC ACUTE 1:

HAZARDOUS TO THE AQUATIC ENVIRONMENT - ACUTE HAZARD, CATEGORY 1

AQUATIC CHRONIC 1:

HAZARDOUS TO THE AQUATIC ENVIRONMENT - CHRONIC HAZARD, CATEGORY 1

SOURCES:

SDS PREPARED BY:

CHEMTEL INC.

1305 NORTH FLORIDA AVENUE

TAMPA, FLORIDA 33602-2902

USA

TOLL FREE NORTH AMERICA: 1-888-255-3924

INTL.: +01 813-248-0573

WEBSITE: WWW.CHEMTELINE.COM