

Material Safety Data Sheet

Revision Date: 11-Jul-2013

Revision Number: 6

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name

Product Code Product Class Color

ARBORCOAT EXTERIOR WATERBORNE TRANSPARENT DECK & SIDING STAIN MAHOGANY K63760 STAIN Dark brown

Manufacturer

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 201-573-9600 www.benjaminmoore.com Emergency Telephone Number(s) CANUTEC: 613-996-6666

2. COMPOSITION INFORMATION ON COMPONENTS

Hazardous Components

| Chemical Name | CAS-No | Weight % (max) |
|--|-------------|----------------|
| Silica, amorphous | 7631-86-9 | 1 - 5% |
| Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4- hydroxyphenyl]-1-oxopropyl]omegahydroxy- | 104810-48-2 | 0.25 - 0.5% |
| Decanedioic acid, bis(1,2,2,6,6-pentamethyl-4- piperidinyl) ester | 41556-26-7 | 0.25 - 0.5% |
| Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4- hydroxyphenyl]-1-oxopropyl]omega[3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4- hydroxyphenyl]-1-oxoprop | 104810-47-1 | 0.25 - 0.5% |
| Cobalt neodecanoate | 27253-31-2 | 0.1 - 0.25% |

3. HAZARDS IDENTIFICATION

| | | 3. HAZARD | S IDENTIFICA | ΓΙΟΝ | |
|---|-----------------------|---|--|---|--|
| | | Emerg | ency Overview | | |
| Vapors may be | irritating to eyes, | | gs. May cause skin irr kin reaction. | itation and/or dermatitis. May cause allergic | |
| Appearance liqu | uid | | | Odor little or no odor | |
| Potential Health | Effects | | | | |
| Principal Route | s of Exposure | Eye contact, skin c | ontact and inhalation. | | |
| Acute Effects | | | | | |
| Eyes | | | May cause slight irritation. | | |
| Skin | | | May cause skin irritation and/or dermatitis. May cause allergic skin reaction. | | |
| Inhalation Ingestion | | May cause irritation of respiratory tract. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. | | | |
| Chronic Effects | i | Repeated contact may cause allergic reactions in very susceptible persons. | | | |
| See Section 11 for | r additional Toxicolo | gical information. | | | |
| Aggravated Me | dical Conditions | None known | | | |
| HMIS H | Health: 1* | Flammability: 0 | Reactivity: 0 | PPE: - | |
| HMIS Legend 0 - Minimal Hazard 1 - Slight Hazard 2 - Moderate Haza | | | | | |

- Moderate Hazard
- 3 Serious Hazard
- 4 Severe Hazard
- * Chronic Hazard
- X Consult your supervisor or S.O.P. for "Special"
- handling instructions.

Note: The PPE rating has intentionally been left blank. Choose appropriate PPE that will protect employees from the hazards the material will present under the actual normal conditions of use.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer, has chosen to provide them. HMIS® ratings are to be used only in conjunction with a fully implemented HMIS® program by workers who have received appropriate HMIS® training. HMIS® is a registered trade and service mark of the NPCA. HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

4. FIRST AID MEASURES

| General Advice | No hazards which require special first aid measures. |
|----------------|---|
| Eye Contact | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. |
| Skin Contact | Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. |
| Inhalation | Move to fresh air. If symptoms persist, call a physician. |

| Ingestion | Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary. | | |
|--|--|--|---|
| Notes To Physician | Treat symptomatically | | |
| | 5. FIRE-FIGHT | ING MEASUR | RES |
| Suitable Extinguishing Media | | | measures that are appropriate to local difference of the surrounding environment. |
| Protective Equipment And Preca | utions For Firefighters | | ar self-contained breathing apparatus , MSHA/NIOSH (approved or equivalent) gear. |
| Specific Hazards Arising From TI | ne Chemical | Closed containers heat. | s may rupture if exposed to fire or extreme |
| Sensitivity To Mechanical Impact | | No | |
| Sensitivity To Static Discharge | | No | |
| Flash Point Data Flash Point (°F) Flash Point (°C) Flash Point Method Flammability Limits In Air | | Not applicable Not applicable Not applicable | |
| Upper Explosion Limit Lower Explosion Limit | | Not applicable Not applicable | |
| NFPA Health: 1 Flam | mability: 0 Insta | bility: 0 | Special: Not Applicable |
| NFPA Legend 0 - Not Hazardous 1 - Slightly 2 - Moderate 3 - High 4 - Severe | | | |

The ratings assigned are only suggested ratings, the contractor/employer has ultimate responsibilities for NFPA ratings where this system is used.

Additional information regarding the NFPA rating system is available from the National Fire Protection Agency (NFPA) at www.nfpa.org.

6. ACCIDENTAL RELEASE MEASURES

| Personal Precautions | Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. |
|----------------------------------|---|
| Environmental Precautions | Prevent further leakage or spillage if safe to do so. |
| Methods For Clean-Up | Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. |
| Other Information | None known |

7. HANDLING AND STORAGE

Handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

Storage

Keep container tightly closed. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits

Hazardous Components

| Chemical Name | ACGIH | Alberta | British Columbia | Ontario | Quebec |
|---|------------------------------|------------------------------|------------------------------|---------|-----------------------------------|
| Silica, amorphous | N/E | N/E | N/E | N/E | N/E |
| Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H- benzotriazol-2-yl)-5-(1,1- dimethylethyl)-4- hydroxyphenyl]-1- oxopropyl]omega hydroxy- | N/E | N/E | N/E | N/E | N/E |
| Decanedioic acid, bis(1,2,2,6,6-pentamethyl- 4-piperidinyl) ester | N/E | N/E | N/E | N/E | N/E |
| Poly(oxy-1,2-ethanediyl), .alpha[3-[3-(2H- benzotriazol-2-yl)-5-(1,1- dimethylethyl)-4- hydroxyphenyl]-1- oxopropyl]omega[3-[3- (2H-benzotriazol-2-yl)-5- (1,1-dimethylethyl)-4- hydroxyphenyl]-1-oxoprop | N/E | N/E | N/E | N/E | N/E |
| Cobalt neodecanoate | 0.02 mg/m ³ - TWA | 0.05 mg/m ³ - TWA | 0.02 mg/m ³ - TWA | N/E | 0.02 mg/m ³ - TWAEV |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists Alberta - Alberta Occupational Exposure Limits British Columbia - British Columbia Occupational Exposure Limits Ontario - Ontario Occupational Exposure Limits Quebec - Quebec Occupational Exposure Limits N/E - Not established

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face ProtectionSafety glasses with side-shields.Skin ProtectionProtective gloves and impervious clothingRespiratory ProtectionIn case of insufficient ventilation wear suitable respiratory equipment.

Hygiene Measures

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance Odor Density (lbs/gal) Specific Gravity pH Viscosity (centistokes) Evaporation Rate Vapor Pressure Vapor Density Wt. % Solids Vol. % Solids Vol. % Solids Vol. % Volatiles VoC Regulatory Limit (g/L) Boiling Point (°F) Boiling Point (°F) Freezing Point (°F) Freezing Point (°C) Flash Point (°C) | liquid little or no odor 8.55 - 8.65 1.02 - 1.04 Not available Not available Not available Not available 25 - 35 25 - 35 65 - 75 65 - 75 < 100 212 100 32 0 Not applicable Not applicable |
|---|---|
| · · / | • • |
| Freezing Point (°F) Freezing Point (°C) Flash Point (°F) Flash Point (°C) Flash Point (°C) Flash Point Method Upper Explosion Limit | 0 Not applicable Not applicable Not applicable Not available |

10. STABILITY AND REACTIVITY

| Chemical Stability | Stable under normal conditions. |
|------------------------------------|--|
| Conditions To Avoid | Prevent from freezing |
| Incompatible Materials | No materials to be especially mentioned |
| Hazardous Decomposition Products | None under normal use. |
| Possibility Of Hazardous Reactions | Hazardous polymerisation will not occur. |

11. TOXICOLOGICAL INFORMATION

Acute Toxicity Product No information available

Component

Silica, amorphous LD50 Oral: > 5000 mg/kg (Rat) LD50 Dermal: 2,000 mg/kg (Rabbit) LC50 Inhalation (Dust): > 2 mg/L

Cobalt neodecanoate LD50 Oral: 3900 mg/kg (Rat)

Chronic Toxicity

Carcinogenicity

The information below indicates whether each agency has listed any ingredient as a carcinogen:

| Chemical Name | ACGIH | IARC | NTP | OSHA Carcinogen |
|---------------------|-----------------|---------------|-----|--------------------|
| | A3 - Confirmed | 2B - Possible | | |
| Cobalt neodecanoate | Animal | Human | | |
| | Carcinogen with | Carcinogen | | |
| | Unknown | - | | |
| | Relevance to | | | |
| | Humans | | | |

• Cobalt and cobalt compounds are listed as possible human carcinogens by IARC (2B). However, there is inadequate evidence of the carcinogenicity of cobalt and cobalt compounds in humans.

Legend

ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer NTP - National Toxicity Program OSHA - Occupational Safety & Health Administration

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects

Product Acute Toxicity to Fish No information available

Acute Toxicity to Aquatic Invertebrates

No information available

12. ECOLOGICAL INFORMATION

Acute Toxicity to Aquatic Plants

No information available

Component

Acute Toxicity to Fish No information available

Acute Toxicity to Aquatic Invertebrates

No information available

Acute Toxicity to Aquatic Plants

No information available

| | 13. DISPOSAL CONSIDERATIONS |
|-----------------------|--|
| Waste Disposal Method | Dispose of in accordance with federal, state, provincial, and local regulations. Dry, empty containers may be recycled in a can recycling program. Local requirements may vary, consult your sanitation department or state-designated environmental protection agency for more disposal options. |
| | 14. TRANSPORT INFORMATION |
| TDG | Not regulated |
| ICAO / IATA | Not regulated |
| IMDG / IMO | Not regulated |
| | 15. REGULATORY INFORMATION |

International Inventories

United States TSCAYes - All components are listed or exempt.Canada DSLYes - All components are listed or exempt.

National Pollutant Release Inventory (NPRI)

NPRI Parts 1-4 This product contains the following Parts 1-4 NPRI chemicals:

| | 15. REGULATORY INFORM | IATION |
|---------------------|-----------------------|----------------|
| Chemical Name | CAS-No | Weight % (max) |
| Cobalt neodecanoate | 27253-31-2 | 0.1 - 0.25% |

This product may contain trace amounts of (other) NPRI Parts I-4 reportable chemicals. Contact the preparer for further information.

NPRI Part 5

This product contains the following NPRI Part 5 Chemicals:

This product may contain trace amounts of (other) NPRI Part 5 reportable chemicals. Contact the preparer for further information.

WHMIS Regulatory Status

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D2A Very toxic materials



16. OTHER INFORMATION

WARNING! If you scrape, sand, or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a NIOSH approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by logging onto Health Canada @ http://www.hc-sc.gc.ca/hl-vs/iyh-vsv/prod/paint-peinture-eng.php.

| Prepared By | Product Stewardship Department Benjamin Moore & Co. 360 Route 206 - P.O. Box 4000 Flanders, NJ 07836 866-690-1961 |
|----------------|---|
| Revision Date: | 11-Jul-2013 |

Revision Summary

No information available

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

