

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Identification of the substance or mixture

Product name: GBX Fixer and Replenisher

Product code: 4980561

Pure substance/mixture Mixture

Use of the Substance/Mixture

Product Use: Restricted to professional users, Photographic chemical.

Restrictions on use

Company/Undertaking Identification

Supplier Carestream Health Malaysia Sdn. Bhd.
3A Floor, Suite 18, IOI Business Park, Persiaran Puchong Jaya Selatan, Bandar Puchong Jaya 47100 Puchong, Selangor Darul Ehsan

For further information, please contact:

For environment, health and safety information, email: WW-EHS@carestreamhealth.com

Emergency telephone

1-800-815-308

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Acute oral toxicity	Category 5
---------------------	------------

GHS Label elements, including precautionary statements

WARNING

Hazard statements

H303 - May be harmful if swallowed

Precautionary Statements

P312 - Call a POISON CENTER or doctor/ physician if you feel unwell

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %
---------------	----------

Water	40-50
Ammonium thiosulfate	30-40
Sodium bisulfite	1-5
Ammonium bisulfite	1-5
Potassium acetate	1-5
Ammonium acetate	1-5
Sodium borate	1-2
Aluminum sulfate	1-5
Acetic acid	0.1-1.0

4. FIRST AID MEASURES

Description of necessary first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Main Symptoms	None known.
Eye contact	In case of contact, immediately flush eyes with plenty of water. Get medical attention immediately if symptoms occur.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes while removing all contaminated clothing and shoes. Get medical attention immediately if symptoms occur. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.
Inhalation	Move to fresh air. Get medical attention immediately if symptoms occur.
Ingestion	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

Most important symptoms/effects, acute and delayed

Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Eye contact	May cause eye irritation.
Inhalation	Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea. Contact with strong acids liberates sulfur dioxide. May cause irritation of respiratory tract.
Ingestion	May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which shall not be used for safety reasons

None known based on information supplied.

Specific hazards arising from the chemical**Special Hazard**

Dried product residue can act as a reducing agent. Reacts violently with oxidizing materials. May cause spontaneous heating and ignition when absorbed on combustible, porous material (e.g. rags, paper, sawdust, cotton, clothing).

Special protective actions for fire-fighters**Special protective equipment for fire-fighters**

Wear self-contained breathing apparatus and protective suit.

Other information**Other information**

None known.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For personal protection see section 8. Ensure adequate ventilation.

Advice for emergency responders

For personal protection see section 8

Environmental precautions

Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Prevent further leakage or spillage if safe to do so.

Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Other information

See Section 12 for additional Ecological information.

7. HANDLING AND STORAGE

Precautions for safe handling**Advice on safe handling**

Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Wash thoroughly after handling.

Prevention of fire and explosion

Keep from contact with oxidizing materials, highly oxygenated or halogenated solvents, organic compounds containing reducible functional groups

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

Materials to Avoid

Acids. Strong bases. Sodium hypochlorite. Halogenated compounds. Contact with strong acids liberates sulfur dioxide. Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits

Chemical Name	Taiwan	China	ACGIH TLV	European Union
Sodium bisulfite	STEL 10 mg/m ³		TWA: 5 mg/m ³	
Sodium borate			STEL 6 mg/m ³ TWA: 2 mg/m ³	
Acetic acid	STEL 15 ppm STEL 37.5 mg/m ³	TWA 10 mg/m ³ STEL 20 mg/m ³	STEL 15 ppm TWA: 10 ppm	TWA 10 ppm TWA 25 mg/m ³

Appropriate engineering controls

Engineering Measures

Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment (PPE)

Personal Protective Equipment

General Information

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection

None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Eye Protection

Safety glasses with side-shields

Skin and body protection

Wear protective gloves/ protective clothing.

Hand Protection

Protective gloves

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state liquid

ph 4.9

Flash point: Does not flash

Boiling point/boiling range > 100 °C

Odor Ammonia

Color colorless

Autoignition temperature: No information available

Vapor Pressure 24 mbar @ 20 °C

Vapor density 0.6

Density No information available
Water Solubility completely soluble
Melting point/range: No information available
Specific Gravity 1.30
Bulk Density: No information available

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Contact with strong acids liberates sulfur dioxide. Contact with sodium hypochlorite (bleach) may form chloramine (toxic gas).
Contact with bases liberates flammable material and ammonia.

Conditions to Avoid

Do not freeze.

Materials to Avoid

Acids. Strong bases. Sodium hypochlorite. Halogenated compounds. Contact with strong acids liberates sulfur dioxide. Oxidizing agents.

Hazardous Decomposition Products

Ammonia. Chloramine. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity Product Information.

Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Eye contact	May cause eye irritation.
Inhalation	Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea. Contact with strong acids liberates sulfur dioxide. May cause irritation of respiratory tract.
Ingestion	May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.
Acute toxicity	0% of the mixture consists of ingredient(s) of unknown toxicity
Oral	4,413.31 mg/kg
Dermal	59,282.35 mg/kg
Inhalation	
Gas	No information available
Mist	No information available
Vapor	No information available

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	90,000 mg/kg (Rat)		
Ammonium thiosulfate	> 2000 mg/kg (Rat)		
Sodium bisulfite	1420 mg/kg (Rat)		
Potassium acetate	3250 mg/kg (Rat)		
Sodium borate	2403 mg/kg (Rat)	2000 mg/kg (Rabbit)	
Aluminum sulfate	> 5000 mg/kg (Rat)		
Acetic acid	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h
Chemical Name	Other applicable information		
Sodium borate	Based on repeated-dose ingestion studies in animals, may cause adverse reproductive and developmental effects. However, the doses administered were many times those to which humans would normally be exposed.		
Aluminum sulfate	Severe eye irritation No skin irritation Cell transformation assay: negative Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea		
Acetic acid	Severe eye irritation Severe skin irritation Acute overexposure to extremely high airborne concentrations of respiratory irritants has been associated with development of an asthma-like reactive airways syndrome (RADS) in susceptible individuals. Extremely high airborne concentrations are not generated during normal conditions of use but may occur following a spill. The potential to generate extremely high airborne concentrations in a spill situation depends upon physical factors such as the concentration of the solution, the volume of the spill, the surface area of the spill, the size of the room where the spill occurred, and the ventilation rate in the room.		

Aggravated Medical Conditions None known.

Subchronic toxicity

no data available

Chronic toxicity

Chronic toxicity

Prolonged exposure may cause chronic effects.

Sensitization

No information available.

Neurological effects

No information available.

Target Organ Effects

Eyes, Skin, Respiratory system.

CMR Effects

Carcinogenicity

Contains no ingredient listed as a carcinogen.

Reproductive toxicity

Contains a known or suspected reproductive toxin. However, based on available data the product should not be classified for reproductive effects.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated

Acute aquatic toxicity Product Information

No information available

Acute aquatic toxicity Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Sodium bisulfite		LC50= 240 mg/L Gambusia affinis 96 h	EC50 = 119 mg/L 48 h (Daphnia magna)
Potassium acetate		LC50= 6800 mg/L Oncorhynchus mykiss 96 h	EC50 = 7170 mg/L 24 h (Daphnia magna)
Sodium borate	158 mg/L EC50 96 h (Desmodesmus subspicatus) 2.6 - 21.8 mg/L EC50 96 h (Pseudokirchneriella subcapitata)	LC50= 340 mg/L Limanda limanda 96 h	LC50 1085 - 1402 mg/L 48 h (Daphnia magna)
Aluminum sulfate		LC50= 100 mg/L Carassius auratus 96 h LC50= 37 mg/L Gambusia affinis 96 h	EC50 = 136 mg/L 15 min (Daphnia magna)
Acetic acid		LC50= 79 mg/L Pimephales promelas 96 h LC50= 75 mg/L Lepomis macrochirus 96 h	EC50 = 47 mg/L 24 h (Daphnia magna) EC50 = 65 mg/L 48 h (Daphnia magna)

Persistence and degradability

Expected to be readily biodegradable

Bioaccumulative potential

No information available

Chemical Name	log Pow
Acetic acid	-0.31

Mobility in soil

No information available

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste from Residues / Unused Products

Dispose of in accordance with local regulations.

Contaminated packaging

Do not re-use empty containers. Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

<u>ADR/RID</u>	Not regulated
<u>IMDG/IMO</u>	Not regulated
<u>ICAO/IATA</u>	Not regulated
<u>ADN</u>	Not regulated
<u>TDG</u>	Not regulated

For transportation information, go to: <http://ship.carestreamhealth.com>.

15. REGULATORY INFORMATION

International Inventories

EINECS/ELINCS	Complies
TSCA	Complies
DSL/NDSL	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies
NZIoC	Complies

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

Revision Date 2013-08-30
Revision Note (M)SDS sections updated

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Material Safety Data Sheet