

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Identification of the substance or mixture

Product name: RP X-OMAT LO Fixer and Replenisher, Part A

KODAK RP X-OMAT LO Fixer and Replenisher, Part A

Product code: 6610059A

Pure substance/mixture Mixture

Use of the Substance/Mixture

Product Use: Photographic chemical.

Restrictions on use Restricted to professional users

Company/Undertaking Identification

Supplier Carestream Health Japan Co., Ltd., 2-27-1 Shinkawa, Chuo-ku, Tokyo, Japan

For further information, please contact:

For environment, health and safety information, email: WW-EHS@carestreamhealth.com

Emergency telephone

Emergency telephone +(81)-345209637

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A

GHS Label elements, including precautionary statements



WARNING

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Product code: 6610059A Revision Date 2013-09-27

Page 2/9

Precautionary Statements

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P362 - Take off contaminated clothing and wash before reuse

P332 + P313 - If skin irritation occurs: Get medical advice/ attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

Other hazards which do not result in classification

General Hazards

May be harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %
Water	45 - 50
Ammonium thiosulfate	40-45
Sodium bisulfite	1-5
Sodium acetate	1 - 5
Ammonium sulfite	1 - 5
Acetic acid	1 - 5
Sodium thiosulfate	1 - 5

4. FIRST AID MEASURES

Description of necessary first-aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Main Symptoms Irritation.

Eye contactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

irritation persists, call a physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion If swallowed, do not induce vomiting - seek medical advice.

Most important symptoms/effects, acute and delayed

Skin contact May cause irritation.

Eye contact Causes eye irritation.

Inhalation May cause irritation of respiratory tract. Contact with strong acids liberates sulfur dioxide.

Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness,

stomach upset, hives, faintness, weakness and diarrhea.

Page 3/9

Ingestion May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may

experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and

diarrhea.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media The product is not flammable. Use extinguishing measures that

are appropriate to local circumstances and the surrounding

environment.

Extinguishing media which shall not be used for safety

reasons

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Special Hazard Thermal decomposition can lead to release of irritating gases and

vapors. Dried product residue can act as a reducing agent. Reacts violently with oxidizing materials. May cause spontaneous heating and ignition when absorbed on combustible, porous

material (e.g. rags, paper, sawdust, cotton, clothing).

Special protective actions for fire-fighters

Special protective equipment for fire-fighters Wear self-contained breathing apparatus and protective suit.

Other information

Other information Cool containers / tanks with water spray. Fire residues and

contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Do not touch or walk through spilled material. For personal protection see section 8.

Advice for emergency responders

For personal protection see section 8

Environmental precautions

Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. Try to prevent the material from entering drains or water courses.

Methods and materials for containment and cleaning up

Version 5

Page 4/9

Version 5

Prevent further leakage or spillage if safe to do so.

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Other information

See also section 7.

7. HANDLING AND STORAGE

Precautions for safe handling

When using, do not eat, drink or smoke. For personal protection see section 8. Keep from Advice on safe handling

contact with oxidizing materials, highly oxygenated or halogenated solvents, organic compounds containing reducible functional groups. Drying of this product on clothing or

combustible materials may cause fire.

Keep from contact with oxidizing materials, highly oxygenated or halogenated solvents, Prevention of fire and explosion

organic compounds containing reducible functional groups Drying of this product on

clothing or combustible materials may cause fire.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep tightly closed in a dry and cool place. Keep at temperatures between 5°C and 30°C.

Store in original container.

Materials to Avoid Acids. Strong bases. Oxidizing agents. Sodium hypochlorite. Halogenated compounds.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits

Chemical Name	Japan	European Union	ACGIH TLV
Sodium bisulfite			TWA: 5 mg/m ³
Acetic acid	OEL 10 ppm OEL 25 mg/m ³	TWA 10 ppm TWA 25 mg/m ³	STEL 15 ppm TWA: 10 ppm

Appropriate engineering controls

Engineering Measures

Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Ensure that eyewash stations and safety showers are close to the workstation location.

Individual protection measures, such as personal protective equipment (PPE)

Personal Protective Equipment

Respiratory protection

General Information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied. None under normal use conditions. In case of mist, spray or aerosol exposure wear suitable

personal respiratory protection and protective suit.

Eye Protection Skin and body protection

Hand Protection

If splashes are likely to occur, wear:. Goggles, Safety glasses with side-shields. Wear impervious gloves and/or clothing if needed to prevent contact with the material.

Use impervious, chemical resistant gloves.

Hygiene measures

When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Regular cleaning of equipment, work area and clothing is recommended.

Autoignition temperature: No information available

Odor Vinegar-like

Color light yellow

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state liquid

ph 4.8

Page 5/9

Flash point: Does not flash

Boiling point/boiling range > 100 °C / 212 °F

Vapor Pressure 24 hPa @ 20 °C

Vapor density 0.6

Density No information available **Water Solubility** completely soluble

Melting point/range: No information available

Specific Gravity

Bulk Density: No information available

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Contact with sodium hypochlorite (bleach) may form chloramine (toxic gas). Contact with strong acids liberates sulfur dioxide. Contact with bases liberates flammable material and ammonia.

Conditions to Avoid

Temperatures above 180°C.

Materials to Avoid

Acids. Strong bases. Oxidizing agents. Sodium hypochlorite. Halogenated compounds.

Hazardous Decomposition Products

Ammonia. Sulfur oxides. Nitrogen oxides (NOx). Chloramine.

11. TOXICOLOGICAL INFORMATION

Acute toxicity - Product Information

Skin contact Eye contact May cause irritation. Causes eye irritation.

Version APJP

Page 6/9

Product code: 6610059A

Inhalation May cause irritation of respiratory tract. Contact with strong acids liberates sulfur dioxide.

Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness,

stomach upset, hives, faintness, weakness and diarrhea.

Ingestion May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may

experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and

diarrhea.

Acute toxicity 0.99% of the mixture consists of ingredient(s) of unknown toxicity

 $\begin{array}{ll} \textbf{Oral} & 3,829.00 \hspace{0.1cm} \text{mg/kg (ATE)} \\ \textbf{Dermal} & 41,074.00 \hspace{0.1cm} \text{mg/kg (ATE)} \\ \end{array}$

Inhalation

GasNo information availableMist163.00 mg/L (ATE)VaporNo information available

Acute toxicity - Component Information

Chemical Name LD50 Oral		LD50 Dermal	LC50 Inhalation		
Water	90,000 mg/kg (Rat)				
Ammonium thiosulfate	> 2000 mg/kg (Rat)				
Sodium bisulfite	1420 mg/kg (Rat)				
Sodium acetate	3530 mg/kg (Rat)	10 g/kg (Rabbit)	30 g/m³ (Rat) 1 h		
Ammonium sulfite	2500 mg/kg (Rat)				
Acetic acid	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h		
Sodium thiosulfate	5000 mg/kg (Rat)				

Chemical Name	Other applicable information
Acetic acid	Severe eye irritation Severe skin irritation Acute overexposure to extremely high airborne concentrations of respiratory irritants has been associated with development of an asthma-like reactive airways syndrome (RADS) in susceptible individuals. Extremely high airborne concentrations are not generated during normal conditions of use but may occur following a spill. The potential to generate extremely high airborne concentrations in a spill situation depends upon physical factors such as the concentration of the solution, the volume of the spill, the surface area of the spill, the size of the room where the spill occured, and the ventilation rate in the room.
Sodium thiosulfate	Mild skin irritation

Aggravated Medical Conditions

Preexisting eye disorders, Skin disorders, Respiratory disorders.

Subchronic toxicity

Chronic toxicity

Chronic toxicity Prolonged exposure may cause chronic effects.

SensitizationNo information available.Neurological effectsNo information available.

Target Organ Effects Respiratory system, Eyes, Skin, Teeth.

CMR Effects

Carcinogenicity Contains no ingredient listed as a carcinogen.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Page 7/9

The environmental impact of this product has not been fully investigated.

Acute aquatic toxicity Product Information

No information available

Acute aquatic toxicity Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Sodium bisulfite		LC50= 240 mg/L Gambusia affinis 96 h	EC50 = 119 mg/L 48 h (Daphnia magna)
Sodium acetate			EC50 > 1000 mg/L 48 h (Daphnia magna)
Acetic acid		LC50= 79 mg/L Pimephales promelas 96 h LC50= 75 mg/L Lepomis macrochirus 96 h	EC50 = 47 mg/L 24 h (Daphnia magna) EC50 = 65 mg/L 48 h (Daphnia magna)
Sodium thiosulfate		LC50= 24000 mg/L Gambusia affinis 96 h	

Persistence and degradability

Readily biodegradable.

	Degradation						
Type:	Method	Compartment	Sampling time	Units	Result	Units	
Chemical Oxygen Demand				306	g/l		
(COD)						•	
Biochemical Oxyge	n				249	g/l	
Demand (BOD)						•	

Bioaccumulative potential

No information available

Chemical Name	log Pow
Acetic acid	-0.31

Mobility in soil

No information available

13. DISPOSAL CONSIDERATIONS

Waste from Residues / Unused **Products**

Dispose of in accordance with local regulations.

Contaminated packaging

Do not re-use empty containers. Dispose of in accordance with local regulations.

Version 5

14. TRANSPORT INFORMATION

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

ADR/RID Not regulated

IMDG/IMO Not regulated

ICAO/IATA Not regulated

ADN Not regulated

TDG Not regulated

For transportation information, go to: http://ship.carestreamhealth.com.

15. REGULATORY INFORMATION

International Inventories

EINECS/ELINCS Complies **TSCA** Complies **DSL/NDSL** Complies **ENCS** Complies Complies **IECSC** Complies **KECL** Complies **PICCS AICS** Complies Complies **NZIoC**

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

National regulatory information

Chemical Name	Dangerous	Substances	organic solvent	Harmful Substances Whose Names Are to be Indicated on the Label		Biological monitoring
Sodium bisulfite	>0.	1 %	not applicable	not applicable		
Acetic acid	Flammable >0.	substance 1 %	not applicable	not applicable		
Chemical Name			Restrictions on use		Т	hreshold limits
Acetic acid - 64-19-7			4			

Version 5 Page 9/9

16. OTHER INFORMATION

Revision Date 2013-09-27

Revision Note (M)SDS sections updated

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Material Safety Data Sheet