

Safety Information

MSDS

TOP

FSC: 8010

MSDS Date: 01/26/1988

MSDS Num: BKYBP

Submitter: F BT

LIIN: 00F018496

Tech Review: 09/12/1991

Status CD: C

Product ID: LAV 60Z OMNI PAK LAC ACRYLIC/VINYL

MFN: 01

Article: N

Kit Part: N

Responsible Party

Cage: 09800

Name: SPRAYON PRODUCTS/DIV SHERWIN-WILLIAMS CO

Address: 26300 FARGO AVE

Box: N/K

City: BEDFORD HEIGHTS

State: OH

Zip: 44146-1310

Country: NK

Info Phone Number: (216) 292-7400

Emergency Phone Number: (216) 292-7400

Preparer's Name: N/P

Proprietary Ind: N

Review Ind: Y

Published: Y

Special Project CD: N

Preparer Co. when other than Responsible Party Co.

Preparer

TOP

Cage: 09800

Assigned Ind: N

Name: SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.

Address: 26300 FARGO AVENUE

Box:

City: BEDFORD HEIGHTS

State: OH

Zip: 44146

Summary

Contractor

TOP

Cage: 09800

Name: SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.

Address: 26300 FARGO AVENUE

City: BEDFORD HEIGHTS

State: OH

Zip: 44146

Country: US

Phone: 216-292-7400 OR 216-595-8634

Ingredients

TOP

Cas: 67-64-1

Code: M

RTECS #: AL3150000

Code: M

Name: ACETONE (SARA III)

% Text: 70%

Environmental Wt:

Other REC Limits: 590 MG/CUM

OSHA PEL: 1000PPM

Code: M

OSHA STEL:

Code:

ACGIH TLV: 750PPM/1000STEL,9293

Code: M

N/P

Code:

EPA Rpt Qty: 5000 LBS

ACGIH
STEL:
DOT Rpt 5000 LBS
Qty:

Ozone Depleting Chemical: N

Cas: 763-69-9

Code: M

RTECS #: UF3325000

Code: M

Name: ETHYL 3-ETHOXYPROPIONATE

% Text: 10%

Environmental Wt:

Other REC Limits: N/K

OSHA PEL: N/K

Code: M

OSHA
STEL:

Code:

ACGIH TLV: 50 PPM

Code: M

ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT Rpt
Qty:

Ozone Depleting Chemical: N

Cas: 74-98-6

Code: M

RTECS #: TX2275000

Code: M

Name: PROPANE

% Text: 20%

Environmental Wt:

Other REC Limits: 1800 MG/CUM

OSHA PEL: 1000 PPM

Code: M

OSHA
STEL:

Code:

ACGIH TLV: ASPHYXIAN; 9192

Code: M

ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT Rpt
Qty:

Ozone Depleting Chemical: N

Hazards Data

Health

TOP

LD50 LC50 Mixture N/K

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Health Hazards Acute And Chronic

INHALATION: ANESTHETIC EFFECTS, UPPER RESPIRATORY SYSTEM IRRITATION, LIGHT-HEADEDNESS, STAGGERING GAIT, GIDDINESS, NAUSEA, PERMANENT BRAIN/NERVOUS SYSTEM/KIDNEY/LIVER DAMAGE. SKIN: IRRITATION. INGESTION: HARMFUL OR FATAL.

Explanation Of Carcinogenicity

NONE

Signs And Symptoms Of Overexposure

INHALATION: ANESTHETIC EFFECTS, UPPER RESPIRATORY SYSTEM IRRITATION, LIGHT-HEADEDNESS, STAGGERING GAIT, GIDDINESS, NAUSEA, PERMANENT BRAIN/NERVOUS SYSTEM/KIDNEY/LIVER DAMAGE. SKIN/EYES: IRRITATION. INGESTION: HARMFUL OR FATAL.

Medical Cond Aggravated By Exposure

N/K

First Aid

INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH W/WATER FOR AT LEAST 15 MINS. SKIN: WASH W/SOAP & WATER. INGESTION: DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Spill Release Procedures

REMOVE ALL SOURCES OF IGNITION. VENTILATE AREA. REMOVE W/INERT ABSORBENT.

Neutralizing Agent

N/K

Waste Disposal Methods

DON'T INCINERATE OR PUNCTURE. DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS REGARDING POLLUTION.

Handling And Storage Precautions

DON'T STORE >120F. KEEP AT ROOM TEMPERATURE. DON'T INGEST.

Other Precautions

DON'T SPRAY NEAR FIRE OR OPEN FLAME. KEEP AWAY FROM CHILDREN. AVOID BREATHING VAPORS OR SPRAY MIST & CONTACT W/SKIN & EYES. CONTENTS UNDER PRESSURE.

Explosion Hazard Information

Fire and

TOP

Flash Point Method: TOC

Flash Point:

Flash Point Text: <20F

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: N/K

Upper Limits: N/K

Extinguishing Media

CO2, DRY CHEMICAL OR FOAM

Fire Fighting Procedures

WATER MAY BE INEFFECTIVE. USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL.

Unusual Fire/Explosion Hazard

EXPOSURE TO DIRECT SUNLIGHT OR OTHER HEAT MAY CAUSE BURSTING.

Measures

Control

TOP

Respiratory Protection

N/K

Ventilation

LOCAL EXHAUST IN VOLUME & PATTERN TO KEEP <TLV.

Protective Gloves

RECOMMENDED

Eye Protection

SAFETY GLASSES W/UNPERFORATED SIDESHIELD

Other Protective Equipment

N/K

Work Hygienic Practices

N/K

Supplemental Safety and Health

PRODUCT CONTAINS INGREDIENTS SUBJECT TO SARA TITLE III SECTION 313. CERTAIN RAW MATERIALS USED IN MAKING THIS PRODUCT MAY CONTAIN SMALL AMOUNTS OF MATERIALS AS IMPURITIES WHICH ARE REGULATED BY PROPOS ITION 65.

Physical/Chemical Properties

[TOP](#)

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: 0F

Melt/Freeze Pt:

M.P/F.P Text: N/K

Decomp Temp:

Decomp Text: N/K

Vapor Pres: 50-60 PSIG

Vapor Density: >AIR

Volatile Org Content %:

Spec Gravity: N/K

VOC Pounds/Gallon:

PH: N/K

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference: **FASTER THAN ETHER**

Solubility in Water: N/K

Appearance and Odor: N/K

Percent Volatiles by Volume: 100/WT

Corrosion Rate: N/K

Data

Reactivity

[TOP](#)

Stability Indicator: YES

Stability Condition To Avoid: TEMPERATURES >120F, DIRECT SUNLIGHT, HEAT, FIRE, OR OTHER SOURCES OF IGNITION.

Materials To Avoid: N/K

Hazardous Decomposition Products: CO, CO2

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization N/K

Toxicological Information

[TOP](#)

Toxicological Information:N/P

Information

Ecological

[TOP](#)

Ecological: N/P

Transport Information

MSDS

TOP

Transport Information: N/P

Information

Regulatory

TOP

Surrogate Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Information

Other

TOP

Other Information: N/P

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.