

# SAFETY DATA SHEET

# 1. Identification

Product identifier	Liquid Wrench Aerial Lift Flu	id
Other means of identification		
SDS number	LB10-1G	
Part No.	LB10-1G, LB10-5G, LB10-55G	i
Tariff code	1518.00.4000	
Recommended use	Hydraulic Fluid	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name Address	RSC Chemical Solutions 600 Radiator Road Indian Trail, NC 28079 United States	
Telephone	Customer Service: Technical:	(704) 821-7643 (704) 684-1811
Website	www.rscbrands.com	(704) 884-1811
E-mail	sds@rscbrands.com	
Emergency phone number	Emergency Telephone: Emergency Contact:	(303) 623-5716 RMPDC (877-740-5015)
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	The mixture does not meet the	criteria for classification.
Precautionary statement		
Prevention	Observe good industrial hygien	ne practices.
Response	Wash hands after handling.	
Storage	Store away from incompatible i	materials.
Disposal	Dispose of waste and residues	in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

# 3. Composition/information on ingredients

**Mixtures** 

Chemical name	Common name and synonyms	CAS number	%
Synthetic Biodegradable Base Oil		178603-64-0	30 - < 40
Distillates (petroleum), Hydrotreated Heavy Paraffinic		64742-54-7	< 1
Other components below reportable lev	vels		60 - < 70

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

Inhalation Skin contact	Move to fresh air. Call a physician if symptoms develop or persist. Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion Most important	Rinse mouth. Get medical attention if symptoms occur. Direct contact with eyes may cause temporary irritation.
symptoms/effects, acute and delayed	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	

#### g u ug

Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

Occupational exposure limits			
US. ACGIH Threshold Limit Components	Values Type	Value	Form
Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
Synthetic Biodegradable Base Oil (CAS 178603-64-0)	TWA	5 mg/m3	Inhalable fraction.
Biological limit values	No biological exposure limits noted	for the ingredient(s).	

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures	s, such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.
Other	Wear suitable protective clothing.
Respiratory protection	Dust mask.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

AppearanceClear.Physical stateLiquid.FormLiquid.ColorAmberOdorMildOdor thresholdNot available.pHNot available.Initial boiling point/freezing pointNot available.Initial boiling point and boilingNot available.Initial boiling point and boilingS56.0 °F (180.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not available.Flammability limit - lower (%)Not available.flammability limit - lower (%)Not available.v(%)Not available.Vapor pressureNot available.Vapor densityNot available.Vapor densityNot available.Vapor densityNot available.Vapor densityNot available.Vapor densityNot available.Vator-ignition temperatureNot available.Viscosity temperatureNot available.Viscosity temperatureNot available.Viscosity temperatureNot available.Viscosity temperatureNot available.Viscosity temperatureNot available.Viscosity temperatureNot available.Pensity0.88 g/cm3Explosive propertiesNot explosive.Flammability classNot explosive.Flammability classNot explosive.Muto-ignition temperatureNot available.Not available.Not available.Not available.Not available.Not	, ,	•
FormLiquid.ColorAmberOdorMildOdor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point356.0 °F (180.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not available.Flammability (solid, gas)Not available.f Flammability limit - lower (%)Not available.f Flammability limit - lower (%)Not available.f Explosive limit - lower (%)Not available.g Explosive limit - lower (%)Not available.vapor pressureNot available.Vapor densityNot available.Solubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Viscosity22 cStViscosity temperatureNot available.Viscosity temperatureNot available.Viscosity temperatureNot available.Density0.88 g/cm3Explosive propertiesNot explosive.f Flammability classOut explosive.	Appearance	Clear.
ColorAmberOdorMildOdor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point356.0 °F (180.0 °C) Cleveland Open CupEvaporation rateNot available.Flarmability (solid, gas)Not available.Flarmability (solid, gas)Not available.Flarmability limit - lower (%)Not available.Flarmability limit - lower (%)Not available.Flarmability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Kapor pressureNot available.Vapor densityNot available.Solubility (water)Not available.Solubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Viscosity22 cStViscosity temperature0.48 available.Viscosity temperature0.48 available.Density0.88 g/cm3Explosive propertiesNot explosive.	Physical state	Liquid.
OdorMildOdor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point356.0 °F (180.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or exportionerNot available.flammability (solid, gas)Not available.Upper/lower flammability or exportionerNot available.(%)Not available.flammability limit - lower (%)Not available.galosive limit - lower (%) (%)Not available.Vapor pressureNot available.Vapor densityNot available.Vapor densityNot available.Solubility(ies)InsolubleSolubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Viscosity22 cStViscosity temperatureNot available.Viscosity temperatureNot available.Viscosity temperature0.88 g/cm3Density0.88 g/cm3Explosive propertiesNot explosive.Flammability classNot explosive.	Form	Liquid.
OdorNot available.PHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point356.0 °F (180.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or exubricy limitsFlammability (solid, gas)Flammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Explosive limit - upper (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Solubility(ies)SolubileSolubility(water)InsolublePartition coefficient (n-octanol/water)Not available.Viscosity22 cStViscosity temperatureNot available.Viscosity temperatureNot available.Density0.88 g/cm3Explosive propertiesNot explosive.Flammability classCombustibe IIIB estimated	Color	Amber
pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point356.0 °F (180.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not applicable.Upper/lower flammability or explorable.Not available.flammability limit - lower (%)Not available.flammability limit - lower (%)Not available.flammability limit - lower (%)Not available.flammability limit - lower (%) (%)Not available.Vapor pressure Not available.Not available.Vapor density Solubility (water)Not available.flative density Solubility (water)Not available.flative density Not available.Not available.flative density Solubility (water)Not available.flative density (n-octanol/water)Not available.flative density (no cofficient (n-octanol/water)Not available.flative density (Not available.Not available.<	Odor	Mild
Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point356.0 °F (180.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Flammability limit - upper (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Solubility(ies)SolubileSolubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Viscosity22 cStViscosity temperatureNot available.Viscosity temperature0.88 g/cm3Explosive propertiesNot explosive.Flammability classCombustible IIIB estimated	Odor threshold	Not available.
Initial boiling point and boiling rangeNot available.Flash point356.0 °F (180.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not applicable.Upper/lower flammability or explorable.Not available.flammability limit - lower (%)Not available.flammability limit - upper (%)Not available.flammability limit - upper (%)Not available.flammability (water)Insolubleflamition coefficient (n-octanol/water)Not available.flamition temperatureNot available.Viscosity22 cStViscosity temperature104 °F (40 °C) (Typical)Other informationpensity0.88 g/cm3flammability classCombustible IIIB estimated	рН	Not available.
rangeFlash point356.0 °F (180.0 °C) Cleveland Open CupEvaporation rateNot available.Flammability (solid, gas)Not applicable.Upper/lower flammability or expise limitsFlammability limit - lowerflammability limit - lowerNot available.(%)Flammability limit - upperflammability limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility(ies)SolubileSolubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Viscosity22 cStViscosity temperatureNot available.Viscosity temperature0.88 g/cm3Explosive propertiesNot explosive.Flammability classCombustible IIIB estimated	Melting point/freezing point	Not available.
Evaporation rateNot available.Flammability (solid, gas)Not applicable.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Solubility(ies)Not available.Solubility(water)InsolublePartition coefficient (n-octanol/water)Not available.Viscosity22 cStViscosity temperature104 °F (40 °C) (Typical)Other information0.88 g/cm3Explosive propertiesNot explosive.Flammability classCombustible IIIB estimated		Not available.
Flammability (solid, gas)Not axplicable.Upper/lower flammability or expositionFlammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Solubility (water)InsolubleSolubility (water)InsolubleAuto-ignition temperature (n-octanol/water)Not available.Viscosity22 cStQiscosity temperature (n-octanol/water)0.88 g/cm3Density0.88 g/cm3Explosive properties (n-octanol/water)Not explosive.Flammability classCombustible IIIB estimated	Flash point	356.0 °F (180.0 °C) Cleveland Open Cup
Upper/lower flammability or expUsive limitsFlammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Explosive limit - upper (%)Not available.Vapor densityNot available.Vapor densityNot available.Relative densityNot available.Solubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Viscosity22 cStViscosity temperature104 °F (40 °C) (Typical)Density0.88 g/cm3Explosive propertiesNot explosive.Flammability classCombustible IIIB estimated	Evaporation rate	Not available.
Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility(ies)InsolubleSolubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Viscosity22 cStViscosity temperature104 °F (40 °C) (Typical)Other information Density0.88 g/cm3 Not explosive.Flammability classCombustible IIIB estimated	Flammability (solid, gas)	Not applicable.
(%) Flammability limit - upper (%) Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure Vapor density Not available. Vapor density Not available. Not available. Solubility(ies) Solubility (water) Not available. Partition coefficient (n-octanol/water) Auto-ignition temperature Not available. Decomposition temperature Not available. Viscosity Viscosity temperature Density Density Density Density Density Combustible IIIB estimated	Upper/lower flammability or exp	losive limits
(%) Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available. Relative density Not available. Solubility(ies) Solubility (water) Insoluble Partition coefficient Not available. (n-octanol/water) Auto-ignition temperature Not available. Decomposition temperature Not available. Viscosity 22 cSt Viscosity temperature 104 °F (40 °C) (Typical) Other information Density 0.88 g/cm3 Explosive properties Not explosive. Flammability class Combustible IIIB estimated		Not available.
Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility(ies)InsolubleSolubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity22 cStViscosity temperature104 °F (40 °C) (Typical)Other informationStag/cm3Density0.88 g/cm3Fanmability classCombustible IIIB estimated		Not available.
Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility(ies)InsolubleSolubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity22 cStViscosity temperature104 °F (40 °C) (Typical)Other information	Explosive limit - lower (%)	Not available.
Vapor densityNot available.Relative densityNot available.Solubility(ies)InsolubleSolubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity22 cStViscosity temperature104 °F (40 °C) (Typical)Other information0.88 g/cm3Explosive propertiesNot explosive.Flammability classCombustible IIIB estimated	Explosive limit - upper (%)	Not available.
Relative densityNot available.Solubility(ies)InsolubleSolubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity22 cStViscosity temperature104 °F (40 °C) (Typical)Other information0.88 g/cm3Explosive propertiesNot explosive.Flammability classCombustible IIIB estimated	Vapor pressure	Not available.
Solubility(ies)InsolubleSolubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity22 cStViscosity temperature104 °F (40 °C) (Typical)Other information0.88 g/cm3Explosive propertiesNot explosive.Flammability classCombustible IIIB estimated	Vapor density	Not available.
Solubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity22 cStViscosity temperature104 °F (40 °C) (Typical)Other information0.88 g/cm3Explosive propertiesNot explosive.Flammability classCombustible IIIB estimated	Relative density	Not available.
Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity22 cStViscosity temperature104 °F (40 °C) (Typical)Other information	Solubility(ies)	
(n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity22 cStViscosity temperature104 °F (40 °C) (Typical)Other information0.88 g/cm3Explosive propertiesNot explosive.Flammability classCombustible IIIB estimated	Solubility (water)	Insoluble
Decomposition temperatureNot available.Viscosity22 cStViscosity temperature104 °F (40 °C) (Typical)Other information0.88 g/cm3Density0.88 g/cm3Explosive propertiesNot explosive.Flammability classCombustible IIIB estimated		Not available.
Viscosity22 cStViscosity temperature104 °F (40 °C) (Typical)Other information0.88 g/cm3Density0.88 g/cm3Explosive propertiesNot explosive.Flammability classCombustible IIIB estimated	Auto-ignition temperature	Not available.
Viscosity temperature104 °F (40 °C) (Typical)Other information0.88 g/cm3Density0.88 g/cm3Explosive propertiesNot explosive.Flammability classCombustible IIIB estimated	Decomposition temperature	Not available.
Other information 0.88 g/cm3   Density 0.88 g/cm3   Explosive properties Not explosive.   Flammability class Combustible IIIB estimated	Viscosity	22 cSt
Density0.88 g/cm3Explosive propertiesNot explosive.Flammability classCombustible IIIB estimated	Viscosity temperature	104 °F (40 °C) (Typical)
Explosive propertiesNot explosive.Flammability classCombustible IIIB estimated	Other information	
Flammability class Combustible IIIB estimated	Density	0.88 g/cm3
-	Explosive properties	Not explosive.
Oxidizing properties Not oxidizing.	Flammability class	Combustible IIIB estimated
	Oxidizing properties	Not oxidizing.

Percent volatile	0 %
Pour point	-44 °F (-42.22 °C)
Specific gravity	0.88
VOC (Weight %)	None

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effe	ects
Acute toxicity	Not available.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitizatior	1
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
OSHA Specifically Regulate Not listed.	d Substances (29 CFR 1910.1001-1050)
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

# 12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

•	
Species	Test Results
C50 Algae	> 100 ppm
C50 Daphnia magna	> 100 ppm
	C50 Algae

Product		Species	Test Results
Fish	LC50	Fathead minnow (Pimephales promelas)	> 10000 ppm

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability	y .	
U	(Aerobic biodegradation)	
Liquid Wrench Aerial L	Lift Fluid > 60 % ASTM D7373	
Bioaccumulative potential		
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

#### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

**US** federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard 2012, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazardous substance		

Not listed.

#### SARA 311/312 Hazardous No chemical

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

#### **US state regulations**

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

#### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

Issue date	02-23-2016
Version #	01
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
NFPA ratings	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.