MATERIAL SAFETY DATA SHEET

B & G PRODUCTS CO.Effective date: 7/13/20066Page 1 of 2**PRODUCT NAME: LYF-LYK TINT MORTUARY COSMETIC**

1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Product Identifier: Lyf-Lyk Tint (All shades including Flesh, Light, Dark, Brunette, Suntan, Dark Suntan & Tan #4)

General Use: Mortuary cosmetic

B & G Products Company, 1627 9th St, White Bear Lake, MN 55110 Emergency Phone: 1-800-424-9300 Business-hours Phone: 1-800-328-9350

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Percentage by Wgt.	Exposure Limits (ppm)			
			OSHA		ACGIH	
			TWA	STEL	TWA	STEL
Isopropanol	67-63-0		8	400	N/A	N/A

Ingredients not precisely described are proprietary or non-hazardous.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Majority of people will experience no adverse reactions when using this product for its intended purposes. Those with allergic rxns, take special care.

POTENTIAL HEALTH EFFECTS:

ORAL: Isopropanol is considered to be of low oral toxicity to humans. Oral LD50=5.8 gm/kg (rats)

EYE CONTACT: Liquid or high vapor concentrations may be irritating to eyes. **SKIN CONTACT**: May cause contact redness on hands or forearms if individual has a history or dermal allergic reaction. Not likely to be absorbed in toxic amounts.

Product is substantially less hazardous than pure isopropanol.

4. FIRST AID MEASURES

EYE CONTACT: Irrigate with flowing water for 15 minutes and consult a physician.

SKIN CONTACT: Wash with soap and water.

INGESTION: Induce vomiting immediately and consult a physician.

MATERIAL SAFETY DATA SHEET

B & G PRODUCTS CO.Effective date: 7/13/20066Page 2 of 2**PRODUCT NAME: LYF-LYK TINT MORTUARY COSMETIC**

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES:

Flash Point: 52° F Flammable Limits: LEL: UNK UEL: UNK

HAZARDOUS COMBUSTION PRODUCTS: N/A

EXTINGUISHING MEDIA: Water, dry chemical, CO2, foam.

6. HANDLING AND STORAGE

STORAGE & HANDLING: Store out of reach of children and away from sparks, heat and sources of open flame. Do not store in direct sunlight to prevent color changes. Replace cover after use to prevent evaporation.

7. EXPOSURE CONTROL/PERSONAL PROTECTION

ENGINEERING CONTROLS: Normal prep room ventilation. **RESPIRATORY PROTECTION**: Not required. **SKIN PROTECTION**: Recommended to prevent staining of skin.

8. PHYSICAL AND CHEMICAL PROPERTIES

BOILING RANGE:180° FMELTING POINT: N/AVAPOR PRESSURE:33 @ 68° FVAPOR DENSITY: 2.1 (AIR=1)EVAPORATION RATE:>1SPECIFIC GRAVITY: 0.79ODOR:Characteristic% VOLATILE BY VOLUME: 100%SOLUBILITY IN WATER:Liquid fraction100%, solids fraction 0%APPEARANCE:Color specific to shade.

9. DISPOSAL CONSIDERATIONS Solid waste disposal. Observe regulations.