

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Medical Adhesive Remover

GENERAL USE: Adhesive and Medical Tape Remover

PRODUCT DESCRIPTION: Colorless liquid, combustible, sweet ether odor



MANUFACTURER'S NAME

Mavidon Medical Products

DATE PREPARED: March 12, 2006

SUPERSEDES: October 23, 2001

Page 1 of 4

ADDRESS (NUMBER, STREET, P.O. BOX)

1820 2nd Avenue North

TELEPHONE NUMBER FOR INFORMATION

(561) 585-2227

MATERIAL SAFETY DATA SHEET

COUNTRY

EMERGENCY TELEPHONE NUMBER

Lake Worth, FL 33461

USA

Infotrac (800) 535-5053 Outside USA (352) 323-3500

DISTRIBUTOR'S NAME

ADDRESS (NUMBER, STREET, P.O. BOX)

TELEPHONE NUMBER FOR INFORMATION

(CITY, STATE AND ZIP CODE)

COUNTRY

EMERGENCY TELEPHONE NUMBER

SECTION 2 - HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS	CAS #	%	OSHA PEL		ACGIH TWA		SARA TITLE III	RQ LBS
			PPM	MG/M3	PPM	MG/M3		
Proprietary Ingredient (a)	Not specified	75 - 95	not established					
Ethanol	64-17-5	1 - 5	1000	1900	1000			

(a) The specific product is not identified due to "Trade Secret" status. In emergency situations further information may be obtained by the on - duty physician calling the emergency information number listed above. Reference 29 CFR 1910.1200 and / or 40 CFR 350.

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Colorless liquid, combustible, low order of toxicity, may cause slight irritation upon contact with eyes or skin. Exposure to vapors not a likely hazard. Hazard symbols - Xi. Risk Phrases - 36/37/38

POTENTIAL HEALTH EFFECTS

INHALATION: Exposure to vapors not likely. High concentrations may be irritating to the respiratory tract; may cause headache, dizziness, nausea, vomiting and malaise.

SKIN: Brief contact may cause slight irritation; prolonged contact may cause moderate irritation.

EYES: Contact may cause slight temporary irritation. Corneal injury is unlikely.

INGESTION: Small amounts ingested are not likely to cause injury. Ingestion of large amounts may cause headache, dizziness, diarrhea and general weakness.

CARCINOGENICITY

NTP?

No

IARC MONOGRAPHS?

No

OSHA REGULATED?

No

MATERIAL SAFETY DATA SHEET			
PRODUCT NAME: Medical Adhesive Remover March 12, 2006			Page 2 of 4
SECTION 4 - FIRST AID MEASURES			
INHALATION: Remove affected person to fresh air; provide oxygen if breathing is difficult; if affected person is not breathing, administer CPR and seek emergency medical attention.			
SKIN: Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.			
EYES: Remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.			
INGESTION: Do not induce vomiting unless directed to do so by medical personnel; never give anything by mouth to an unconscious person; seek medical attention.			
SECTION 5 - FIRE FIGHTING MEASURES			
FLASH POINT (METHOD USED) 176° F (80° C) TCC		FLAMMABLE LIMITS LEL: 1.2% UEL: 5.4% AUTOIGNITION TEMPERATURE: Not determined	NFPA CLASS: IIA
GENERAL HAZARDS: Product is combustible. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.			
EXTINGUISHING MEDIA Carbon dioxide, water, water fog, dry chemical, chemical foam			
FIRE FIGHTING PROCEDURES Self - contained respiratory equipment; cool containers to prevent pressure buildup and possible explosion when exposed to extreme heat. Caution - material is combustible!			
UNUSUAL FIRE AND EXPLOSION HAZARDS Closed containers can explode due to buildup of pressure when exposed to extreme heat.			
HAZARDOUS COMBUSTION PRODUCTS Smoke, fumes, oxides of carbon			
SECTION 6 - ACCIDENTAL RELEASE MEASURES			
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: COMBUSTIBLE - Evacuate and ventilate area; remove all sources of sparks, ignition and open flames; confine and absorb into approved absorbent; place material into approved containers for disposal; do not wash to sewer or waterway.			
SECTION 7 - HANDLING AND STORAGE			
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: This material is combustible. It should be stored in tightly closed containers in a cool, well ventilated area. Vapor may form explosive mixtures in air. All sources of ignition should be controlled. Keep this and other chemicals out of reach of children. Avoid inhaling concentrated fumes or vapors.			
SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION			
ENGINEERING CONTROLS			
The use of local exhaust ventilation is recommended to control emissions near the source. Provide mechanical ventilation of confined spaces. Use explosion-proof ventilation equipment. See Section 2 for Component Exposure Guidelines.			
PERSONAL PROTECTION:			
RESPIRATORY PROTECTION: None required while threshold limits (Section 2) are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134 or European Standard EN 149 for complete regulations.			
PROTECTIVE GLOVES: Neoprene or rubber gloves with cuffs.			
EYE PROTECTION: Goggles with side shields; safety eyebath nearby. Refer to 29 CFR 1910.133 or European Standard EN166.			
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls, apron, or other equipment should be worn to minimize skin contact.			
WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.			

MATERIAL SAFETY DATA SHEET				
PRODUCT NAME: Medical Adhesive Remover March 12, 2006				Page 3 of 4
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES				
VAPOR PRESSURE (MM Hg) < 0.1 mm Hg @ 20 ° C		VAPOR DENSITY (AIR = 1) 6.6		
SPECIFIC GRAVITY (WATER = 1) 0.972		EVAPORATION RATE (WATER = 1) < 1		
SOLUBILITY IN WATER Appreciable (> 20%)		FREEZING POINT Not determined		
pH Not applicable		APPEARANCE AND ODOR Colorless liquid, sweet ether odor		
BOILING POINT 408°F (209° C)		PHYSICAL STATE Liquid		
VISCOSITY Approximately that of water		VOLATILE ORGANIC COMPOUNDS (Total VOC's) 8.12 lbs / gallon		
SECTION 10 - STABILITY AND REACTIVITY				
STABILITY UNSTABLE: STABLE: XXX		CONDITIONS TO AVOID: Extreme temperatures, open flames		
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids				
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes, and smoke may be produced.				
HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: XXX		CONDITIONS TO AVOID: None		
SECTION 11 - TOXICOLOGICAL INFORMATION				
Hazardous Ingredients	CAS #	EINECS #	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)
Proprietary Ingredient (a)	Not specified	Not specified	> 5000 mg / kg Oral - rat	Not established
Ethanol	64-17-5	200-578-6	3450 mg / kg Oral - mouse	20,000 ppm / 10H Inhalation - rat
SECTION 12 - ECOLOGICAL INFORMATION				
No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.				
SECTION 13 - DISPOSAL CONSIDERATIONS				
WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations. This product may produce concentrated hazardous vapors or fumes in a disposal container creating a dangerous environment. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations for ignitable materials. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals. Do not flush to sanitary sewer or waterway.				
SECTION 14 - TRANSPORT INFORMATION				
PROPER SHIPPING NAME: Non - Hazardous for Transport				
DOT HAZARD CLASS / Pack Group: Not regulated REFERENCE: Not Applicable UN / NA IDENTIFICATION NUMBER: None LABEL: None Required HAZARD SYMBOLS: None		IATA HAZARD CLASS / Pack Group: Not regulated IMDG HAZARD CLASS: Not regulated RID/ADR Dangerous Goods Code: Not regulated UN TDG Class / Pack Group: Not regulated Hazard Identification Number (HIN): None		
Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EC, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.				

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Medical Adhesive Remover
March 12, 2006

Page 4 of 4

SECTION 15 - REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories

None

313 Reportable Ingredients:

None

CERCLA (Comprehensive Response Compensation and Liability Act)

None

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There are no chemicals present known to the state of California to cause cancer or reproductive toxicity.

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: B3

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

EC Risk Phrases

R36/37/38 Irritating to eyes, respiratory system and skin

SYMBOL(S) REQUIRED FOR LABEL

Irritant



EC Safety Phrases

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36 Wear suitable protective clothing.

SECTION 16 - OTHER INFORMATION

Specific toxicity tests have not been conducted on this product. Our hazard evaluation is based on Information from similar products, the ingredients, technical literature, and/or professional experience.

HMIS HAZARD RATINGS

HEALTH

1

* = Chronic Health Hazard

2 = MODERATE

FLAMMABILITY

2

0 = INSIGNIFICANT

3 = HIGH

PHYSICAL HAZARD

0

1 = SLIGHT

4 = EXTREME

PERSONAL PROTECTIVE EQUIPMENT

C

Safety Glasses, Gloves, Apron

REVISION SUMMARY:

This MSDS has been revised in the following sections:

Complete format update

MSDS Prepared by: Comprehensive Data Base, Inc.
P.O. Box 5604
Lakeland, FL 33807 USA
(863) 644 - 3298 www.compdatabase.com

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.