

MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008 REVISION NUMBER: 2

DATE PRINTED: 11/11/2008 **PREPARED BY:** EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: MIDFLOC 1351L

PRODUCT CODE: 119121

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health:1/1Fire:0/0Reactivity:0/0Special/Protective Equipment:None/B

NAME OF THE Rochester Midland Corporation Information: 585-336-2200

MANUFACTURER: 333 Hollenbeck Street Emergency Phone:

Rochester, New York 14621 INFOTRAC: 1-800-535-5053 OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Causes vomiting, nausea, and diarrhea. May be harmful if swallowed.

SKIN CONTACT: May cause moderate skin irritation.

INHALATION: Inhalation of spray mist may be irritating.

EYE CONTACT: May cause moderate eye irritation.

CHRONIC EFFECTS: None specific. Repeated exposure may result in sensitization dermatitis. Prolonged or

repeated eye contact may result in conjunctivitis.

EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.

ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Aluminum hydroxychloride 12042-91-0	80 - 90	Not applicable	Not applicable

4. FIRST AID MEASURES

INGESTION: Drink several glasses of water or milk. Never give anything by mouth to an unconcious person.

Get immediate medical attention.

SKIN: Wash with soap and water. Remove contaminated clothing and launder before reuse.

INHALATION: Move person to fresh air. Aid breathing if necessary.

EYES: In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least

15 minutes and get medical attention immediately after flushing.

NOTES TO PHYSICIAN: None.

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): None (C): NA

METHOD: TCC

FLAMMABLE LIMITS IN AIR

MIDFLOC 1351L

- LOWER (%): None - UPPER (%): None

SENSITIVITY TO MECHANICAL IMPACT(Y/N): NO

SENSITIVITY TO STATIC DISCHARGE: Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA: Product will not burn.

FIRE FIGHTING PROCEDURES: Fire-fighters should wear self-contained breathing apparatus and

full protective clothing when fighting chemical fires.

ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS: Flush residue with water. Reclaim as much as possible.

LARGE SPILLS: Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush

remainder with water.

PERSONAL PRECAUTIONS: NA **ENVIRONMENTAL PRECAUTIONS:** NA **METHODS FOR CLEANING UP:** NΑ

HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN Caution: Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors. Store in a IN HANDLING AND STORAGE: cool, dry area. Store in plastic or rubber-lined containers. Do not store near heat, sparks or

flame. Store in a well ventilated area.

OTHER PRECAUTIONS: Keep out of reach of children.

SPECIFIC USE(S): NA

EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS: None known.

RESPIRATORY PROTECTION: None normally required. Use NIOSH approved respirator with dust/mist filter as needed to

meet exposure limits of mist in air.

PROTECTIVE GLOVES: Neoprene. Rubber gloves.

EYE PROTECTION: Goggles.

OTHER PERSONAL PROTECTION

Appropriate protective clothing as needed to prevent skin contact. Eyewash fountains and **EQUIPMENT:**

safety showers must be easily accessible.

VENTILATION: General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear. amber Light yellow liquid. Organic Odor. **BOILING POINT (F):** 212° F (C) NA

VAPOR PRESSURE: 17.3 mm Hg @ ° C

VAPOR DENSITY (AIR=1): 0.625 **SOLUBILITY IN WATER:** NA

SPECIFIC GRAVITY: 1.244 - 1.256

VOC Content (%): 0

VOV Content (%): NE

EVAPORATION RATE: (BuAc = 1) : 1.26

PH: 3.2 - 4.2

MIDFLOC 1351L

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE POLYMERIZATION: Will Not Occur.

HAZARDOUS DECOMPOSITION: If evaporated to dryness, as in a fire, material may burn, releasing: Toxic fumes. Aluminum

compounds. Nitrogen compounds. Chloride compounds.

INCOMPATIBILITY (MATERIALS TO

Strong oxidents, such as nitric acid, or hypochlorites.

AVOID):

CONDITIONS/HAZARDS TO AVOID: None.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE
EFFECTS OF CHRONIC EXPOSURE: NE
OTHER TOXIC EFFECTS: NE

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICALNo data at this time

INFORMATION:

CHEMICAL FATE INFORMATION: No data at this time.

MOBILITY: NA
PERSISTENCE/DEGRADABILITY: NA
BIOACCUMULATIVE POTENTIAL: NA
OTHER ADVERSE EFFECTS: NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Aluminum hydroxychloride 12042-91-0	80 - 90	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Aluminum hydroxychloride 12042-91-0	80 - 90	Not Listed	Not Listed	Not Listed

None of the components of this material are included in the Massachusetts Substance List nor are present at or above reportable levels.

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Aluminum hydroxychloride 12042-91-0	80 - 90	Listed

None of the components of this material are included in the Pennsylvania Substance List nor are present at or above reportable levels.

16. OTHER INFORMATION

MIDFLOC 1351L

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***