

ProGuard Altranap 100 MSDS

ProGuard Altranap 100
RTN Number: 00311212 July 21, 2011

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identification

Product Name: ProGuard Altranap 100
Chemical Name: Severely Hydrotreated Heavy Napthenic Distillate
Chemical Family: Petroleum Distillate
CAS Number: 64742-52-5

Company Identification

Lyden Oil Company
3711 LeHarps Road
Youngstown, Ohio 44515
1-330-792-1100 (For product information)
1-800-362-9410 (For emergencies)
1-800-362-9410 or 1-703-527-3887 (CHEMTREC)

2.COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT LISTING:

<u>Chemical Name</u>	<u>Amount</u>	<u>CAS Number</u>
SEVERELY HYDROTREATED HEAVY NAPTHENIC DISTILLATE	100.0 %	64742-52-5

(See Section 8 for exposure guidelines)

(See Section 15 for regulatory information)

HAZARDS DISCLOSURE

This product contains no known hazardous materials as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200.

As defined under Sara 311 and 312, this product contains no known hazardous materials.

3.HAZARDS IDENTIFICATION

***** EMERGENCY OVERVIEW *****

Not expected to cause a severe emergency hazard.

ProGuard Altranap 100
RTN Number: 00311212 July 21, 2011

HMIS Rating:	Health: 1
	Flammability: 1
	Reactivity: 1

ProGuard Altranap 100 MSDS

NFPA Rating - Health: 1

Flammability: 1

Reactivity: 0

Special Hazard: N/A

POTENTIAL HEALTH EFFECTS

EYE:

Contact may cause eye irritation and redness.

SKIN:

Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

INHALATION:

Inhalation of vapors or mist may be irritating to the nose, throat, and respiratory tract.

INGESTION:

May be harmful if swallowed. May cause pain or discomfort in the abdomen, pain in the lumbar region, nausea, vomiting or diarrhea.

CARCINOGENICITY INFORMATION:

Based on OSHA 1910.1200 and IARC study requirements, this product does not require labeling.

Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

4. FIRST AID MEASURES

EYE CONTACT FIRST AID:

Flush eye with water for 15 minutes.

Get medical attention if irritation develops or persists.

SKIN CONTACT FIRST AID:

Wash skin with soap and water.

Thoroughly wash (or discard) clothing and shoes before reuse.

INHALATION FIRST AID:

Remove to fresh air.

If not breathing, give artificial respiration and seek medical attention.

INGESTION FIRST AID:

For larger amounts, do not induce vomiting, but give one or two glasses of water to drink and get medical attention. If vomiting should occur spontaneously, keep airway clear.

NOTES TO PHYSICIAN:

Treat symptomatically.

ProGuard Altranap 100 MSDS

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

COC Flash Point: 179 C (354.2 F)

Autoignition Temperature: >315 C (> 599.0 F)

FLAMMABLE LIMITS IN AIR

LEL: N/A

UEL: N/A

EXTINGUISHING MEDIA:

Carbon dioxide, foam, or dry powder. Water may be used to cool containers below flash point.

FIRE FIGHTING INSTRUCTIONS:

As in any fire, wear self-contained breathing apparatus pressure-demand MSHA/NIOSH (approved or equivalent) and full protective gear

COMBUSTION PRODUCTS:

Fumes, smoke and carbon monoxide.

6. ACCIDENTAL RELEASE MEASURES

SAFEGUARDS (PERSONNEL):

Wear appropriate personal protective equipment.

INITIAL CONTAINMENT:

Absorb spills with inert material.

LARGE SPILLS PROCEDURE:

Large spillage should be dammed-off and pumped into containers. do not flush to sewer.

SMALL SPILLS PROCEDURE:

Clean up area by absorbent material.

MISCELLANEOUS:

Treat or dispose of in accordance with all state, federal, local and national requirements.

7. HANDLING AND STORAGE

HANDLING (PERSONNEL):

DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH

NFPA Class IIIB storage.

Wash thoroughly after handling.

ProGuard Altranap 100 MSDS

HANDLING (PHYSICAL ASPECTS):

Store in a cool dry area.

STORAGE PRECAUTIONS:

Keep container closed when not in use.

8.EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS:

Ventilation is not normally required when handling or using this product to keep exposure to airborne contaminants below the exposure limit.

EYE / FACE PROTECTION REQUIREMENTS:

Where contact with this material is likely, eye protection is recommended.

SKIN PROTECTION REQUIREMENTS:

When prolonged or frequently repeated contact could occur, use protective clothing impervious to this material.

RESPIRATORY PROTECTION REQUIREMENTS:

When there is potential for airborne exposures in excess of applicable limits, wear NIOSH/MSHA approved respiratory protection.

EXPOSURE GUIDELINES:

No Information Available.

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM : Liquid

COLOR : Golden

ODOR : Characteristic

BOILING POINT : 500-1100 F

VAPOR PRESSURE : <1 mm Hg

VAPOR DENSITY : >5 (Air = 1)

SOLUBILITY IN WATER ...: Nil

SPECIFIC GRAVITY : 0.915 at 60 Deg F (Water = 1)

BULK DENSITY : 7.62 Pounds per Gallon at 60 Deg F

% VOLATILES : Nil %

10.STABILITY AND REACTIVITY

STABILITY:

Stable.

POLYMERIZATION:

Hazardous polymerization will not occur.

INCOMPATIBILITY WITH OTHER MATERIALS:

Avoid contact with strong oxidizing agents.

DECOMPOSITION:

ProGuard Altranap 100 MSDS

In the case of a fire, oxides of carbon, hydrocarbons, fumes, and smoke may be produced.

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS:

Minimal irritation on contact.

SKIN EFFECTS:

Practically non-toxic if absorbed. May cause mild irritation with prolonged and repeated exposure.

ACUTE ORAL EFFECTS:

Tests on similar materials indicate low order of acute oral Toxicity.

ACUTE INHALATION EFFECTS:

Low acute toxicity expected on inhalation.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS:

Aquatic Release: Advise authorities if product has entered or may enter watercourses or sewer drains.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

14. TRANSPORTATION INFORMATION

PRODUCT LABEL : ProGuard Altranap 100

D.O.T. SHIPPING NAME ...: Not regulated by DOT

15. REGULATORY INFORMATION

REGULATORY LISTS SEARCHED:

01 = CANADIAN DISCLOSURE LIST 02 = SARA Title III - Section 313
03 = CERCLA HAZARDOUS SUBSTANCES 04 = Clean Air Act - Section 112
05 = TITLE V 06 = CA Proposition 65
07 = SC TOXIC AIR POLLUTANTS LIST

MISCELLANEOUS INFORMATION:

This material or all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substance Control Act (TSCA).

ProGuard Altranap 100 MSDS

16.OTHER INFORMATION

REASON FOR ISSUE ...: New issue
APPROVAL DATE : July 21, 2011
SUPERCEDES DATE : New
RTN NUMBER : 00311212 (Official Copy)

ADDITIONAL INFORMATION:

The data in this Material Safety Data Sheet relates only to the specific material designated herein.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Lyden Oil Company. The data on this sheet are related only to the specific material designated herein. Lyden Oil Company assumes no legal responsibility for use or reliance upon these data.

END OF MSDS
