

Myers No. TH1108946



## Safety Data Sheet

Copyright, 2014, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 28-3806-8 | <b>Version Number:</b>  | 3.00     |
| <b>Issue Date:</b>     | 05/01/14  | <b>Supersedes Date:</b> | 09/04/12 |

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ Silicone Paste Clear, 08946, 08932

#### Product Identification Numbers

LB-K100-0811-9, 60-4550-5280-7, 60-4550-5570-1, 60-4550-6900-9

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Automotive, Lubricates and conditions rubber products

#### 1.3. Supplier's details

|                      |   |
|----------------------|---|
| <b>MANUFACTURER:</b> | 3M                                      |
| <b>DIVISION:</b>     | Automotive Aftermarket                  |
| <b>ADDRESS:</b>      | 3M Center, St. Paul, MN 55144-1000, USA |
| <b>Telephone:</b>    | 1-888-3M HELPS (1-888-364-3577)         |

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

The label elements below were prepared in accordance with OSHA Hazard Communication Standard, 29 CFR 1910.1200. This information may be different from the actual product label information for labels regulated by other agencies.

#### 2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### 2.2. Label elements

##### Signal word

Not applicable.

##### Symbols

Not applicable.

##### Pictograms

Not applicable.

**2.3. Hazards not otherwise classified**

None.

11% of the mixture consists of ingredients of unknown acute oral toxicity.

100% of the mixture consists of ingredients of unknown acute inhalation toxicity.

**SECTION 3: Composition/information on ingredients**

| Ingredient             | C.A.S. No.    | % by Wt                 |
|------------------------|---------------|-------------------------|
| Poly(Dimethylsiloxane) | 63148-62-9    | 60 - 100 Trade Secret * |
| Proprietary Components | Trade Secret* | 1 - 15 Trade Secret *   |
| Quartz                 | Trade Secret* | 0.1 - 10 Trade Secret * |

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation:**

No need for first aid is anticipated.

**Skin Contact:**

Wash with soap and water. If signs/symptoms develop, get medical attention.

**Eye Contact:**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

**If Swallowed:**

Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

See Section 11.1. Information on toxicological effects.

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

**SECTION 5: Fire-fighting measures****5.1. Suitable extinguishing media**

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

**5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

**5.3. Special protective actions for fire-fighters**

No unusual fire or explosion hazards are anticipated.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode.

**6.2. Environmental precautions**

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

**6.3. Methods and material for containment and cleaning up**

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Keep out of reach of children. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

**7.2. Conditions for safe storage including any incompatibilities**

Protect from sunlight. Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidizing agents.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Occupational exposure limits**

| Ingredient | C.A.S. No.   | Agency                  | Limit type  | Additional Comments |
|------------|--------------|-------------------------|---|---------------------|
| Quartz     | Trade Secret | US Dept of Labor - OSHA | TWA concentration:0.8 mg/m <sup>3</sup> ;TWA:20 millions of particles/cu. ft. |                     |

Amer Conf of Gov. Indust. Hyg. : American Conference of Governmental Industrial Hygienists

American Indust. Hygiene Assoc : American Industrial Hygiene Association

Chemical Manufacturer Rec Guid : Chemical Manufacturer's Recommended Guidelines

US Dept of Labor - OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

**8.2. Exposure controls****8.2.1. Engineering controls**

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

**8.2.2. Personal protective equipment (PPE)****Eye/face protection**

Wear eye/face protection. Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

#### Skin/hand protection

No chemical protective gloves are required.

#### Respiratory protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |  |
|--|--|
| <b>General Physical Form:</b>                  | Liquid   |
| <b>Odor, Color, Grade:</b>                     | Translucent white semi-solid with mild odor                  |
| <b>Odor threshold</b>                          | <i>No Data Available</i>                                     |
| <b>pH</b>                                      | <i>No Data Available</i>                                     |
| <b>Melting point</b>                           | <i>No Data Available</i>                                     |
| <b>Boiling Point</b>                           | <i>No Data Available</i>                                     |
| <b>Flash Point</b>                             | 570 °F [ <i>Test Method:</i> Closed Cup]                     |
| <b>Evaporation rate</b>                        | <i>Not Applicable</i>  |
| <b>Flammability (solid, gas)</b>               | Not Applicable   |
| <b>Flammable Limits(LEL)</b>                   | <i>No Data Available</i>                                     |
| <b>Flammable Limits(UEL)</b>                   | <i>No Data Available</i>                                     |
| <b>Vapor Pressure</b>                          | <i>Not Applicable</i>  |
| <b>Vapor Density</b>                           | <i>Not Applicable</i>  |
| <b>Density</b>                                 | 1.03 g/ml  |
| <b>Specific Gravity</b>                        | 1.03 [ <i>Ref Std:</i> WATER=1]                              |
| <b>Solubility in Water</b>                     | Nil  |
| <b>Solubility- non-water</b>                   | <i>No Data Available</i>                                     |
| <b>Partition coefficient: n-octanol/ water</b> | <i>No Data Available</i>                                     |
| <b>Autoignition temperature</b>                | <i>No Data Available</i>                                     |
| <b>Decomposition temperature</b>               | <i>No Data Available</i>                                     |
| <b>Viscosity</b>                               | <i>Not Applicable</i>  |
| <b>Hazardous Air Pollutants</b>                | 0 % weight [ <i>Test Method:</i> Calculated]                 |
| <b>Volatile Organic Compounds</b>              | 0 lb/gal [ <i>Test Method:</i> calculated SCAQMD rule 443.1] |
| <b>Percent volatile</b>                        | <i>Not Applicable</i>  |
| <b>VOC Less H2O &amp; Exempt Solvents</b>      | 0 g/l [ <i>Test Method:</i> calculated SCAQMD rule 443.1]    |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

**10.3. Possibility of hazardous reactions**

Hazardous polymerization will not occur.

**10.4. Conditions to avoid**

Sparks and/or flames

Heat

**10.5. Incompatible materials**

Strong acids

Strong bases

Strong oxidizing agents

**10.6. Hazardous decomposition products****Substance****Condition**

Formaldehyde

Not Specified

Carbon monoxide

Not Specified

Carbon dioxide

Not Specified

**SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

**11.1. Information on Toxicological effects****Signs and Symptoms of Exposure**

Based on test data and/or information on the components, this material may produce the following health effects:

**Inhalation:**

No health effects are expected.

**Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation.

**Eye Contact:**

Contact with the eyes during product use is not expected to result in significant irritation.

**Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name            | Route                      | Species | Value   |
|-----------------|----------------------------|---------|---|
| Overall product | Inhalation-Dust/Mist(4 hr) |         | No data available; calculated ATE > 12.5 mg/l |

|                        |                                |        |   |
|------------------------|--------------------------------|--------|---|
| Overall product        | Ingestion                      |        | No data available; calculated ATE > 5,000 mg/kg |
| Poly(Dimethylsiloxane) | Dermal                         | Rabbit | LD50 > 19,400 mg/kg                             |
| Poly(Dimethylsiloxane) | Ingestion                      | Rat    | LD50 > 17,000 mg/kg                             |
| Quartz                 | Dermal                         | Rabbit | LD50 > 5,000 mg/kg                              |
| Quartz                 | Inhalation-Dust/Mist (4 hours) | Rat    | LC50 > 0.691 mg/l                               |
| Quartz                 | Ingestion                      | Rat    | LD50 > 5,110 mg/kg                              |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name                   | Species | Value                     |
|------------------------|---------|---------------------------|
| Poly(Dimethylsiloxane) | Rabbit  | No significant irritation |
| Quartz                 | Rabbit  | No significant irritation |

**Serious Eye Damage/Irritation**

| Name                   | Species | Value                     |
|------------------------|---------|---------------------------|
| Poly(Dimethylsiloxane) | Rabbit  | No significant irritation |
| Quartz                 | Rabbit  | No significant irritation |

**Skin Sensitization**

| Name   | Species          | Value           |
|--------|------------------|-----------------|
| Quartz | Human and animal | Not sensitizing |

**Respiratory Sensitization**

| Name | Species | Value |
|------|---------|-------|
|      |         |       |

**Germ Cell Mutagenicity**

| Name   | Route    | Value         |
|--------|----------|---------------|
| Quartz | In Vitro | Not mutagenic |

**Carcinogenicity**

| Name   | Route         | Species | Value  |
|--------|---------------|---------|--|
| Quartz | Not Specified | Mouse   | Some positive data exist, but the data are not sufficient for classification |

**Reproductive Toxicity**

**Reproductive and/or Developmental Effects**

| Name   | Route     | Value                            | Species | Test Result           | Exposure Duration    |
|--------|-----------|----------------------------------|---------|-----------------------|----------------------|
| Quartz | Ingestion | Not toxic to female reproduction | Rat     | NOAEL 509 mg/kg/day   | 1 generation         |
| Quartz | Ingestion | Not toxic to male reproduction   | Rat     | NOAEL 497 mg/kg/day   | 1 generation         |
| Quartz | Ingestion | Not toxic to development         | Rat     | NOAEL 1,350 mg/kg/day | during organogenesis |

**Target Organ(s)**

**Specific Target Organ Toxicity - single exposure**

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|------|-------|-----------------|-------|---------|-------------|-------------------|
|      |       |                 |       |         |             |                   |

**Specific Target Organ Toxicity - repeated exposure**

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|------|-------|-----------------|-------|---------|-------------|-------------------|
|      |       |                 |       |         |             |                   |

|        |            |                                   |                       |       |                        |                          |
|--------|------------|-----------------------------------|-----------------------|-------|------------------------|--------------------------|
| Quartz | Inhalation | respiratory system  <br>silicosis | All data are negative | Human | NOAEL Not<br>available | occupational<br>exposure |
|--------|------------|-----------------------------------|-----------------------|-------|------------------------|--------------------------|

**Aspiration Hazard**

| Name | Value |
|------|-------|
|      |       |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information****Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

**Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

**SECTION 15: Regulatory information****15.1. US Federal Regulations**

Contact 3M for more information.

**311/312 Hazard Categories:**

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - No Delayed Hazard - No

**15.2. State Regulations**

Contact 3M for more information.

**15.3. Chemical Inventories**

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact 3M for more information.

**15.4. International Regulations**

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## SECTION 16: Other information

### NFPA Hazard Classification

Health: 1 Flammability: 1 Instability: 1 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 28-3806-8 | <b>Version Number:</b>  | 3.00     |
| <b>Issue Date:</b>     | 05/01/14  | <b>Supersedes Date:</b> | 09/04/12 |

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

3M USA SDSs are available at [www.3M.com](http://www.3M.com)