

O·P·I		MATERIAL SAFETY DATA SHEET					Page 1 of 6 MSDS-048			
Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards			MSDS Revision: 1.1		MSDS Revision Date: 08/01/2005					
1. PRODUCT IDENTIFICATION										
1.1	Product Name: MICROWRAP NAIL WRAP FABRIC									
1.2	Chemical Name: Nylon									
1.3	Synonyms: NA									
1.4	Trade Names: NA									
1.5	Product Use: PROFESSIONAL USE ONLY									
1.6	Manufacturer's Name: OPI PRODUCTS, INC.									
1.7	Manufacturer's Address: 13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA									
1.8	Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300									
1.9	Business Phone: +1 (818) 759-2400 / +1 (800) 341-9999									
2. HAZARD IDENTIFICATION										
2.1	Hazard Identification: This product is classified as a hazardous substance but not as dangerous goods according to the classification criteria of NOHSC and ADG Code (Australia).									
2.2	Routes of Entry:	Inhalation:	YES	Absorption:	YES	Ingestion:	YES			
2.3	Effects of Exposure: INGESTION: ingestion is unlikely as this is a fabric. If product is swallowed, may cause nausea, headache, vomiting and/or diarrhea. May increase levels of methemoglobin. SKIN & EYES: Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to skin in some sensitive individuals, especially after prolonged and/or repeated contact. INHALATION: Inhalation of vapors is unlikely under normal conditions of use and handling. May increase levels of methemoglobin.									
2.4	Symptoms of Overexposure: Symptoms of skin overexposure in some sensitive individuals may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering.									
2.5	Acute Health Effects: Mild to moderate irritation to eyes and skin near affected areas.									
2.6	Chronic Health Effects: None known.									
2.7	Target Organs: Skin.									
3. COMPOSITION & INGREDIENT INFORMATION										
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m ³)					
					ACGIH - ppm		OSHA - ppm		OTHER	
					TLV	STEL	PEL	STEL		IDLH
NYLON (FABRIC)	NA	NA	NA	≤ 100.0	NA	NA	NA	NA	NA	
VINYL ACETATE MONOMER	108-05-4	NA	203-545-4	≤ 1.0	NA	NA	NA	NA	NA	
DIMETHYL p-TOLUIDINE	99-97-8	XU5803000	202-805-4	≤ 1.0	NE	NE	NE	NE	NE	
NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.										

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

MSDS Revision Date: 08/01/2005

4. FIRST AID MEASURES

- 4.1 First Aid:
- INGESTION:** If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
- EYES:** Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.
- SKIN:** If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.
- INHALATION:** Remove victim to fresh air.

4.2 Medical Conditions Aggravated by Exposure:

Pre-existing skin disorders.

HEALTH

1

FLAMMABILITY

0

REACTIVITY

0

PROTECTIVE EQUIPMENT

B

EYES

SKIN

5. FIREFIGHTING MEASURES

5.1 Flashpoint & Method:

ND

5.2 Autoignition Temperature:

NA

5.3 Flammability Limits:

Lower Explosive Limit (LEL):

ND

Upper Explosive Limit (UEL):

ND

5.4 Fire & Explosion Hazards:

None.

5.5 Extinguishing Methods:

CO₂, Halon, Dry Chemical, Foam

5.6 Firefighting Procedures:

When involved in a fire, this product may ignite decompose to produce carbon oxides and trace hydrocarbons. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product.



6. ACCIDENTAL RELEASE MEASURES

6.1 Spills:

This product is a solid fabric; therefore, spills are not likely to occur.

7. HANDLING & STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.

7.2 Storage & Handling:

Keep this material away from heat, sparks and open flame. Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (see Section 10, Stability and Reactivity).

7.3 Special Precautions:

None.

O·P·I		MATERIAL SAFETY DATA SHEET		Page 3 of 6 MSDS-048
Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards		MSDS Revision: 1.1		MSDS Revision Date: 08/01/2005
8. EXPOSURE CONTROLS & PERSONAL PROTECTION				
8.1	Ventilation & Engineering Controls: When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.			
8.2	Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia.			
8.3	Eye Protection: Safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166.			
8.4	Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear neoprene or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada or the E.C. member states.			
8.5	Body Protection: No special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA.			
9. PHYSICAL & CHEMICAL PROPERTIES				
9.1	Density:	ND		
9.2	Boiling Point:	NA		
9.3	Melting Point:	NE		
9.4	Evaporation Rate:	NE		
9.5	Vapor Pressure:	NE		
9.6	Molecular Weight:	NE		
9.7	Appearance & Color:	Fabric		
9.8	Odor Threshold:	NA		
9.9	Solubility:	NA		
9.10	pH	ND		
9.11	Viscosity:	NA		
9.12	Other Information:	ND		
10. STABILITY & REACTIVITY				
10.1	Stability: Stable under ambient conditions when stored properly (see Section 7, Storage and Handling).			
10.2	Hazardous Decomposition Products: If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors and carbon and nitrogen oxide gases (e.g., CO, CO₂, NO_x).			
10.3	Hazardous Polymerization: May occur, if exposed to extremely high temperatures.			
10.4	Conditions to Avoid: None known.			
10.5	Incompatible Substances: This product is incompatible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or muriatic acids), or strong bases (e.g., lye, potassium hydroxide).			

O·P·I		MATERIAL SAFETY DATA SHEET		Page 4 of 6 MSDS-048	
Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards		MSDS Revision: 1.1		MSDS Revision Date: 08/01/2005	
11. TOXICOLOGICAL INFORMATION					
11.1	Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. These data have not been presented in this document.				
11.2	Acute Toxicity: See Section 2.5				
11.3	Chronic Toxicity: See Section 2.6				
11.4	Suspected Carcinogen: NA				
11.5	Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans.				
	Mutagenicity: This product is not reported to produce mutagenic effects in humans.				
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.				
	Teratogenicity: This product is not reported to cause teratogenic effects in humans.				
	Reproductive Toxicity: This product is not reported to cause reproductive effects in humans.				
11.6	Irritancy of Product: See Section 2.3				
11.7	Biological Exposure Indices: NE				
11.8	Physician Recommendations: Treat symptomatically.				
12. ECOLOGICAL INFORMATION					
12.1	Environmental Stability: There are no specific data available for this product.				
12.2	Effects on Plants & Animals: There are no specific data available for this product.				
12.3	Effects on Aquatic Life: There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life.				
13. DISPOSAL CONSIDERATIONS					
13.1	Waste Disposal: Waste disposal must be in accordance with appropriate federal, state, and local regulations.				
13.2	Special Considerations: NA				
14. TRANSPORTATION INFORMATION					
The basic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.					
14.1	49 CFR (GND): NOT REGULATED				
14.2	IATA (AIR): NOT REGULATED				
14.3	IMDG (OCN): NOT REGULATED				
14.4	TDGR (Canadian GND): NOT REGULATED				
14.5	ADR/RID (EU): NOT REGULATED				

O·P·I		MATERIAL SAFETY DATA SHEET		Page 5 of 6 MSDS-048														
Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards		MSDS Revision: 1.1		MSDS Revision Date: 08/01/2005														
15. REGULATORY INFORMATION																		
15.1	SARA Reporting Requirements: NA																	
15.2	SARA Threshold Planning Quantity: SARA 302 TPQ - Vinyl Acetate (1000 lbs)																	
15.3	TSCA Inventory Status: The components of this product are listed on the TSCA Inventory as appropriate.																	
15.4	CERCLA Reportable Quantity (RQ): Vinyl Acetate: 5000 lbs																	
15.5	Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).																	
15.6	Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.																	
15.7	State Regulatory Information: Ingredients in this mixture on found on the following state criteria lists: <table border="0"> <tr> <td>California OSHA Hazardous Substances List</td> <td>Vinyl Acetate</td> </tr> <tr> <td>Delaware Air Quality Management List</td> <td>Vinyl Acetate</td> </tr> <tr> <td>Massachusetts Hazardous Substances List</td> <td>Vinyl Acetate</td> </tr> <tr> <td>Minnesota Hazardous Substances List</td> <td>Vinyl Acetate</td> </tr> <tr> <td>New Jersey Right to Know Hazardous Substances List</td> <td>Vinyl Acetate</td> </tr> <tr> <td>New York List of Hazardous Substances</td> <td>Vinyl Acetate</td> </tr> <tr> <td>Pennsylvania Hazardous Substances List</td> <td>Vinyl Acetate</td> </tr> </table>				California OSHA Hazardous Substances List	Vinyl Acetate	Delaware Air Quality Management List	Vinyl Acetate	Massachusetts Hazardous Substances List	Vinyl Acetate	Minnesota Hazardous Substances List	Vinyl Acetate	New Jersey Right to Know Hazardous Substances List	Vinyl Acetate	New York List of Hazardous Substances	Vinyl Acetate	Pennsylvania Hazardous Substances List	Vinyl Acetate
California OSHA Hazardous Substances List	Vinyl Acetate																	
Delaware Air Quality Management List	Vinyl Acetate																	
Massachusetts Hazardous Substances List	Vinyl Acetate																	
Minnesota Hazardous Substances List	Vinyl Acetate																	
New Jersey Right to Know Hazardous Substances List	Vinyl Acetate																	
New York List of Hazardous Substances	Vinyl Acetate																	
Pennsylvania Hazardous Substances List	Vinyl Acetate																	
15.8	67/548/EEC (European Union) Requirements: The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC. S: 2 - Keep out of reach of children. Discontinue use if sensitization occurs. If accidental eye contact occurs, flush with water for at least 15 minutes and get prompt medical attention.																	
16. OTHER INFORMATION																		
16.1	Other Information: Keep out of reach of children. Do not take internally. Keep away from heat and open flame.																	
16.2	Terms & Definitions: See last page of this MSDS.																	
16.3	Disclaimer: This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.																	
16.4	Prepared for: OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA +1 (818) 759-2400 phone +1 (818) 759-5770 fax http://www.opi.com/																	
16.5	Prepared by: ShipMate, Inc. 18436 Hawthorne Boulevard, Suite 201 Torrance, CA 90504 USA +1 (310) 360-3700 phone +1 (310) 360-5700 fax http://www.shipmate.com/																	

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

MSDS Revision Date: 08/01/2005

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
----------------	----------------------------------

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
------------	--

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

A		G	
B		H	
C		I	
D		J	
E		K	
F		X	Consult your supervisor or S.O.P. for special handling directions.



OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
-W	Use No Water
OX	Oxidizer



TOXICOLOGICAL INFORMATION:

LD₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD₁₀	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD₁₀, LD₁₀, & LD₅₀ or TC, TC₁₀, LC₁₀, & LC₅₀	Lowest dose (or concentration) to cause lethal or toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL_m	Median threshold limit
log K_{ow} or log K_{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)

EC INFORMATION:

C	E	F	N	O	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful