## Product Name: CARB MEDIC

MSDS No.: M4814

#### I. Basic Information: NFPA Manufacturer: RADIATOR SPECIALTY COMPANY Address: P.O. BOX 159, 600 RADIATOR ROAD Health Reastivity City, ST Zip: INDIAN TRAIL, NC 28079 Emergency Contact: Rocky Mountain Poision Control Center **Emergency Telephone Number: 303-623-5716** Contact: Robert Geer Information Telephone Number: 704-688-3430 Health Flammability Last Update: 06/16/2003 Reactivity X Liquid Solid **Chemical State:** Gas Pers. Protection Pure X Mixture **Chemical Type: II.** Ingredients: **Trade Secret EHS IARC SARA** 313 **OSHA ACGIH** Other CAS No. **Chemical Name** % Range NTP SUB Z PEL TLV Limits 124389 Carbon dioxide 1.0 - 5.0N/AV 5000 ppm 75092 Dichloromethane 40.0 - 70.0 X 25 ppm 50 ppm Χ 100414 Ethylbenzene 1.0 - 5.0100 ppm 100 ppm 108883 15.0 - 40.0 Χ 100 PPM 100 PPM Toluene 1330207 Xylene (mixed isomers) 15.0 - 40.0 X 100 ppm 100 ppm III. Hazardous Identification: **Hazard Category: X** Fire X Acute X Chronic X Pressure Reactive **Hazardous Identification Information:** Danger: Harmful or fatal if swallowed. Vapor harmful. Eye and skin irritant. Flammable. Contents under pressure. Level 2 Aerosol IV. First Aid Measures: Route(s) of Entry: Ingestion, Inhalation, eye and skin contact. Health Hazards (Acute and Chronic):

## Signs and Symptoms:

Eye Contact: Direct spray or vapors will irritate and may harm eyes Skin Contact: Product may cause irritation due to defatting of skin.

Inhalation: High concentrations of vapors may irritate nose and throat and cause symptoms of intoxication such as dizziness,

nausea, headache, or indigestion.

See Signs and Symptoms below

Ingestion: May cause blindness if swallowed. Causes irritation, narcosis, and liver and kidney damage.

## Product Name: CARB MEDIC

MSDS No.: M4814

#### Medical Conditions Generally Aggravated by Exposure:

Exposure to this material may aggravate any pre-existing condition sensitive to a decrease in available oxygen, such as chronic lung disease, coronary artery disease or anemias. Individuals with pre-existing heart disorders may be more susceptible to arrhythmias (irregular heartbeats) if exposed to high concentrations of this material.

## **Emergency and First Aid Procedures:**

Eye Contact: Flush eyes with clean water for 15 minutes while lifting eyelids. Get prompt medical attention.

Skin Contact: Wash with soap and water thoroughly. If adverse effects persist, get prompt medical attention. Launder contaminated clothing before reuse.

Inhalation: Remove to fresh air. If breathing becomes difficult give oxygen and get prompt medical attention. If breathing stops, give artificial respiration and get prompt medical attention.

Ingestion: DO NOT INDUCE VOMITING! Call Poison Control Center, physician, or hospital emergency room immediately. Aspiration of vomitus into the lungs can cause pneumonitis, which can be fatal.

### Other Health Warnings:

Vomiting and subsequent aspiration into the lungs may lead to chemical pneumonia and pulmonary edema which is a potentially fatal condition.

## V. Fire Fighting Measures:

Flash Point: N/A Lower Explosive Limit: 1.0% Upper Explosive Limit: 23.0%

F.P. Method: TCC

Fire Extinguishing Media: Foam, Dry Chemical (B-C), Carbon Dioxide, water fog

## **Special Fire Fighting Procedures:**

Wear self- contained, positive pressure breathing apparatus and protective clothing. Use water fog to keep container cool. Protect from venting, rupturing, and bursting containers.

#### **Unusual Fire and Explosion:**

At temperatures above 120°F, containers may vent, rupture, or burst, even violently. Contents under pressure. Do not use near fire, sparks, or flame. Contents under pressure. At elevated temperatures, container may vent, rupture, or burst violently. Vapors of this product may present a future health hazard in poorly ventilated areas. May liberate corrosive hydrochloric acid or toxic phosgene fumes.

## VI. Accidental Release Measures:

#### Steps to be Taken in Case Material is Released or Spilled:

Eliminate all ignition sources. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Dike or contain spill and absorb with inert materials (sand, sawdust, absorbent sweeping compounds, rags, etc). Using a non-metalic scoop, place contaminated material into an approved chemical waste container. Where possible, vacuum spilled liquid using an explosion proof vacuum to recover material. Prevent run-off to sewers, streams, or other bodies of water. If run-off occurs, notify proper authorities as required that a spill has occured.

## VII. Handling and Storage:

#### Precautions to be Taken:

Use with adequate ventilation and proper protective equipment.

Do not use or store near fire, sparks, or open flame. Do not puncture or incinerate container. Exposure to temperatures above 120° may cause container to vent, rupture, or burst.

## **Other Precautions:**

## Product Name: CARB MEDIC

MSDS No.: M4814

Do not used in confined area without proper ventilation. Contact lenses may cause further damage in case of splash into eye. KEEP AWAY FROM CHILDREN AND ANIMALS!

## VIII. Exposure Controls/Personal Protection:

## **Ventilation Requirements:**

See Section 2 for applicable exposure limits. Maintain adequate ventilation.

Avoid breathing vapors. In restricted areas, use approved chemical/mechanical filters designed to remove a combination of particles and vapor. In confined areas, use approved air line type respirator or hood. A self-contained breathing apparatus is required for vapor concentrations above TLV limits.

#### **Personal Protective Equipment:**

See Section 2 for applicable exposure limits. For prolonged exposure wear protective safety glasses, gloves, and apron.

## IX. Physical and Chemical Properties:

Boiling Point: 102°F Melting Point: N/A

Evaporation Rate (Butyl Acetate = 1): < 1.0 Vapor Pressure (mm Hg.): 355.0

Specific Gravity (H20 = 1): 1.12000 Vapor Density (AIR = 1): > 1.0

Solubility In Water: Insoluble Appearance and Odor: Clear liquid with solvent odor.

Other Information: % Volatiles by Wt: 100%

Solubility in Solvent: Complete

VOC Content: 44%

## X. Stability and Reactivity:

## Stability:

Product is stable

#### Incompatibility (Materials to Avoid):

Avoid contact with strong oxidizers, strong alkalies, strong acids, amines, reactive metals such as aluminum and magnesium.

#### **Decomposition/By Products:**

May form carbon dioxide, carbon monoxide, chlorine, hydrogen chloride, phosgene, and various hydrocarbons.

### **Hazardous Polymerization:**

Will not occur.

#### XI. Toxicological Information:

No data available

### XII. Ecological Information:

No data available.

## XIII. Disposal Considerations:

DISPOSAL: This container may be recycled in aerosol recycling centers when empty. Before offering for recycling, empty the can by using the product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash. Dispose of unused product in accordance with all local, state government and federal laws and regulations.

## Product Name: CARB MEDIC

MSDS No.: M4814

## XIV. Transport Information:

DOT Hazard Class: ORM-D

Shipping Name: Consumer Commodity

## XV. Regulatory Information:

See Section 2 for SARA Reportable Chemicals.

USA TSCA: All components of this material are listed on the US TSCA Inventory.

Warning: This product contains a chemical(s) known to the State of California to cause cancer and birth defects or other reproductive harm.

New Jersey and Pennsylvania RTK Label Information:

Methylene Chloride: CAS# 75-09-2
Toluene: CAS# 108-88-3
Xylene: CAS# 1330-20-7
Ethyl Benzene CAS# 10-41-4

## XVI. Other Information:

Do not used in confined area without proper ventilation. Contact lenses may cause further damage in case of splash into eye. KEEP AWAY FROM CHILDREN AND ANIMALS!

N/E: Not Established N/D: Not Determined N/A: Not Applicable N/AV: Not Available

While Radiator Specialty Company believes this data is accurate as of the revision date, we make no warranty with respect to the data and we expressly disclaim all liability for reliance thereon. The data is offered soley for information, investigation, and verification. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is repsonsible for full compliance.