

Copper-Manganese-Nickel-Zinc Alloys

Material Safety Data Sheet

1. Product And Company Identification

Supplier

Lucas Milhaupt, Inc. Handy & Harman of Canada, Ltd.
5656 South
Pennsylvania Ave. 290 Carlingview Drive
Cudahy, WI 53110 Rexdale, ON M9W 5G1

Supplier Emergency Contacts & Phone Number

Lucas-Milhaupt, Inc.: 414-769-6000
Handy & Harman of Canada, Limited: 416-675-1860

Manufacturer

Lucas-Milhaupt, Inc.
A Handy & Harman Company
5656 South Pennsylvania Avenue
Cudahy, WI 53110
Telephone Number: 414-769-6000
FAX Number: 414-769-1093

Manufacturer Emergency Contacts & Phone Number

Chemtrec: (800) 424-9300

Issue Date: 07/23/2007
Product Name: Copper-Manganese-Nickel-Zinc Alloys
CAS Number: Not Established
MSDS Number: 400

Product Identification Text

The information in this MSDS is applicable to the following products: Alloy 24-857; Hi-Temp 080 (77-080), Hi-Temp 548 (77-548), Hi-Temp Trimet 549 (77-549); and 77-525.

WARNING: These products contain a chemical(s) known to the State of California to cause cancer.

2. Composition/Information On Ingredients

Ingredient Name - (CAS Number) - %

Copper (7440-50-8) 45 - 77.5
Manganese (7439-96-5) 2 - 30
Nickel (7440-02-0) 1 - 20
Zinc (7440-66-6) 7 - 35

No Data Available...

3. Hazards Identification

----- Primary Routes(s) Of Entry -----

Ingestion; inhalation

Eye Hazards -----

Eye contact with these products in finely-divided forms of these products may cause irritation, conjunctivitis, and/or ulceration of the cornea.

Skin Hazards -----

Skin contact with these products, particularly in finely-divided forms, may cause irritation, discoloration, and contact and/or allergic dermatitis.

Ingestion Hazards -----

Ingestion of these products in finely-divided form may cause nausea, vomiting, and gastrointestinal irritation.

Inhalation Hazards -----

Inhalation of the components of these products is not known to present a significant risk to health when used according to instructions and with appropriate protective measures (see Section #8). Inhalation of component elements has been reported to cause one or more of the following symptoms and effects upon excessively high or prolonged exposure:

COPPER: Acute exposure may cause respiratory tract irritation, fever, muscle ache, chills, cough, weakness, and a metallic taste. Chronic exposure may damage the liver, kidney, spleen, pancreas, and brain.

MANGANESE: Acute inhalation may irritate the nose, throat, and upper respiratory tract, and produce flu-like symptoms and/or pneumonia. Chronic exposure may cause manganism, a disease of the central nervous system characterized by sleeplessness, muscle weakness, mental confusion, and spastic responses.

NICKEL: Acute exposure to nickel may cause headache, nausea, vertigo, and pulmonary edema. Chronic exposure may increase the risk of cancer to the nasopharynx, lungs, prostate, and kidney.

ZINC: Acute exposure to zinc oxide may cause respiratory tract irritation and "metal fume fever", which is characterized by a metallic taste, cough, dry throat, chills, fever, tightness of chest, headache, nausea, shortness of breath, vomiting, and fatigue.

4. First Aid Measures

----- Eye ---

Flush affected areas with water for at least fifteen minutes. Seek medical assistance if necessary.

Skin

Remove contaminated clothing. Wash affected area with large quantities of water for at least five minutes. Seek medical attention if necessary. Launder or dry-clean clothing before reuse.

Ingestion

If subject is conscious, induce vomiting. If unconscious or convulsive, seek immediate medical assistance.

Inhalation

If signs and symptoms of toxicity are observed, remove subject from area, administer oxygen, and seek medical attention. Keep the subject warm and at rest. Perform artificial respiration if breathing has stopped.

Note To Physician

None of the components are acutely toxic by ingestion, nor are they absorbed through the skin. Extensive or prolonged skin contact may cause contact or allergic dermatitis.

5. Fire Fighting Measures

Flash Point: N/A °F N/A °C
Autoignition Point: N/A °F N/A °C
Flammability Class: N/A
Lower Explosive Limit: N/A
Upper Explosive Limit: N/A
Fire And Explosion Hazards

In finely-divided form, these products may ignite when exposed to flame or by reaction with incompatible materials (see Section #10). If present in a fire or explosion, they may emit fumes of the constituent metals or metal oxides.

Extinguishing Media

Use dry chemical. Do not use water.

Fire Fighting Instructions

If fighting a fire in which these products are present, wear a self-contained breathing apparatus with full facepiece operated in pressure-demand or other positive pressure mode.

6. Accidental Release Measures

If a finely-divided form of product is spilled, clean up spillage so as to minimize dispersion of dust. Wet sweeping or vacuuming using HEPA filtration are recommended.

7. Handling And Storage

Handling Precautions

No special handling precautions are required.

Storage Precautions

Do not store in proximity to incompatible materials (see Section #10).

Work/Hygienic Practices

To minimize ingestion, wash hands and face before eating, drinking, applying cosmetics, or using tobacco.

8. Exposure Controls/Personal Protection

Engineering Controls

Use appropriate ventilation (e.g., dilution, local exhaust) adequate to maintain concentrations of all components to within their applicable standards.

Eye/Face Protection

Wear eye protection adequate to prevent eye contact with finely-divided forms of product and eye injury if products are used with a flame. Plastic-frame spectacles with side shields and filter lenses (shade #3 or #4) are recommended.

Skin Protection

Wear appropriate protective gloves and clothing to prevent skin injury if these products are used with a flame and/or for prolonged or repeated contact with finely-divided forms of product. Avoid flammable fabrics.

Respiratory Protection

If an exposure level exceeds an applicable exposure standard, use a NIOSH-approved respirator having a configuration (type of facepiece, filter media, assigned protection factor, etc.) appropriate to the concentration of the contaminant(s) generated. For guidance on selection and use of respiratory protection, consult American National Standard Z88.2 (ANSI, New York, NY 10036 USA).

Ingredient(s) - Exposure Limits

Copper

ACGIH TLVs: 0.2 mg/m³ TWA (fume); 1 mg/m³ TWA (dusts and mists)

OSHA PELs: 0.1 mg/m³ TWA (fume); 1 mg/m³ TWA (dusts and mists)

Manganese

ACGIH TLV: 0.2 mg/m³ TWA (as Mn)

OSHA PEL: 5 mg/m³ "Ceiling" (as

Mn)

Nickel

ACGIH TLV: 1.5 mg/m³ TWA

OSHA PEL: 1 mg/m³ TWA

Zinc

ACGIH TLVs: 5 mg/m³ TWA; 10 mg/m³ STEL (as ZnO fume)

OSHA PEL: 5 mg/m³ TWA (as ZnO fume)

9. Physical And Chemical Properties

Appearance

Odorless copper-yellow or red-gray metals in form of wire, strip, rod, tape, powder, grain, clad alloys, or preformed shapes.

Chemical Type: Mixture

Physical State: Solid

Melting Point: 1575-1760 °F 857-960 °C

Specific Gravity: ca. 8.2-8.6

Percent Volatiles: Not Applicable (N/A)

Vapor Pressure: N/A

Vapor Density: N/A

pH Factor: N/A

Solubility: Insoluble

10. Stability And Reactivity

Stability: stable

Hazardous Polymerization: will not occur

Conditions To Avoid (Stability)

Copper can form an unstable acetylide if in contact with acetylene gas.

Incompatible Materials

Strong oxidizers; ammonium nitrate; bromates, chlorates, and iodates of alkali and alkali earth metals; inorganic and organic peroxides; chlorine trifluoride; azides; bromine trifluoride; cupric nitrate; carbon disulfide; chromic anhydride; hydrazine mononitrate; hydroxylamine; nitric acid; performic acid; tellurium; selenium; halogens; nitric acid; nitrogen dioxide; sulfur dioxide; sulfur; phosphorus; hydrazine; hydrazoic acid; performic acid; phosphorus; selenium; dioxane; titanium plus potassium perchlorate.

Hazardous Decomposition Products

Heating to elevated temperatures may liberate metal/metal oxide fumes.

11. Toxicological Information

Reproductive Effects

Nickel has produced fetotoxic and teratogenic effects in animal studies.

Mutagenicity (Genetic Effects)

Nickel has produced mutagenic responses in mammalian cell cultures.

Conditions Aggravated By Overexposure

Pre-existing pulmonary diseases (e.g., bronchitis, asthma) may be aggravated by inhalation exposure, particularly as fume. Chronic exposure by inhalation and/or ingestion may aggravate pre-existing diseases of the liver, kidneys, gastrointestinal system, musculoskeletal system, and nervous system.

Ingredient(s) - Carginogenicity

Nickel

NTP - Listed On The National Toxicology Program
Listed In The IARC Monographs

Ingredient(s) - Toxicological Data

Copper

LD50: No data available LC50: No data available

Manganese

LD50: 9 gm/kg (oral/rat) LC50: No data available

Nickel

LD50: 5 gm/kg (oral/rat) LC50: No data available

Zinc

LD50: No data available LC50: No data available

12. Ecological Information

In their intended manner of use, these products should not be released into the environment, and adverse effects on ecosystems are not anticipated under recommended conditions of use, storage, and disposal.

13. Disposal Considerations

Dispose of unused or unusable product in accordance with applicable Federal, State/Provincial, and local regulations.

14. Transport Information

These products are not Hazardous Substances or Dangerous Goods per USDOT/TDG/IATA/IMO regulations.

15. Regulatory Information

SARA Hazard Classes

Acute Health Hazard; Chronic Health Hazard

Ingredient(s) - U.S. Regulatory Information

Copper

SARA Title III - Section 313 Form "R"/TRI Reportable Chemical

Manganese

SARA Title III - Section 313 Form "R"/TRI Reportable Chemical

Nickel

SARA Title III - Section 313 Form "R"/TRI Reportable Chemical

Ingredient(s) - State Regulations

Nickel

California - Proposition 65

Canadian Regulatory Information

WHMIS Class(es) and Division(s): D2A, D2B

Component(s) on Ingredients Disclosure List:

1. Copper, elemental (CASRN 7440-50-8)
2. Manganese, elemental (CASRN 7439-96-5)
3. Nickel, elemental (CASRN 7440-02-0)

16. Other Information

Revision/Preparer Information

This MSDS Supersedes A Previous MSDS Dated: 04/17/2002

Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

Lucas Milhaupt, Inc. Handy & Harman of Canada, Ltd.