

.016 PTFE LAMINATE

Material Safety Data Sheet

January 2015

.016 PTFE Laminate Industrial Product

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name	PTFE Laminate
MSDS Prepared By	Siftek Equipment Company Inc.

2. HAZARD IDENTIFICATION

Inhalation: Inhalation of fumes from burning or heating about 600° F (315°C) can cause polymer fume fever.

Skin: No effect.

Eyes: Not a likely route of entry.

Ingestion: Not a likely route of entry. No effects requiring first aid are expected during normal use.

3. INGREDIENTS

Chemical Name:	CAS No.	Wt%
Polytetrafluoroethylene (PTFE)	9002-84-0	99+
Pigment	NA	Trace

4. FIRST AID MEASURES

Inhalation: Remove from further exposure. If cough or other symptoms develop, seek medical attention.

Skin Contact: If skin becomes irritated, do not rub or scratch. Wash the affected area with soap and water.

Eye Contact: If eyes become irritated, flush immediately with lukewarm water for 15 minutes.

Ingestion: Drink plenty of water to reduce irritation. If irritation persists, seek medical attention.

5. FIRE FIGHTING MEASURES

Auto-ignition point: 900 °F (315°C)


Extinguishing media: Water

Special fire fighting protective equipment: Self-contained breathing apparatus with full face piece and protective clothing if involved in a fire of other materials.

Unusual fire and explosion hazards: Product will emit toxic fumes at high temperatures.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled: Material is a solid. Pick up the larger pieces and wet sweep or vacuum up any scraps. Place in a suitable container for disposal as a non-hazardous waste.



.016 PTFE LAMINATE

headache, nausea, and breathing discomfort, cough, or sore throat (polymer fume fever). These symptoms generally disappear within 24-48 hrs.

12. ECOLOGICAL INFORMATION

This product has no known eco-toxicological effects. It is considered to be an inert solid waste.

13. DISPOSAL CONSIDERATIONS

Waste disposal method: Can be landfilled in compliance with provincial and local environmental control regulations. Do not incinerate unless incinerator is capable of scrubbing hydrogen fluoride and other acidic combustion products. Dispose of as any other innocuous material. Product is not considered a hazardous waste.

14. TRANSPORT INFORMATION

Not regulated per ADR/RID, IMDG and IATA.

15. REGULATORY INFORMATION

311/312 Hazard Categories: None

Manufactured in accordance with EC Commission Directive 1907/2006

(REACH) (Article 31, Annex II)

Disclaimer: The data provided is intended as a guide only and should not be interpreted as a warranty. It is not intended to be used to determine the suitability of the product for any specific customer application. Siftek strongly suggests that each customer thoroughly test the prospective product in their own manufacturing facility to determine the actual suitability of the product in their specific application.