

* 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** **Super-DHB (SDHB)**

- **Article number:** 209813
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bruker Daltonik GmbH
Fahrenheitstrasse 4
D-28359 Bremen / Germany
Tel.: +49(421) 2205-0
Fax : +49(421) 2205-100
E-mail: care@bdal.de
- **Informing department:**
Bruker Daltonik GmbH
Tel.: +49 (421) 2205-240
- **Emergency telephone number:**
Emergency Phone : +61 3 9474 7000 ; 1800 278537 ; +49 421 2205 0
Tel.: +49 (361)730730
Gemeinsames Giftinformationszentrum (GGIZ) (Posion Information Center)

* 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

- Acute Tox. 4 H302 Harmful if swallowed.
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2 H319 Causes serious eye irritation.
- STOT SE 3 H335 May cause respiratory irritation.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xn; Harmful

R22: Harmful if swallowed.



Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

- **Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**
2,5-Dihydroxybenzoic acid
- **Hazard statements**
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.09.2011

Revision: 30.03.2011

Trade name: Super-DHB (SDHB)

(Contd. of page 1)

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture consisting of the following components.

Dangerous components:

CAS: 490-79-9 EINECS: 207-718-5	2,5-Dihydroxybenzoic acid  Xn R22;  Xi R36/37/38  Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	50-100%
CAS: 2612-02-4 EINECS: 220-037-8	5-Methoxysalicylic acid  Xi R36/37/38  Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	2.5-10%

Additional information For the wording of the listed risk phrases refer to section 16.

4 First aid measures

Description of first aid measures

General information Instantly remove any clothing soiled by the product.

After inhalation

Take affected persons into the open air and position comfortably
Seek medical treatment in case of complaints.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

Instantly call for doctor.

Information for doctor No particular measures are known - treat according to symptoms.

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

Extinguishing media

Suitable extinguishing agents

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents Water with a full water jet.

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.09.2011

Revision: 30.03.2011

Trade name: Super-DHB (SDHB)

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

*

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Wear protective clothing.
Avoid causing dust.
Avoid contact with eyes and skin.
- **Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- **Methods and material for containment and cleaning up:**
Collect mechanically.
Dispose of contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 8 for information on personal protection equipment.

*

7 Handling and storage

- **Handling**
- **Precautions for safe handling**
Thorough dedusting.
Keep containers tightly sealed.
Ensure good ventilation/exhaustion at the workplace.
Keep eye irrigation utensils (bottle) ready for use at place of work.
The usual precautionary measures for handling chemicals must be observed.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**
Keep containers securely closed and dry, store at 2 - 8°C.
Store only in the original container.
Store in cool location.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store under dry conditions.
Protect from humidity and keep away from water.
- **Specific end use(s)** No further relevant information available.

*

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and food.
Wash hands during breaks and at the end of the work.

(Contd. on page 4)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.09.2011

Revision: 30.03.2011

Trade name: Super-DHB (SDHB)

(Contd. of page 3)

Take off immediately all contaminated clothing

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· Recommended filter device for short term use:



Filter P1

· Protection of hands:



Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Preventive skin protection by use of skin-protecting agents is recommended.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

PVC or PE gloves

· As protection from splashes gloves made of the following materials are suitable: PVC or PE gloves

· Not suitable are gloves made of the following materials:

Strong gloves

Leather gloves

· Eye protection:



Tightly sealed safety glasses.

· Body protection: Protective work clothing.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:

Powder

Colour:

Light beige

· Odour:

Characteristic

· Change in condition

Melting point/Melting range: 195 - 205°C

Boiling point/Boiling range: Not determined

(Contd. on page 5)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.09.2011

Revision: 30.03.2011

Trade name: Super-DHB (SDHB)

(Contd. of page 4)

· Flash point:	Not applicable
· Inflammability (solid, gaseous)	Product is not inflammable.
· Self-inflammability:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive.
· Density	Not determined
· Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity**
- Chemical stability**
- Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions** No dangerous reactions known
- Conditions to avoid** No further relevant information available.
- Incompatible materials:**
 - strong oxidizing agents
 - strong bases
 - Acid chlorides
 - Acid anhydrides
- Hazardous decomposition products:** Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects		
· Acute toxicity:		
· LD/LC50 values that are relevant for classification:		
490-79-9 2,5-Dihydroxybenzoic acid	Oral	LD50 4500 mg/kg (Mouse) 800 mg/kg (rat)

- Primary irritant effect:**
 - on the skin:** Irritant to skin and mucous membranes.
 - on the eye:** Irritant effect.
- Sensitization:** No sensitizing effect known.
- Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Harmful
Irritant

12 Ecological information

- Toxicity**
- Acquatic toxicity:** No further relevant information available.
- Persistence and degradability** No further relevant information available.
- Behaviour in environmental systems:**
- Bioaccumulative potential** No further relevant information available.
- Mobility in soil** No further relevant information available.
- Ecotoxicological effects:** Not determined
- Additional ecological information:**
- General notes:**
 - Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water.
 - Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

(Contd. on page 6)
GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.09.2011

Revision: 30.03.2011

Trade name: Super-DHB (SDHB)

(Contd. of page 5)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Must be specially treated under adherence to official regulations.

- **European waste catalogue**

18 00 00	WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care)
18 02 00	wastes from research, diagnosis, treatment or prevention of disease involving animals
18 02 05	chemicals consisting of or containing dangerous substances

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **ADR, ADN, IMDG, IATA** Void
- **UN proper shipping name**
- **ADR, ADN, IMDG, IATA** Void
- **Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** Void
- **Packing group**
- **ADR, IMDG, IATA** Void
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **Transport/Additional information:** Not dangerous according to the above specifications.
- **UN "Model Regulation":** -

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Water hazard class:** Water danger class 3 (Self-assessment): extremely hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Changes made since last issue dated 18.08.2007 at the following points: *

- **Relevant phrases**
- H302 Harmful if swallowed.

(Contd. on page 7)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.09.2011

Revision: 30.03.2011

Trade name: Super-DHB (SDHB)

(Contd. of page 6)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

R22 Harmful if swallowed.

R36/37/38 Irritating to eyes, respiratory system and skin.

· Department issuing data specification sheet:

IGG-AD Ingenieurbüro für Gefahrstoff- und Gefahrgutberatung

Bismarckstraße 10

D-68623 Lampertheim

Fax: 0049-(0)6206-58422 <http://www.igg-ad.de> info@igg-ad.de

· Contact:

Dr. U. Prinz (u.prinz@igg-ad.de)

Dipl.-Chem. H. Hinse (heidrun.hinse@igg-ad.de)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

· * Data compared to the previous version altered.

GB