

**SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION.****W. F. Taylor Co., Inc.**

11545 Pacific Avenue  
Fontana, CA 92337-8228  
951/360-6677

CHEMICAL EMERGENCY HOTLINE 1-800-535-5053

PRODUCT NAME: **Acous-Tec Liquid Underlayment 2-Gallons**  
ITEM NUMBER: MSACOSTEC-2  
ITEM DESCRIPTION: Acous-Tec Liquid Underlayment (Commercial)2-Gallons  
PRODUCT DESCRIPTION: Smooth, creamy, easy to trowel adhesive  
CHEMICAL FAMILY: Modified Silane Polymer Blend  
REVISION DATE: 12/15/14 REVIEW DATE: / / PRINT DATE:12/15/14 PRINT TIME: 12:38

## HMIS HAZARD RATING

LEAST: 0	HEALTH: 1
SLIGHT: 1	FLAMMABLE: 0
MODERATE: 2	REACTIVITY: 0
HIGH: 3	
EXTREME: 4	

PREPARED BY: ROBERT DDAMULIRA  
PREEMPTS PREVIOUS MSDS SHEETS

**SECTION II INGREDIENTS**

NON HAZARDOUS PER DIRECTIVE 67/548/EEC AND 1999/45/EC

**SECTION III PHYSICAL DATA**

<u>Hazard</u>	<u>CAS #</u>	<u>WT/Wt % Less Than</u>
NO HAZARDOUS INGREDIENTS PER CURRENT OSHA REGULATIONS		
BOILING POINT:	NO DATA	
LBS / GAL:	8.1 - 8.7	
EVAPORATION RATE:	LOW	
VAPOR DENSITY:	LOW	
VAPOR PRESSURE:	LOW	
PERCENT VOLATILE:	0 ( BY WEIGHT), 100% SOLIDS	
COLOR:	WHITE	
ODOR:	MILD	

**SECTION IV FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT, PENSKEY-MARTIN C.C.: NA  
AUTO IGNITION TEMPERATURE, DEGREES F: NA  
FLAMMABLE LIMITS IN AIR (% BY VOLUME): LEL: NA UEL: NA  
EXTINGUISHING MEDIA:

(X) WATER SPRAY (X) CARBON DIOXIDE ( ) OTHER  
(X) FOAM (X) DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES: USE SELF CONTAINED BREATHING APPARATUS AND TURN OUT GEAR. WATER MAY BE INEFFECTIVE BUT SHOULD BE USED TO KEEP THE EXPOSED CONTAINERS COOL.  
UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE KNOWN

**SECTION V HEALTH HAZARD IDENTIFICATION**

---

PRODUCT NAME: **Acous-Tec Liquid Underlayment 2-Gallons**  
ITEM NUMBER: MSACOUSTEC-2  
ITEM DESCRIPTION: Acous-Tec Liquid Underlayment (Commercial)2-Gallons  
REVISION DATE: 12/15/14 REVIEW DATE: / / PRINT DATE:12/15/14 PRINT TIME: 12:38

---

SYMPTOMS OF OVER EXPOSURE:

INHALATION:MAY CAUSE SLIGHT IRRITATION TO THE UPPER RESPIRATORY TRACT.

EYES:VAPOR MAY CAUSE IRRITATION.

SKIN:MAY CAUSE SLIGHT SKIN IRRITATION.

INGESTION: NOT A LIKELY ROUTE OF ENTRY UNDER PROPER HANDLING CONDITIONS. MAY CAUSE VOMITING. SYMPTOMS MAY BE SAME AS INHALATION.

HEALTH EFFECTS OR RISK FROM EXPOSURE:

ACUTE: INHALATION MAY CAUSE RESPIRATORY TRACT IRRITATION. CONTACT WITH EYES AND SKIN MAY RESULT TO IRRITATION. INGESTION MAY RESULT TO GASTRIC DISTURBANCES.

CHRONIC: NOT KNOWN

FIRST AID PROCEDURES:

EYES CONTACT: WASH WITH WATER AT FOR LEAST 15 MINUTES. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

SKIN CONTACT: REMOVE FROM SKIN AND WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

INHALATION: MOVE TO FRESH AIR. ADMINISTER OXYGEN, IF NECESSARY. SEEK MEDICAL ATTENTION.

INGESTION: IF SWALLOWED, CALL PHYSICIAN.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: NONE KNOWN.

---

## SECTION VI FIRST AID PROCEDURES

FIRST AID PROCEDURES:

EYES CONTACT: WASH WITH WATER AT LEAST 15 MINUTES. IF IRRITATIONS PERSISTS, SEEK MEDICAL ATTENTION.

SKIN CONTACT: REMOVE FROM SKIN AND WASH WITH SOAP AND WATER. IF IRRITATIONS PERSISTS, SEEK MEDICAL ATTENTION.

INHALATION: NOT APPLICABLE

INGESTION: IF SWALLOWED, CALL PHYSICIAN.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: NONE KNOWN

---

## SECTION VII HANDLING AND STORAGE

KEEP OUT OF THE REACH OF CHILDREN. DO NOT INDUCE VOMITING IF INGESTED.PROTECT FROM EXTREME TEMPERATURE CONDITIONS. AVOID BREATHING BUILD-UP OF VAPORS. USE WITH ADEQUATE VENTILATION.

PROTECT AGAINST PHYSICAL DAMAGE. STORE IN A COOL DRY PLACE (50 - 90 DEGREES F).

KEEP AWAY FROM HEAT AND SPARKS. KEEP FROM FREEZING.

---

## SECTION VIII SPECIAL PROTECTION INFORMATION

---

PRODUCT NAME: **Acous-Tec Liquid Underlayment 2-Gallons**  
ITEM NUMBER: MSACOUSTEC-2  
ITEM DESCRIPTION: Acous-Tec Liquid Underlayment (Commercial)2-Gallons  
REVISION DATE: 12/15/14 REVIEW DATE: / / PRINT DATE:12/15/14 PRINT TIME:12:38

---

VENTILATION AND ENGINEERING CONTROLS: USE LOCAL EXHAUST. DO NOT USE CLOSED AIR-CIRCULATING SYSTEM. OPEN WINDOWS AND DOORS IF NECESSARY.  
RESPIRATORY PROTECTION: NIOSH RESPIRATOR IF NEEDED.  
CLOTHING: CHEMICAL RESISTANT GLOVES, APRON, COVERALLS, AND BOOTS AS NECESSARY TO PREVENT CONTACT.  
EYE PROTECTION: CHEMICAL GOGGLES OR FACE SHIELD  
OTHER CLOTHING AND EQUIPMENT: IF CLOTHING BECOMES CONTAMINATED, REMOVE AND CLEAN BEFORE REWEARING.  
WORK PRACTICES, HYGIENIC PRACTICES: FOLLOW LABEL INSTRUCTIONS.  
PROTECTIVE MEASURES DURING MAINTENANCE OF CONTAMINATED EQUIPMENT: USE GOGGLES AND GLOVES WHEN CLEANING ADHESIVE FROM EQUIPMENT. MAINTAIN PROPER VENTILATION.

---

#### **SECTION IX SPILL OR LEAK PROCEDURES**

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED

Keep out of sewer system to prevent blockage due to polymer deposits. Use absorbent material to collect and / or scrape up excess and place into closed DOT approved containers for disposal.

Slip hazard if material is spilled. Follow measures to contain material during clean-up.

---

#### **SECTION X REACTIVITY DATA**

STABILITY: STABLE

CONDITIONS TO AVOID: PROTECT FROM FREEZING, EXCESSIVE HEAT, MOISTURE.

INCOMPATIBILITY (MATERIALS TO AVOID): METAL SALTS MAY COAGULATE THE PRODUCT.

HAZARDOUS DECOMPOSITION PRODUCTS (INCLUDING COMBUSTION PRODUCTS): OXIDES OF CARBON, WATER, AND ORGANIC COMPOUNDS OF UNKNOWN STRUCTURE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

---

#### **SECTION XI TOXICOLOGICAL PROPERTIES**

NOT AVAILABLE

---

#### **SECTION XII ECOLOGICAL INFORMATION**

NOT AVAILABLE

---

#### **SECTION XIII DISPOSAL CONSIDERATION**

WASTE DISPOSAL: ABIDE BY ALL STATE, FEDERAL AND LOCAL REGULATIONS

---

#### **SECTION XIV: TRANSPORTATION INFORMATION**

PROPER SHIPPING NAME: NOT APPLICABLE

PROPER HAZARD CLASS: NOT HAZARDOUS

HAZARD CODE: NOT HAZARDOUS

---

#### **SECTION XV REGULATORY INFORMATION**

OSHA HAZARD COMMUNICATION STANDARD (29CFR 1910.1200) HAZARD CLASS (ES): NONE

SARA TITLE III SECTION 312 HAZARD CLASS: NONE

EPA SARA TITLE III SECTION 313: NONE

ALL COMPONENTS OF THIS PRODUCT ARE EITHER LISTED OR EXEMPT IN THE U.S. EPA TSCA INVENTORY LIST

---

#### **SECTION XVI OTHER INFORMATION**

---

PRODUCT NAME:	<b>Acous-Tec Liquid Underlayment 2-Gallons</b>		
ITEM NUMBER:	MSACOUSTEC-2		
ITEM DESCRIPTION:	Acous-Tec Liquid Underlayment (Commercial)2-Gallons		
REVISION DATE:	12/15/14	REVIEW DATE: / /	PRINT DATE:12/15/14 PRINT TIME:12:38

---

W.F. TAYLOR BELIEVES THE DATA SET FORTH HEREIN ARE ACCURATE AS OF THE DATE  
HEREOF. TAYLOR MAKES NO WARRANTY WITH RESPECT THERETO AND EXPRESSLY DISCLAIMS ALL  
LIABILITY FOR RELIANCE THEREON. SUCH DATA ARE OFFERED SOLELY FOR YOUR CONSIDERATION,  
INVESTIGATION AND VERIFICATION.

---