

MATERIAL SAFETY DATA SHEET

Product Trade Name: **MURIATIC ACID**

Revision Date: 20-Dec-2012

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: MURIATIC ACID
Synonyms: None
Chemical Family: Inorganic acid
Application: Solvent

Manufacturer/Supplier: Halliburton Energy Services
P.O. Box 1431
Duncan, Oklahoma 73536-0431
Emergency Telephone: (281) 575-5000

Prepared By: Chemical Compliance
Telephone: 1-580-251-4335
e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Substances | CAS Number | PERCENT | ACGIH TLV-TWA | OSHA PEL-TWA |
|-------------------|------------|----------|---------------|--------------|
| Hydrochloric acid | 7647-01-0 | 30 - 60% | 2 ppm | 5 ppm |

3. HAZARDS IDENTIFICATION

Hazard Overview: May cause eye, skin, and respiratory burns. May be harmful if swallowed.

4. FIRST AID MEASURES

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

Ingestion Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

5. FIRE FIGHTING MEASURES

| | |
|---|----------------|
| Flash Point/Range (F): | Not Determined |
| Flash Point/Range (C): | Not Determined |
| Flash Point Method: | Not Determined |
| Autoignition Temperature (F): | Not Determined |
| Autoignition Temperature (C): | Not Determined |
| Flammability Limits in Air - Lower (%): | Not Determined |
| Flammability Limits in Air - Upper (%): | Not Determined |

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical.

Special Exposure Hazards May form explosive mixtures with strong alkalis. Decomposition in fire may produce toxic gases. Reaction with steel and certain other metals generates flammable hydrogen gas. Use water spray to cool fire exposed surfaces. Do not allow runoff to enter waterways.

Special Protective Equipment for Fire-Fighters Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

NFPA Ratings: Health 3, Flammability 0, Reactivity 0
HMS Ratings: Health 3, Flammability 0, Reactivity 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment.

Environmental Precautionary Measures Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning / Absorption Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Neutralize with lime slurry, limestone, or soda ash. Scoop up and remove.

7. HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse.

Storage Information Store away from alkalis. Store in a cool well ventilated area. Keep container closed when not in use. Product has a shelf life of 24 months.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

Respiratory Protection Acid gas respirator.

Hand Protection Impervious rubber gloves.

Skin Protection Full protective chemical resistant clothing. Rubber boots.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions Eyewash fountains and safety showers must be easily accessible.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|--------------------------------|
| Physical State: | Liquid |
| Color: | Clear colorless to pale yellow |
| Odor: | Pungent acrid |
| pH: | 0.8 |
| Specific Gravity @ 20 C (Water=1): | 1.16 |
| Density @ 20 C (lbs./gallon): | 9.68 |
| Bulk Density @ 20 C (lbs/ft3): | Not Determined |
| Boiling Point/Range (F): | 183 |
| Boiling Point/Range (C): | 83 |
| Freezing Point/Range (F): | Not Determined |
| Freezing Point/Range (C): | Not Determined |
| Vapor Pressure @ 20 C (mmHg): | 25 |
| Vapor Density (Air=1): | Not Determined |
| Percent Volatiles: | 100 |
| Evaporation Rate (Butyl Acetate=1): | Not Determined |
| Solubility in Water (g/100ml): | Miscible |
| Solubility in Solvents (g/100ml): | Not Determined |
| VOCs (lbs./gallon): | Not Determined |
| Viscosity, Dynamic @ 20 C (centipoise): | Not Determined |
| Viscosity, Kinematic @ 20 C (centistokes): | Not Determined |
| Partition Coefficient/n-Octanol/Water: | Not Determined |
| Molecular Weight (g/mole): | 36.46 |

10. STABILITY AND REACTIVITY

| | |
|---|--|
| Stability Data: | Stable |
| Hazardous Polymerization: | Will Not Occur |
| Conditions to Avoid | Keep away from heat, sparks and flame. Avoid contact with alkalis. Avoid contact with metals such as aluminum, tin, lead, brass, bronze, copper, and zinc. |
| Incompatibility (Materials to Avoid) | Strong alkalis. Sulfides. |
| Hazardous Decomposition Products | Flammable hydrogen gas. Chlorine. Hydrogen sulfide. |
| Additional Guidelines | Not Applicable |

11. TOXICOLOGICAL INFORMATION

| | |
|--|---|
| Principle Route of Exposure | Eye or skin contact, inhalation. |
| Inhalation | Causes severe respiratory irritation. |
| Skin Contact | Causes severe burns. |
| Eye Contact | May cause eye burns. |
| Ingestion | Causes burns of the mouth, throat and stomach. |
| Aggravated Medical Conditions | Skin disorders. |
| Chronic Effects/Carcinogenicity | Prolonged, excessive exposure may cause erosion of the teeth. |
| Other Information | None known. |
| Toxicity Tests | |

| | |
|---|--|
| Oral Toxicity: | Not determined |
| Dermal Toxicity: | Not determined |
| Inhalation Toxicity: | LC50: 3124 ppm/1 hr. (Rat) |
| Primary Irritation Effect: | Draize Rating (Skin): 8.0/8.0 (Rabbit) Corrosive Draize Rating (Eye): 110/110 (Rabbit) Corrosive |
| Carcinogenicity | Not determined |
| Genotoxicity: | Not determined |
| Reproductive / Developmental Toxicity: | Not determined |

12. ECOLOGICAL INFORMATION

| | |
|----------------------------------|----------------|
| Mobility (Water/Soil/Air) | Not determined |
| Persistence/Degradability | Not determined |
| Bio-accumulation | Not determined |

Ecotoxicological Information

| | |
|------------------------------------|----------------|
| Acute Fish Toxicity: | Not determined |
| Acute Crustaceans Toxicity: | Not determined |
| Acute Algae Toxicity: | Not determined |

| | |
|----------------------------------|----------------|
| Chemical Fate Information | Not determined |
| Other Information | Not applicable |

13. DISPOSAL CONSIDERATIONS

| | |
|-------------------------------|---|
| Disposal Method | Disposal should be made in accordance with federal, state, and local regulations. |
| Contaminated Packaging | Follow all applicable national or local regulations. |

14. TRANSPORT INFORMATION

Land Transportation

DOT

UN1789, Hydrochloric Acid Solution, 8, II
NAERG 157

Canadian TDG

Hydrochloric Acid Solution, 8, UN1789, II

ADR

UN1789, Hydrochloric Acid Solution, 8, II

Air Transportation

ICAO/IATA

UN1789, Hydrochloric Acid Solution, 8, II

Sea Transportation

IMDG

UN1789, Hydrochloric Acid Solution, 8, II
EmS F-A, S-B

Other Transportation Information

Labels: Corrosive

15. REGULATORY INFORMATION

US Regulations

| | |
|--|--|
| US TSCA Inventory | All components listed on inventory or are exempt. |
| EPA SARA Title III Extremely Hazardous Substances | Not applicable |
| EPA SARA (311,312) Hazard Class | Acute Health Hazard |
| EPA SARA (313) Chemicals | This product does not contain a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Section 313 (40 CFR 372). |
| EPA CERCLA/Superfund Reportable Spill Quantity | EPA Reportable Spill Quantity is 1640 Gallons based on Hydrochloric acid (CAS: 7647-01-0). |
| EPA RCRA Hazardous Waste Classification | If product becomes a waste, it does meet the criteria of a hazardous waste as defined by the US EPA, because of: Corrosivity D002 |
| California Proposition 65 | All components listed do not apply to the California Proposition 65 Regulation. |
| MA Right-to-Know Law | One or more components listed. |
| NJ Right-to-Know Law | One or more components listed. |
| PA Right-to-Know Law | One or more components listed. |
| Canadian Regulations | |
| Canadian DSL Inventory | All components listed on inventory or are exempt. |
| WHMIS Hazard Class | E Corrosive Material |

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS
Not applicable

Additional Information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Material Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

*****END OF MSDS*****