

Product Identity: Mastery DL Recommended Use:

Citrus Solvent Degreaser **Producer / Distributor**

> Multi-Clean 600 Cardigan Road Shoreview, MN 55126

651-481-1900 **Telephone Number for Information:** Emergency Telephone Number: 800-255-3924

2. **Hazard Identification**

Classification:

Health Class

Acute Toxicity Category 5 Skin Irritation Category 2 Eye Irritation Category 2 Skin Sensitizer Category 1

Label



Physical Class

Environment Class Flammable Liquid Category 4

Aquatic Toxicity Category 2

. .

Multi-Clean®

Hazard Statements: May be harmful if swallowed.

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Combustible liquid. Toxic to aquatic life.

Precautionary Statements:

Wash hands thoroughly after handling. Wear protective gloves. Wear eye protection. Avoid breathing spray/fumes. Contaminated work clothing should not be allowed out of the workplace. Keep away from flames and hot surfaces. No smoking. Call a doctor if you feel unwell. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Store in a well-ventilated place. Dispose of contents in accordance with local regulations.

Composition/Information on Ingredients 3.

composition/mormation on ingredients	Percent by		
Ingredient	CAS Number	Weight	
Dipentene	68956-56-9	60 - 100	
Surfactant Emulsifier	Proprietary	10 - 20	
Solvent Blend	Proprietary	10 - 20	
Surfactant Blend	Proprietary	1 - 10	
Water	7732-18-5	1 - 10	

First-Aid Measures: 4.

Ingestion: If Swallowed: Drink two or more glasses of water and call a physician immediately. Never give anything by mouth to an unconscious person.

Eye Contact: Flush eyes with running water for at least 15 minutes. If irritation persists, obtain medical attention.

Skin Contact: Wash with soap and water and flush thoroughly with cool water. Remove and wash contaminated clothing before reuse. Inhalation: Move to fresh air.

		Mastery DL		3/9/2017		
5.	Fire Fighting Measures: Suitable Extinguishing Media: Foam - CO2 - Dry Ch Special Fire Fighting Procedures: Not Applicable Unusual Fire and Explosion Hazards None are kno					
5.	Accidental Release Measures: Dike and contain spill with inert material (sand, earth, etc.). Collect spill with a mop, absorbent material (example: floor-dry) or vacuum. Thoroughly rinse affected area with water.					
7 .	Handling and Storage: Handling: Keep from freezing. Keep out of reach of children. Contact Lenses should not be worn. Storage: Normal care for storage.					
3.	Exposure Controls / Personal Protection: Exposure Limits Ingredients None Listed	CAS Number XXXX	Osha PEL XXX	ACGIH TLV XXX		
	Exposure Controls Engineering Controls: Ventilate to maintain vapor levels below exposure limits. Personal Protective Equipment: Eye Protection: Approved Safety Goggles or Glasses Skin Protection: Chemical Resistant Rubber Gloves Respiratory Protection: An NIOSH/MSHA approved organic vapor respirator should be used in areas where ventilation is insufficient to maintain a satisfactory vapor level.					
).	Physical and Chemical Properties: Physical State: Liquid Appearance: Amber Odor: Citrus Solubility: Complete Evaporation Rate: NA Vapor Pressure (MM HG): NA Vapor Density (Air = 1): > 1	pH: 9 Specific Gravity (H2O = 1): Flammability: Combustible Flash Point: 120°F (49°C) Boiling Point: 338°F (170°C %volatile: > 80%	e Tcc			
0.	Stability and Reactivity: Chemical Stability: Stability: Stability of Hazardous Reactions: None are known Incompatability (Materials to Avoid): Strong Oxidizing Agents Hazardous Decomposition or By-products: None Hazardous Polymerization: Will not Occur Conditions to Avoid:					
1.	Toxicological Information: Signs and Symptoms of Overexposure: Causes irritation on contact Acute Effects: Eye Contact: Severe Eye irritation can result from direct contact. Skin Contact: Causes irritation on contact Inhalation: May cause irritation to mucous membranes and cause nausea Ingestion: May be harmful if swallowed Target Organ Effects: None known Chronic Effects: Repeated Exposure may cause sensitization Acute Toxicity Values: Oral LD 50 2000 - 5000 mg/kg Dermal LD 50 2000 - 5000 mg/kg Inhalation (Vapor) LC 50 20 - 50 mg/l					

Mobility in Soil: Not Available

Aquatic Toxicity: Toxic to Aquatic Life

13. Disposal Considerations:

Material that cannot be used during normal use should be disposed of in accordance with all applicable local, state and federal regulations. Waste from normal cleaning procedures may be disposed of in a sanitary sewer depending on the materials and/or contaminants being cleaned as well as local, state and federal sewer regulations.

14. Transportation Information:

UN Number: UN1993 Shipping Name: Flammable liquid N.O.S. (Terpene) Transport Hazard Class: 3 Packing Group: III Marine Pollutant: NO

15. Regulatory Information:

TSCA Status: All ingredients listed Clean Water Act: None of the chemicals in this product are listed under the CWA Clean Air Act: None of the chemicals in this product are listed under the CAA CERCLA Reportable Quantity: None SARA Title III Information: Section 302 Extremely Hazardous Chemicals: None Listed Section 311 / 312 Hazard Category: Immediate Health, Chronic Health Section 313 Toxic Chemicals: None Listed State Regulations: None

International Regulations: WHMIS Controlled Product Hazard Class: D2B, B3

16. Other Information:

Prepared By: Eric Scholl Telephone Number: 651-481-1900 Revision Date: 3/9/2017 Supersedes: 6/7/2013 This SDS applies to the following Part Numbers 906973

906975 906977 The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



