

Safety Data Sheet MAXI-LUBE ULTRA #1 WG

Supersedes Date 10/11/2013

Issuing Date 10/21/2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name MAXI-LUBE ULTRA #1 WG
Recommended use Lubricant
Information on Manufacturer
CHEMSEARCH DIV. OF NCH CORP.
BOX 152170
IRVING, TX 75015

Product Code 408J
Chemical nature Hydrocarbons Mixture Mixture
Emergency Telephone Number
CHEMTRAC® 800-424-9300
Telephone inquiry
972-579-2477

2. HAZARD IDENTIFICATION

Color Black **Physical state** Semi-Solid **Odor** Hydrocarbon-like

GHS

Classification

Physical Hazards

None

Health Hazard

Serious Eye Damage/Eye Irritation

Category 2B

Other hazards

None

Labeling

Signal Word

WARNING

Hazard statements

H320 - Causes eye irritation

Precautionary Statements

P264 - Wash face, hands and any exposed skin thoroughly after handling
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 - If eye irritation persists, get medical attention.

1 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS No.	Weight % *
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	64742-65-0	10-30
Petroleum distillates, hydrotreated heavy paraffinic (<3% DMSO extractable)	64742-54-7	10-30
Residual oils (petroleum), solvent refined (<3% DMSO extractable)	64742-01-4	7-13
Calcium carbonate	1317-65-3	5-10
Polyalphaolefins	68037-01-4	1-5
Molybdenum disulfide	1317-33-5	1-5

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

General advice

Avoid contact with skin, eyes and clothing.

Eye Contact

Rinse the eyes with water. Remove any contact lenses and continue flushing with plenty of water for several minutes. Seek medical attention if irritation develops.

Skin Contact

Wash affected areas with plenty of soap and water for several minutes. Seek medical attention if irritation develops.

Inhalation

Remove from the area to fresh air. Seek medical attention if respiratory irritation develops or if breathing becomes difficult.

Ingestion

Give 3 to 4 glasses of water, but DO NOT induce vomiting. If vomiting occurs, give fluids again. Seek medical attention if discomfort occurs.

Notes to physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point 489 °F / 254 °C

Flammability Limits in Air %: Not applicable.

Suitable Extinguishing Media

Carbon dioxide (CO₂). Foam. Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

Material can create slippery conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear.

NFPA Health 2

Flammability 1

Instability 0

HMIS Health 2

Flammability 1

Instability 0

Lower: No data available

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.

Environmental Precautions

Do not flush into surface water or sanitary sewer system.

Methods for Containment

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Methods for Cleaning Up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Neutralizing Agent

Not applicable.

7. HANDLING AND STORAGE

Handling

Avoid contact with skin, eyes and clothing.

Storage

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

Storage Temperature

Minimum -20 °F / -29 °C

Maximum 151 °F / 66 °C

Storage Conditions

Indoor X

Outdoor X

Heated X

Refrigerated X

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³	No data available
Petroleum distillates, hydrotreated heavy paraffinic (<3% DMSO extractable)	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³	No data available
Residual oils (petroleum), solvent refined (<3% DMSO extractable)	5 mg/m ³	5 mg/m ³	No data available
Calcium carbonate	No data available	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Molybdenum disulfide	TWA: 10 mg/m ³ inhalable fraction TWA: 3 mg/m ³ respirable fraction	TWA: 15 mg/m ³ total dust	No data available

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Personal Protective Equipment

Eye/Face Protection

Tightly fitting safety goggles.

Skin Protection

Wear suitable protective clothing, Impervious gloves.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations

Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state

Semi-Solid

Color

Black

Viscosity

Gel

Odor Threshold

Not applicable

Odor

Hydrocarbon-like

pH

Not applicable

Appearance

Opaque

Evaporation Rate

<1 (Butyl acetate=1)

Specific Gravity

1.010

VOC Content (%)

0

Percent Volatile (Volume)

0

Vapor Pressure

<0.01 mmHg @ 70°F

VOC Content (g/L)

0

Vapor Density

0 (Air = 1.0)

Solubility	Negligible	n-Octanol/Water Partition Coefficient	No data available
Melting Point/Range	No data available	Decomposition Temperature	No data available
Boiling Point/Range	550 °F / 288 °C	Flammability (solid, gas)	No data available
Flash Point	489 °F / 254 °C	Method	Open cup
Autoignition Temperature	No information available.		
Flammability Limits in Air %:	Not applicable	Upper: No data available Lower: No data available	

10. STABILITY AND REACTIVITY

Chemical Stability	Stable. Hazardous polymerization does not occur.
Conditions to Avoid	None known.
Incompatible Products	Strong oxidizing agents, Acids, Metal nitrates.
Decomposition Temperature	No data available
Hazardous Decomposition Products	Carbon oxides, Nitrogen oxides (NOx), Sulfur oxides, Oxides of phosphorus, Smoke, Fumes.
Possibility of Hazardous Reactions	None under normal processing.

11. TOXICOLOGICAL INFORMATION

Product Information No information available.

The following values are calculated based on chapter 3.1 of the GHS document

Dermal LD50	No information available
Inhalation LC50	
Gas	No information available
Mist	No information available
Vapor	No information available

Principle Route of Exposure Skin contact, Eye contact.

Primary Routes of Entry Skin Absorption.

Acute Effects:

Eyes	Causes eye irritation.
Skin	May cause skin irritation.
Inhalation	May cause irritation of respiratory tract.
Ingestion	May be harmful if swallowed.

Chronic Toxicity Prolonged skin contact may defat the skin and produce dermatitis.

Target Organ Effects No information available.

Aggravated Medical Conditions No information available.

Component Information

Acute Toxicity

Component	Oral LD50	Dermal LD50	Inhalation LC50	Draize Test	Other
Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable) 64742-65-0	>5000 mg/kg (rat)	>5000 mg/kg (rabbit)	no data available	no data available	no data available
Petroleum distillates, hydrotreated heavy paraffinic (<3% DMSO extractable) 64742-54-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	no data available	no data available	no data available
Residual oils (petroleum), solvent refined (<3% DMSO extractable) 64742-01-4	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h	no data available	no data available
Calcium carbonate 1317-65-3	= 6450 mg/kg (Rat)	no data available	no data available	no data available	no data available
Molybdenum disulfide 1317-33-5	no data available	no data available	> 2820 mg/m ³ (Rat) 4 h	no data available	no data available

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Calcium carbonate 1317-65-3	no data available	no data available	no data available	no data available	Skin, Eyes, Respiratory system

Carcinogenicity

There are no known carcinogenic chemicals in this product.

12. ECOLOGICAL INFORMATION

Product Information

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Crustacea	log Pow

Petroleum distillates, solvent dewaxed heavy paraffinic (<3% DMSO extractable)	No information available.	LC50 > 5000 mg/L <i>Oncorhynchus mykiss</i> 96 h	No information available	1000: 48 h <i>Daphnia magna</i> mg/L EC50	N/A
Petroleum distillates, hydrotreated heavy paraffinic (<3% DMSO extractable)	No information available.	LC50 > 5000 mg/L <i>Oncorhynchus mykiss</i> 96 h	No information available	1000: 48 h <i>Daphnia magna</i> mg/L EC50	N/A
Residual oils (petroleum), solvent refined (<3% DMSO extractable)	No information available.	LC50 > 5000 mg/L <i>Oncorhynchus mykiss</i> 96 h	No information available	1000: 48 h <i>Daphnia magna</i> mg/L EC50	N/A

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

13. DISPOSAL CONSIDERATIONS**Product Disposal**

Dispose of in accordance with local regulations.

Container Disposal

Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION**Inventories**

TSCA Complies

DSL Complies

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	No	No	No	No

CERCLA**16. OTHER INFORMATION****Prepared By** Laura Strauss**Supersedes Date** 10/11/2013**Issuing Date** 10/21/2015**Reason for Revision** No information available.**Glossary** No information available.**List of References.** No information available.

CHEMSEARCH DIV. OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.