Material Safety Data Sheet: MAXI-LUBE #1 WG (400#)

Supercedes Date 01/07/2014 Issuing Date 02/14/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name MAXI-LUBE #1 WG (400#) Recommended use Lubricant Information on Manufacturer CHEMSEARCH DIV. OF NCH CORP.

Product Code 4535 Chemical nature mixture **Emergency Telephone Number** CHEMTREC® 800-424-9300

BOX 152170 IRVING, TX 75015

2. HAZARDS IDENTIFICATION

Emergency Overview CAUTION May cause skin irritation May cause eye irritation

Color Black Physical State Solid Odor Mild Petroleum

Potential Health Effects

Principle Route of Exposure Eye contact, Skin contact. None known

Primary Routes of Entry

Acute Effects

Eyes May cause eye irritation. Skin May cause skin irritation.

Inhalation Low hazard for usual industrial or commercial handling.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic Toxicity None known.

Target Organ Effects Kidney, Eyes, Skin, Blood, Bone, Respiratory system.

Aggravated Medical Conditions Skin disorders, Kidney disorders, Blood disorders, Respiratory disorders.

Potential Environmental Effects See Section 12 for additional Ecological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO	64742-52-5
extractable)	
Calcium carbonate	1317-65-3
Aluminum benzoate fatty acid complex	82980-54-9
Tricalcium phosphate	1306-06-5
Styrene-Ethylene/Propylene Block Copolymer	68648-89-5
Molybdenum disulfide	1317-33-5
Barium dinonylnaphthalene sulfonate	25619-56-1

4. FIRST AID MEASURES

General advice Avoid contact with skin, eves and clothing.

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops

and persists.

Skin Contact Wipe up with absorbent material (e.g. cloth, fleece). Wash off with soap and plenty of water. Get

> medical attention if irritation develops and persists. If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Inhalation Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention if symptoms occur. Rinse

mouth.

Notes to physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flash Point 330 °F/> 166 °C Method Open cup

Autoignition Temperature No information available.

Flammability Limits in Air % Not applicable. Upper No data available Lower No data available

Suitable Extinguishing Media

Water spray. Foam. Carbon dioxide (CO2). Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

Material can create slippery conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Health 1 Flammability 1 Instability 0 **HMIS** Health 1 Flammability 1 Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can

create slippery conditions.

Environmental Precautions Prevent further leakage or spillage if safe to do so.

Methods for Containment Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous

earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see

Methods for Cleaning Up Pick up and transfer to properly labeled containers

Neutralizing Agent Not applicable.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

Storage Temperature Minimum 0 °F / -18 °C Maximum 150 °F / 66 °C **Storage Conditions** Refrigerated Indoor Outdoor Χ Heated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Petroleum distillates, hydrotreated heavy	TWA: 5 mg/m ³ ; STEL: 10 mg/m ³	TWA: 5 mg/m ³	IDLH: 2,500 mg/m ³ ; STEL 10 mg/m ³ ;
naphthenic (<3% DMSO extractable)			TWA: 5 mg/m ³
Calcium carbonate	No data available	TWA: 15 mg/m ³	TWA: 10 mg/m ³
		TWA: 5 mg/m ³	TWA: 5 mg/m ³
Aluminum benzoate fatty acid complex	No data available	No data available	No data available
Tricalcium phosphate	No data available	No data available	No data available
Styrene-Ethylene/Propylene Block Copolymer	No data available	No data available	No data available
Molybdenum disulfide	TWA: 10 mg/m ³	TWA: 15 mg/m ³	IDLH: 5000 mg/m ³
	TWA: 3 mg/m ³		
Barium dinonylnaphthalene sulfonate	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³

Engineering Measures Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Personal Protective Equipment Eye/Face Protection

General Hygiene Considerations

Skin Protection

Respiratory Protection

Safety glasses with side-shields.

For prolonged or repeated contact, use protective gloves with appropriate chemical resistance. In case of insufficient ventilation wear suitable respiratory equipment. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Ensure that eyewash stations and safety showers are close to the workstation location. Remove and

wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid Viscosity Semi-Solid Color Black Odor Mild Petroleum Not applicable **Appearance** Opaque pН **Specific Gravity** 0.99 **Evaporation Rate** 0 (Butyl acetate=1)

Percent Volatile (Volume) VOC Content (%) 0

VOC Content (g/L) 0 Vapor Pressure <0.01 mmHg @ 70°F

Vapor Density Solubility 7.7 Negligible

Boiling Point/Range > 343 °F / 173 °C

10. STABILITY AND REACTIVITY

Chemical Stability Conditions to Avoid Incompatible Products Hazardous Decomposition Products Stable. Hazardous polymerization does not occur.

None known

Strong oxidizing agents, Acids, Bases, Metal nitrates.

Carbon oxides, Oxides of phosphorus, Aldehydes, Ketones, Sulfur

oxides.

Possibility of Hazardous Reactions

None under normal processing

11. TOXICOLOGICAL INFORMATION

Product Information

No information available.

Component Information

Acute Toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Petroleum distillates,	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	no data available	no data available	no data available
hydrotreated heavy naphthenic					
(<3% DMSO extractable)					
Calcium carbonate	= 6450 mg/kg (Rat)	no data available	no data available	no data available	no data available
Aluminum benzoate fatty acid	no data available	no data available	no data available	no data available	no data available
complex					
Tricalcium phosphate	no data available	no data available	no data available	no data available	no data available
Styrene-Ethylene/Propylene	no data available	no data available	no data available	no data available	no data available
Block Copolymer					
Molybdenum disulfide	no data available	no data available	> 2820 mg/m ³ (Rat) 4 h	no data available	no data available
Barium dinonylnaphthalene	no data available	no data available	no data available	no data available	no data available
sulfonate					

Chronic Toxicity

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	no data available	no data available	no data available	no data available	respiratory system
Calcium carbonate	no data available	no data available	no data available	no data available	eyes, respiratory system, skin
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	no data available
Tricalcium phosphate	no data available	no data available	no data available	no data available	no data available
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	no data available
Molybdenum disulfide	no data available	no data available	no data available	no data available	respiratory system, kidneys, eyes, blood, bones, joints
Barium dinonylnaphthalene sulfonate	no data available	no data available	no data available	no data available	no data available

Carcinogenicity

Component	ACGIH	IARC	NTP	OSHA	Other
Petroleum distillates, hydrotreated heavy naphthenic	not applicable				
(<3% DMSO extractable)					
Calcium carbonate	not applicable				
Aluminum benzoate fatty acid complex	not applicable				
Tricalcium phosphate	not applicable				
Styrene-Ethylene/Propylene Block Copolymer	not applicable				
Molybdenum disulfide	not applicable				
Barium dinonylnaphthalene sulfonate	not applicable				

12. ECOLOGICAL INFORMATION

Product Information

No information available.

Component Information

compensation							
Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow		
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	no data available	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	no data available	EC50> 1000 mg/L 48 h	N/A		
Calcium carbonate	no data available	no data available	no data available	no data available	N/A		
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	N/A		
Tricalcium phosphate	no data available	no data available	no data available	no data available	N/A		
Styrene-Ethylene/Propylene Block	no data available	no data available	no data available	no data available	N/A		

Copolymer	ĺ	I	ĺ]
Molybdenum disulfide	no data available	no data available	no data available	no data available	N/A
Barium dinonylnaphthalene	no data available	no data available	no data available	no data available	N/A
sulfonate					

Persistence and Degradability

No information available. No information available. Bioaccumulation Mobility No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

Inventories

TSCA Complies DSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Barium dinonylnaphthalene sulfonate	25619-56-1	1-5	1.0

SARA 311/312 Hazardous Categorization

0, 111, 10 1 1, 0 1 E 11aEa1 a0 a0 00	acogo: incation				
Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of	Reactive Hazard	ı
			Pressure Hazard	!	ı
Yes	No	No	No	No	ı

CERCLA							
Component		Hazardous Substance	es RQs	CERCLA EHS RQs			
Petroleum distillates, hydrotreated heavy naphthe	enic (<3%	Not applicable		Not applicable			
DMSO extractable)							
Calcium carbonate		Not applicable		Not applicable			
Aluminum benzoate fatty acid complex		Not applicable		Not applicable			
Tricalcium phosphate		Not applicable		Not applicable			
Styrene-Ethylene/Propylene Block Copolyn	ner	Not applicable		Not applicable			
Molybdenum disulfide		Not applicable		Not applicable			
Barium dinonylnaphthalene sulfonate		Not applicable		Not applicable			

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D2B Toxic materials



16. OTHER INFORMATION

Prepared By Adrienne McKee
 Supercedes Date
 01/07/2014

 Issuing Date
 02/14/2014

Reason for RevisionNo information available.GlossaryNo information available.List of References.No information available.

CHEMSEARCH DIV. OF NCH CORP.assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.