

MATERIAL SAFETY 3M  
 DATA SHEET 3M Center  
 St. Paul, Minnesota  
 55144-1000  
 1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 2001, Minnesota Mining and Manufacturing Company.  
 All rights reserved. Copying and/or downloading of this  
 information for the purpose of properly utilizing 3M products  
 is allowed provided that:  
 1) the information is copied in full with no changes unless  
 prior agreement is obtained from 3M, and  
 2) neither the copy nor the original is resold or otherwise  
 distributed with the intention of earning a profit thereon.

DIVISION: FILTRATION PRODUCTS  
 TRADE NAME:

EMPORE(TM) EXTRACTION DISKS WITH ANION EXCHANGE - SR  
 ID NUMBER/U.P.C. :  
 98-0400-2102-8 00-51115-07347-2 98-0400-2103-6 00-51115-07348-9  
 98-0400-2104-4 00-51115-07349-6 98-0405-0019-5 00-51115-07341-0  
 98-0405-0020-3 00-51115-07342-7 98-0405-0021-1 00-51115-07343-4  
 ISSUED: August 10, 2001  
 SUPERSEDES: April 26, 1999  
 DOCUMENT: 06-2542-6

1. INGREDIENT	C.A.S. NO.	PERCENT
BENZENE, DIETHENYL-, POLYMER WITH AR- ETHENYL-N-(2-HYDROXYETHYL)-N,N- DIMETHYLBENZENEMETHANAMINIUM CHLORIDE.	63181-94-2	85.0 - 95.0
POLYTETRAFLUOROETHYLENE.....	9002-84-0	5.0 - 15.0

2. PHYSICAL DATA

BOILING POINT:..... N/A  
 VAPOR PRESSURE:..... N/A  
 VAPOR DENSITY:..... N/A  
 EVAPORATION RATE:..... N/A  
 SOLUBILITY IN WATER:..... Insoluble  
 SPECIFIC GRAVITY:..... 0.9 Water=1  
 PERCENT VOLATILE:..... N/A  
 pH:..... N/D  
 slightly acidic when wet  
 VISCOSITY:..... N/A  
 MELTING POINT:..... N/A

APPEARANCE AND ODOR:  
 Non-woven material, white

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

-----  
3. FIRE AND EXPLOSION HAZARD DATA  
-----

FLASH POINT:..... N/A  
FLAMMABLE LIMITS - LEL:..... N/A  
FLAMMABLE LIMITS - UEL:..... N/A  
AUTOIGNITION TEMPERATURE:..... ca. 500 C

EXTINGUISHING MEDIA:

Water spray, Carbon dioxide, Dry chemical, Non-combustible. Choose material suitable for surrounding fire.

SPECIAL FIRE FIGHTING PROCEDURES:

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

See Hazardous Decomposition section for products of combustion.

Combustion generates toxic fumes of the following: nitrogen oxides, hydrogen chloride, hydrogen fluoride

NFPA HAZARD CODES: HEALTH: 1 FIRE: 1 REACTIVITY: 0  
UNUSUAL REACTION HAZARD: none

-----  
4. REACTIVITY DATA  
-----

STABILITY: Unstable

Avoid temperatures above 120 C.

INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID:

None known.

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:

Oxides of Nitrogen, Hydrogen Chloride.

-----  
5. ENVIRONMENTAL INFORMATION  
-----

SPILL RESPONSE:

Not applicable.

-----  
Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

-----  
5. ENVIRONMENTAL INFORMATION (continued)  
-----

RECOMMENDED DISPOSAL:

Dispose of waste product in a sanitary landfill.

ENVIRONMENTAL DATA:

Not applicable.

REGULATORY INFORMATION:

Volatile Organic Compounds: none.

VOC Less H2O & Exempt Solvents: none.

Not applicable

EPCRA HAZARD CLASS:

FIRE HAZARD: No PRESSURE: No REACTIVITY: No ACUTE: No CHRONIC: No

-----  
6. SUGGESTED FIRST AID  
-----

EYE CONTACT:

Immediately flush eyes with large amounts of water. Get immediate medical attention.

SKIN CONTACT:

Flush skin with large amounts of water. If irritation persists, get medical attention.

INHALATION:

Not applicable.

IF SWALLOWED:

Drink three to four glasses of water.

-----  
7. PRECAUTIONARY INFORMATION  
-----

EYE PROTECTION:

Wear vented goggles.

SKIN PROTECTION:

Avoid skin contact. Wear appropriate gloves when handling this material.

RECOMMENDED VENTILATION:

Use in a well-ventilated area.

-----  
Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

-----  
7. PRECAUTIONARY INFORMATION (continued)  
-----

RESPIRATORY PROTECTION:  
Not applicable.

PREVENTION OF ACCIDENTAL INGESTION:  
Not applicable.

RECOMMENDED STORAGE:  
Store at temperatures below 120 degrees F (49 degrees C). Store at  
temperatures above 32 degrees F (0 degrees C). Keep container dry.

FIRE AND EXPLOSION AVOIDANCE:  
Not applicable.

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
BENZENE, DIETHENYL-, POLYMER WITH AR-ETHENYL-N-(2-HYDROXYETHYL)-N,N- DIMETHYLBENZENEMETHANAMINIUM CHLORIDE.....	NONE	NONE	NONE	NONE	NONE
POLYTETRAFLUOROETHYLENE.....	10	MG/M3	TWA	CMRG	
		AS TOTAL DUST			
POLYTETRAFLUOROETHYLENE.....	5	MG/M3	TWA	CMRG	
		AS RESPIRABLE DUST			

\* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:  
- CMRG: Chemical Manufacturer Recommended Exposure Guidelines  
  
- NONE: None Established

-----  
8. HEALTH HAZARD DATA  
-----

EYE CONTACT:  
Mild Eye Irritation: signs/symptoms can include redness, swelling,  
pain, and tearing.

Mechanical eye irritation: signs/symptoms can include irritation,  
redness, scratching of the cornea and tearing.

-----  
Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

-----  
8. HEALTH HAZARD DATA (continued)  
-----

SKIN CONTACT:

Mild Skin Irritation: signs/symptoms can include redness, swelling, and itching.

Mechanical skin irritation: signs/symptoms can include itching and redness.

INHALATION:

No adverse health effects are expected from inhalation exposure.

IF SWALLOWED:

No adverse health effects are expected from swallowing.

-----  
SECTION CHANGE DATES  
-----

PRECAUTIONARY INFO. SECTION CHANGED SINCE April 26, 1999 ISSUE

-----  
Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately  
-----

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.