



Safety Data Sheet

Copyright, 2015, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group:	30-0260-7	Version Number:	5.01
Issue Date:	09/02/15	Supersedes Date:	05/14/15

SECTION 1: Identification

1.1. Product identifier

3M™ Fluorosurfactant FC-4430

Product Identification Numbers

98-0212-3628-0, 98-0212-3629-8, 98-0212-3630-6, 98-0212-3670-2

1.2. Recommended use and restrictions on use

Recommended use

Surfactant

1.3. Supplier's details

MANUFACTURER:	3M
DIVISION:	Advanced Materials Division
ADDRESS:	3M Center, St. Paul, MN 55144-1000, USA
Telephone:	1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Reproductive Toxicity: Category 1B.

Specific Target Organ Toxicity (single exposure): Category 2.

Specific Target Organ Toxicity (repeated exposure): Category 2.

2.2. Label elements

Signal word

Danger

Symbols

Health Hazard |

Pictograms



Hazard Statements

May damage fertility or the unborn child.

May cause damage to organs:
nervous system |

May cause damage to organs through prolonged or repeated exposure:
liver |

Precautionary Statements

Prevention:

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wear protective gloves.
Do not eat, drink or smoke when using this product.
Wash thoroughly after handling.

Response:

IF exposed or concerned: Get medical advice/attention.

Storage:

Store locked up.

Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

2.3. Hazards not otherwise classified

None.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
2-Propenoic Acid, 2-[Methyl[(Nonafluorobutyl)Sulfonyl]Amino]Ethyl Ester, Telomer With Methyloxirane Polymer With Oxirane Di-2-Propenoate and Methyloxirane Polymer With Oxirane Mono-Propenoate	1017237-78-3	85 - 95
Polyether Polymer (NJTSRN 04499600-6417P)	Trade Secret*	5 - 10
2-Methoxymethylethoxypropanol	34590-94-8	0 - 5
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-Methyl-	68298-12-4	< 1 Trade Secret *
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-(2-Hydroxyethyl)-N-Methyl-	34454-97-2	< 1 Trade Secret *
2-Propenoic Acid, 2-[Methyl[(Nonafluorobutyl)Sulfonyl]Amino]Ethyl Ester	67584-55-8	< 1
Toluene	108-88-3	< 1 Trade Secret *

NJTS or NJTSRN: New Jersey Trade Secret Registry Number.

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Wash with soap and water. If you feel unwell, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

Exposure to extreme heat can give rise to thermal decomposition.

Hazardous Decomposition or By-Products

Substance

Carbonyl Fluoride
Carbon monoxide
Carbon dioxide
Hydrogen Fluoride
Toxic Vapor, Gas, Particulate

Condition

During Combustion
During Combustion
During Combustion
During Combustion
During Combustion

5.3. Special protective actions for fire-fighters

When fire fighting conditions are severe and total thermal decomposition of the product is possible, wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation

to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe thermal decomposition products. For industrial use only. Not intended for use as a medical device or drug. Do not use in a confined area with minimal air exchange. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Use personal protective equipment (gloves, respirators, etc.) as required.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
Toluene	108-88-3	ACGIH	TWA:20 ppm	A4: Not class. as human carcin
Toluene	108-88-3	CMRG	STEL:75 ppm	Skin Notation
Toluene	108-88-3	OSHA	TWA:200 ppm;CEIL:300 ppm	
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-(2-Hydroxyethyl)-N-Methyl-	34454-97-2	Manufacturer determined	TWA:1 mg/m ³ (0.07 ppm)	Skin Notation
2-Methoxymethylethoxypropanol	34590-94-8	ACGIH	TWA:100 ppm;STEL:150 ppm	Skin Notation
2-Methoxymethylethoxypropanol	34590-94-8	CMRG	TWA:10 ppm;STEL:75 ppm	
2-Methoxymethylethoxypropanol	34590-94-8	OSHA	TWA:600 mg/m ³ (100 ppm)	Skin Notation
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-(Methyl-	68298-12-4	Manufacturer determined	TWA:0.5 mg/m ³ (0.04 ppm)	Skin Notation

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Provide appropriate local exhaust when product is heated. For those situations where the material might be exposed to extreme overheating due to misuse or equipment failure, use with appropriate local exhaust ventilation sufficient to maintain levels of thermal decomposition products below their exposure guidelines. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)**Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended: Neoprene
Nitrile Rubber

Respiratory protection

Use a positive pressure supplied-air respirator if there is a potential for over exposure from an uncontrolled release, exposure levels are not known, or under any other circumstances where air-purifying respirators may not provide adequate protection. An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

General Physical Form:	Liquid
Specific Physical Form:	Viscous liquid
Odor, Color, Grade:	Viscous amber liquid with mercaptan odor.
Odor threshold	<i>No Data Available</i>
pH	<i>Not Applicable</i>
Melting point	<i>Not Applicable</i>
Boiling Point	>=200 °C
Flash Point	Flash point > 93 °C (200 °F)
Evaporation rate	<i>No Data Available</i>
Flammability (solid, gas)	Not Applicable
Flammable Limits(LEL)	<i>No Data Available</i>
Flammable Limits(UEL)	<i>No Data Available</i>
Vapor Pressure	<=0.29 mmHg [@ 20 °C]
Vapor Density	5.7 [@ 20 °C] [<i>Ref Std: AIR=1</i>]
Density	1.15 g/ml
Specific Gravity	1.15 [<i>Ref Std: WATER=1</i>]

Solubility in Water	Complete
Solubility- non-water	No Data Available
Partition coefficient: n-octanol/ water	No Data Available
Autoignition temperature	Not Applicable
Decomposition temperature	No Data Available
Viscosity	2,000 centipoise - 10,000 centipoise
Volatile Organic Compounds	34.5 g/l [Test Method: calculated SCAQMD rule 443.1]
Percent volatile	<=3 %
VOC Less H2O & Exempt Solvents	No Data Available

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
None known.	

Refer to section 5.2 for hazardous decomposition products during combustion.

Extreme heat arising from situations such as misuse or equipment failure can generate hydrogen fluoride as a decomposition product.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

May cause additional health effects (see below).

Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

Additional Health Effects:**Single exposure may cause target organ effects:**

Neurological Effects: Signs/symptoms may include personality changes, lack of coordination, sensory loss, tingling or numbness of the extremities, weakness, tremors, and/or changes in blood pressure and heart rate.

Prolonged or repeated exposure may cause target organ effects:

Liver Effects: Signs/symptoms may include loss of appetite, weight loss, fatigue, weakness, abdominal tenderness and jaundice.

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE > 5,000 mg/kg
2-Propenoic Acid, 2-[Methyl[(Nonafluorobutyl)Sulfonyl]Amino]Ethyl Ester, Telomer With Methyloxirane Polymer With Oxirane Di-2-Propenoate and Methyloxirane Polymer With Oxirane Mono-Propenoate	Dermal	Rat	LD50 > 2,000 mg/kg
2-Propenoic Acid, 2-[Methyl[(Nonafluorobutyl)Sulfonyl]Amino]Ethyl Ester, Telomer With Methyloxirane Polymer With Oxirane Di-2-Propenoate and Methyloxirane Polymer With Oxirane Mono-Propenoate	Ingestion	Rat	LD50 > 2,000 mg/kg
Polyether Polymer (NJTSRN 04499600-6417P)	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
Polyether Polymer (NJTSRN 04499600-6417P)	Ingestion	Rat	LD50 5,700 mg/kg
2-Methoxymethylethoxypropanol	Dermal	Rabbit	LD50 > 19,000 mg/kg
2-Methoxymethylethoxypropanol	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 50 mg/l
2-Methoxymethylethoxypropanol	Ingestion	Rat	LD50 5,180 mg/kg
Toluene	Dermal	Rat	LD50 12,000 mg/kg
Toluene	Inhalation-Vapor (4 hours)	Rat	LC50 30 mg/l
Toluene	Ingestion	Rat	LD50 5,550 mg/kg
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-(2-Hydroxyethyl)-N-Methyl-	Ingestion	Rat	LD50 > 2,000 mg/kg
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-Methyl-	Ingestion	Rat	LD50 200-2000 mg/kg
2-Propenoic Acid, 2-[Methyl[(Nonafluorobutyl)Sulfonyl]Amino]Ethyl Ester	Dermal	Rat	LD50 > 2,000 mg/kg
2-Propenoic Acid, 2-[Methyl[(Nonafluorobutyl)Sulfonyl]Amino]Ethyl Ester	Ingestion	Rat	LD50 > 2,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
2-Methoxymethylethoxypropanol	Human and animal	No significant irritation
Toluene	Rabbit	Irritant
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-(2-Hydroxyethyl)-N-Methyl-	Rabbit	No significant irritation
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-Methyl-	Rabbit	No significant irritation
2-Propenoic Acid, 2-[Methyl[(Nonafluorobutyl)Sulfonyl]Amino]Ethyl Ester	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
2-Methoxymethylethoxypropanol	Rabbit	Mild irritant
Toluene	Rabbit	Moderate irritant
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-(2-Hydroxyethyl)-N-Methyl-	Rabbit	Mild irritant
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-Methyl-	Rabbit	Severe irritant
2-Propenoic Acid, 2-[Methyl[(Nonafluorobutyl)Sulfonyl]Amino]Ethyl Ester	Rabbit	Mild irritant

Skin Sensitization

Name	Species	Value
2-Propenoic Acid, 2-[Methyl[(Nonafluorobutyl)Sulfonyl]Amino]Ethyl Ester, Telomer With Methyloxirane Polymer With Oxirane Di-2-Propenoate and Methyloxirane Polymer With Oxirane Mono-Propenoate	Guinea pig	Not sensitizing
2-Methoxymethylethoxypropanol	Human	Not sensitizing
Toluene	Guinea pig	Not sensitizing
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-(2-Hydroxyethyl)-N-Methyl-	Guinea pig	Not sensitizing
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-Methyl-	Guinea pig	Not sensitizing
2-Propenoic Acid, 2-[Methyl[(Nonafluorobutyl)Sulfonyl]Amino]Ethyl Ester	Guinea pig	Sensitizing

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
2-Propenoic Acid, 2-[Methyl[(Nonafluorobutyl)Sulfonyl]Amino]Ethyl Ester, Telomer With Methyloxirane Polymer With Oxirane Di-2-Propenoate and Methyloxirane Polymer With Oxirane Mono-Propenoate	In Vitro	Not mutagenic
2-Methoxymethylethoxypropanol	In Vitro	Not mutagenic
Toluene	In Vitro	Not mutagenic
Toluene	In vivo	Not mutagenic
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-(2-Hydroxyethyl)-N-Methyl-	In Vitro	Not mutagenic
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-Methyl-	In Vitro	Not mutagenic
2-Propenoic Acid, 2-[Methyl[(Nonafluorobutyl)Sulfonyl]Amino]Ethyl Ester	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Toluene	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
Toluene	Ingestion	Rat	Some positive data exist, but the data are not sufficient for classification
Toluene	Inhalation	Mouse	Some positive data exist, but the data are not

sufficient for classification

Reproductive Toxicity**Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test Result	Exposure Duration
2-Methoxymethylethoxypropanol	Inhalation	Not toxic to development	Multiple animal species	NOAEL 1.82 mg/l	during organogenesis
Toluene	Inhalation	Some positive female reproductive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure
Toluene	Inhalation	Some positive male reproductive data exist, but the data are not sufficient for classification	Rat	NOAEL 2.3 mg/l	1 generation
Toluene	Ingestion	Toxic to development	Rat	LOAEL 520 mg/kg/day	during gestation
Toluene	Inhalation	Toxic to development	Human	NOAEL Not available	poisoning and/or abuse
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-(2-Hydroxyethyl)-N-Methyl-	Ingestion	Not toxic to female reproduction	Rat	NOAEL 250 mg/kg/day	prematuring & during gestation
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-(2-Hydroxyethyl)-N-Methyl-	Ingestion	Not toxic to male reproduction	Rat	NOAEL 250 mg/kg/day	prematuring & during gestation
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-(2-Hydroxyethyl)-N-Methyl-	Ingestion	Toxic to development	Rat	NOAEL 50 mg/kg/day	prematuring & during gestation
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-Methyl-	Ingestion	Toxic to reproduction and/or development	Rat	NOAEL 150 mg/kg	
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-Methyl-	Ingestion	Toxic to female reproduction	Rat	NOAEL 150 mg/kg/day	prematuring & during gestation
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-Methyl-	Ingestion	Toxic to male reproduction	Rat	NOAEL 150 mg/kg/day	28 days
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-Methyl-	Ingestion	Toxic to development	Rat	NOAEL 150 mg/kg/day	prematuring & during gestation

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
2-Methoxymethylethoxypropanol	Dermal	central nervous system depression	Some positive data exist, but the data are not sufficient for classification	Rabbit	NOAEL 2,850 mg/kg	
2-Methoxymethylethoxypropanol	Inhalation	central nervous system depression	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 3.07 mg/l	7 hours
2-Methoxymethylethoxypropanol	Ingestion	central nervous system depression	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 5,000 mg/kg	
Toluene	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human	NOAEL Not available	
Toluene	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	
Toluene	Inhalation	immune system	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 0.004 mg/l	3 hours
Toluene	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Human	NOAEL Not available	poisoning and/or abuse
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-	Ingestion	nervous system	May cause damage to organs	Rat	LOAEL 2,000 mg/kg	not applicable

Nonafluoro-N-(2-Hydroxyethyl)-N-Methyl-						
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-Methyl-	Ingestion	nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 200 mg/kg	not applicable

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
2-Propenoic Acid, 2-[Methyl(Nonafluorobutyl)Sulfonyl]Amino]Ethyl Ester, Telomer With Methyloxirane Polymer With Oxirane Di-2-Propenoate and Methyloxirane Polymer With Oxirane Mono-Propenoate	Ingestion	heart endocrine system hematopoietic system liver immune system nervous system kidney and/or bladder respiratory system	All data are negative	Rat	NOAEL 1,000 mg/kg/day	28 days
2-Methoxymethylethoxyprop anol	Dermal	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rabbit	NOAEL 9,500 mg/kg/day	90 days
2-Methoxymethylethoxyprop anol	Dermal	heart endocrine system hematopoietic system liver respiratory system	All data are negative	Rabbit	NOAEL 9,500 mg/kg/day	90 days
2-Methoxymethylethoxyprop anol	Inhalation	heart hematopoietic system liver immune system nervous system eyes kidney and/or bladder	All data are negative	Rat	NOAEL 1.21 mg/l	90 days
2-Methoxymethylethoxyprop anol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1,000 mg/kg/day	28 days
2-Methoxymethylethoxyprop anol	Ingestion	heart endocrine system bone, teeth, nails, and/or hair hematopoietic system immune system nervous system kidney and/or bladder respiratory system	All data are negative	Rat	NOAEL 1,000 mg/kg/day	28 days
Toluene	Inhalation	auditory system nervous system eyes olfactory system	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	poisoning and/or abuse
Toluene	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 2.3 mg/l	15 months
Toluene	Inhalation	heart liver kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 11.3 mg/l	15 weeks
Toluene	Inhalation	endocrine system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1.1 mg/l	4 weeks
Toluene	Inhalation	immune system	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL Not available	20 days
Toluene	Inhalation	bone, teeth, nails, and/or hair	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 1.1 mg/l	8 weeks
Toluene	Inhalation	hematopoietic system vascular system	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure

Toluene	Ingestion	nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 625 mg/kg/day	13 weeks
Toluene	Ingestion	heart	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 2,500 mg/kg/day	13 weeks
Toluene	Ingestion	liver kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Multiple animal species	NOAEL 2,500 mg/kg/day	13 weeks
Toluene	Ingestion	hematopoietic system	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 600 mg/kg/day	14 days
Toluene	Ingestion	endocrine system	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 105 mg/kg/day	28 days
Toluene	Ingestion	immune system	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 105 mg/kg/day	4 weeks
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-(2-Hydroxyethyl)-N-Methyl-	Ingestion	liver	May cause damage to organs though prolonged or repeated exposure	Rat	NOAEL 50 mg/kg/day	28 days
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-(2-Hydroxyethyl)-N-Methyl-	Ingestion	immune system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 50 mg/kg/day	28 days
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-(2-Hydroxyethyl)-N-Methyl-	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 250 mg/kg/day	28 days
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-(2-Hydroxyethyl)-N-Methyl-	Ingestion	heart endocrine system hematopoietic system nervous system respiratory system	All data are negative	Rat	NOAEL 250 mg/kg/day	28 days
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-Methyl-	Ingestion	nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 150 mg/kg/day	prematuring & during gestation
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-Methyl-	Ingestion	hematopoietic system liver immune system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1,000 mg/kg/day	prematuring & during gestation
1-Butanesulfonamide, 1,1,2,2,3,3,4,4,4-Nonafluoro-N-Methyl-	Ingestion	heart endocrine system kidney and/or bladder respiratory system	All data are negative	Rat	NOAEL 1,000 mg/kg/day	prematuring & during gestation

Aspiration Hazard

Name	Value
Toluene	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations**13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Contact your sales representative for information on reclaiming this product. Incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Combustion products will include halogen acid (HCl/HF/HBr). Facility must be capable of handling halogenated materials. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): Not regulated

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information**15.1. US Federal Regulations**

This material contains one or more substances that are subject to a TSCA Consent Order. Contact 3M for more information.

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - Yes

This material contains a chemical which requires export notification under TSCA Section 12[b]:

<u>Ingredient (Category if applicable)</u>	<u>C.A.S. No</u>	<u>Regulation</u>	<u>Status</u>
2-Propenoic Acid, 2-[Methyl[(Nonafluorobutyl)Sulfonyl]Amino]Ethyl Ester, Telomer With Methyloxirane Polymer With Oxirane Di-2-Propenoate and Methyloxirane Polymer With Oxirane Mono-Propenoate	1017237-78-3	Toxic Substances Control Act (TSCA) 5 SNUR or Consent Order Chemicals	Applicable

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Japan Industrial Safety and Health Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 3 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

HMIS Hazard Classification

Health: *1 Flammability: 1 Physical Hazard: 0 Personal Protection: X - See PPE section.

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

Document Group:	30-0260-7	Version Number:	5.01
Issue Date:	09/02/15	Supersedes Date:	05/14/15

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

3M USA SDSs are available at www.3M.com