$O \cdot P \cdot I$

MATERIAL SAFETY DATA SHEET

Page 1 of 7

MSDS-176

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards				ds MS	DS Revision: 1.0	MSDS	Revision Date: 08/0	1/2007	
1. PRODUCT IDENTIFICATION									
1.1	Product Name:								
	ABSOLUTE PRECISION LIQUID MONOMER								
1.2	Chemical Name:								
	METHACRYLAT	E SOLUTION							
1.3	Synonyms:								
	NA TO A STATE OF THE STATE OF T								
1.4	Trade Names: AB402, AB408, AB406, AB407, AB409								
1.5	Product Use:								
	PROFESSIONAL USE ONLY								
1.6	Manufacturer's Name:								
	OPI PRODUCTS	, INC.							
1.7	Manufacturer's Ad		_						
1.0	Emergency Phone	Y STREET, NO. HOLLYWOOD, CA 91605 US.	A						
1.8	0 ,	+1 (703) 527-3887 / +1 (800) 424	0200						
1.9	Business Phone:	+1 (703) 327-3667 / +1 (600) 424	1-7300						
1.7		400 / +1 (800)-341-9999							
- 1 (0.0) (0. 2.00) (1 (000) 071 (111									
2. HAZARD IDENTIFICATION									
2.1	Hazard Identification:								
	Flammable liquid. This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of NOHSC and ADG Code (Australia).								
2.2	Routes of Entry:	Inhalation:	,	YES	Absorption:	YES	Ingestion:	YES	
2.3	Effects of Exposure:								
	INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression.								
	SKIN & EYES: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to skin, especially after prolonged contact. The product can cause allergic skin reactions (e.g.,								
	rashes, welts, dermatitis) upon prolonged or repeated exposure.								
	INHALATION: Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system.								
	Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of concentrated vapors can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea).								
2.4	Symptoms of Overe			•		•	·	,	
	Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.								
2.5	Acute Health Effects: Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness,								
2.6	headaches and nausea. 4 Chronic Health Effects								
2.0	Chronic Health Effects: None known								
2.7	Target Organs:								
	Eyes, skin & respiratory system.								
NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used									
	NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.								