

MATERIAL SAFETY DATA SHEET**Product Trade Name:** Moomba Acid Spearhead**Revision Date:** 05-May-2014**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Statement of Hazardous Nature** Hazardous according to the criteria of NOHSC, Dangerous Goods according to the criteria of ADG.**Manufacturer/Supplier**
Halliburton Australia Pty. Ltd.
15 Marriott Road
Jandakot
WA 6164
AustraliaACN Number: 009 000 775
Telephone Number: 61 (08) 9455 8300
Fax Number: 61 (08) 9455 5300**Product Emergency Telephone**
Australia: 08-64244950
Papua New Guinea: 05 1 281 575 5000
New Zealand: 06-7559274**Fire, Police & Ambulance - Emergency Telephone**
Australia: 000
Papua New Guinea: 000
New Zealand: 111**Identification of Substances or Preparation****Product Trade Name:** Moomba Acid Spearhead
Synonyms: None
Chemical Family: Acid
UN Number:, UN3264
Dangerous Goods Class: None
Subsidiary Risk: None
Hazchem Code: None Allocated
Poisons Schedule: None Allocated
Application: Solvent**Prepared By**
Chemical Compliance
Telephone: 1-580-251-4335
e-mail: fdunexchem@halliburton.com**2. HAZARDS IDENTIFICATION****Hazard Overview** May cause eye and skin burns. May cause respiratory irritation. May be harmful if swallowed.

Classification	C - Corrosive.
Risk Phrases	R34 Causes burns.
Safety Phrases	<p>S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</p> <p>S45 In case of accident or if you feel unwell, seek medical advice immediately.</p> <p>S24/25 Avoid contact with skin and eyes.</p>
HSNO Classification	<p>6.1D (Oral) Acutely Toxic Substances</p> <p>8.1A Corrosive to metals</p> <p>8.2B Corrosive to dermal tissue if exposed for greater than 3 mins</p> <p>8.3A Corrosive to ocular tissue</p> <p>9.3C Harmful to terrestrial vertebrates</p>

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT (w/w)	Australia NOHSC	New Zealand WES	ACGIH TLV-TWA
Hydrochloric acid	7647-01-0	10 - 30%	5 ppm	Not applicable	2 ppm
Acetic acid	64-19-7	1 - 5%	TWA: 10 ppm 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³	STEL: 15 ppm STEL: 37 mg/m ³ TWA: 10 ppm 25 mg/m ³	TWA: 10 ppm STEL: 15 ppm

Non-Hazardous Substance to Total of 100%

4. FIRST AID MEASURES

Inhalation	If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.
Skin	In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse.
Eyes	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
Ingestion	Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.
Notes to Physician	Not Applicable

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

Special Exposure Hazards

May form explosive mixtures with strong alkalis. Decomposition in fire may produce toxic gases. Reaction with steel and certain other metals generates flammable hydrogen gas.

Special Protective Equipment for Fire-Fighters Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures	Use appropriate protective equipment.
Environmental Precautionary Measures	Prevent from entering sewers, waterways, or low areas.
Procedure for Cleaning / Absorption	Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Neutralize to pH of 6-8. Scoop up and remove.

7. HANDLING AND STORAGE

Handling Precautions	Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse.
Storage Information	Store away from alkalis. Store away from oxidizers. Store in a cool well ventilated area. Keep container closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls	Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.
Respiratory Protection	Organic vapor/acid gas respirator.
Hand Protection	Impervious rubber gloves.
Skin Protection	Rubber boots. Full protective chemical resistant clothing.
Eye Protection	Chemical goggles; also wear a face shield if splashing hazard exists.
Other Precautions	Eyewash fountains and safety showers must be easily accessible.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	Clear to slightly hazy amber
Odor:	Acrid
pH:	0.5
Specific Gravity @ 20 C (Water=1):	1.075
Density @ 20 C (kg/l):	1.075
Bulk Density @ 20 C (kg/M3):	Not Determined
Boiling Point/Range (C):	Not Determined
Freezing Point/Range (C):	-10
Pour Point/Range (C):	Not Determined
Flash Point/Range (C):	Not Determined
Flash Point Method:	Not Determined
Autoignition Temperature (C):	Not Determined
Flammability Limits in Air - Lower (g/m³):	Not Determined
Flammability Limits in Air - Lower (%):	Not Determined
Flammability Limits in Air - Upper (g/m³):	Not Determined
Flammability Limits in Air - Upper (%):	Not Determined
Vapor Pressure @ 20 C (mmHg):	Not Determined
Vapor Density (Air=1):	Not Determined

Percent Volatiles:	Not Determined
Evaporation Rate (Butyl Acetate=1):	Not Determined
Solubility in Water (g/100ml):	Miscible
Solubility in Solvents (g/100ml):	Not Determined
VOCs (g/l):	Not Determined
Viscosity, Dynamic @ 20 C (centipoise):	Not Determined
Viscosity, Kinematic @ 20 C (centistokes):	Not Determined
Partition Coefficient/n-Octanol/Water:	Not Determined
Molecular Weight (g/mole):	Not Determined
Decomposition Temperature (C):	Not Determined

10. STABILITY AND REACTIVITY

Stability Data:	Stable
Hazardous Polymerization:	Will Not Occur
Conditions to Avoid	None anticipated
Incompatibility (Materials to Avoid)	Strong alkalis. Strong oxidizers.
Hazardous Decomposition Products	Flammable hydrogen gas. Chlorine. Carbon monoxide and carbon dioxide.
Additional Guidelines	Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure	Eye or skin contact, inhalation.
------------------------------------	----------------------------------

Symptoms related to exposure

Acute Toxicity

Inhalation	Causes severe respiratory irritation.
Eye Contact	Causes severe eye irritation May cause eye burns.
Skin Contact	Causes severe skin irritation. May cause skin burns.
Ingestion	Causes burns of the mouth, throat and stomach.

Chronic Effects/Carcinogenicity	Prolonged, excessive exposure may cause erosion of the teeth.
--	---

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrochloric acid	7647-01-0	No data available	5010 mg/kg (Rabbit) >5010 mg/kg (Rabbit) 1449 mg/kg (Mouse)	3124 ppm (Rat) 1 h 3.2 mg/L (Mouse) 8.3 mg/L (aerosol, Rat) 1405 ppm (Rat) 554 ppm (Mouse)
Acetic acid	64-19-7	3310 mg/kg (Rat) 600 mg/kg (Rabbit) 4960 mg/kg (Mouse)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h

12. ECOLOGICAL INFORMATION

Ecotoxicological Information

Ecotoxicity Product

Acute Fish Toxicity:	Not determined
-----------------------------	----------------

Acute Crustaceans Toxicity: Not determined
Acute Algae Toxicity: Not determined

Ecotoxicity Substance

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Hydrochloric acid	7647-01-0	EC50: 4.7 (pH) (Chlorella vulgaris) 72 h	LC50: 282 mg/L (Gambusia affinis) LC50: 20.5 mg/L (Lepomis macrochirus) LC50: 3.25 – 3.5 (pH) (Lepomis macrochirus) 96 h	EC50(3h): >= 5 and <= 5.5 (pH) (Activated sludge, domestic)	EC50: 4.9 (pH) (Daphnia magna) 48 h
Acetic acid	64-19-7	EC50: 90 mg/L (Microcystis aeruginosa) EC50(72h): > 1000 mg/L (>300.82 mg/L – acetate ion) (Skeletonema costatum)	LC50: 79 mg/l (Pimephales promelas) LC50: 75 mg/l (Pimephales promelas) LC50(96h) > 1000 mg/L (>300.82 mg/L – acetate ion) (Oncorhynchus mykiss)	NOEC(16h): 1150 mg/L (Pseudomonas putida)	EC50: 47 mg/l (Daphnia magna) LC50: 32 mg/L (Artemia salina) EC50(48h) > 1000 mg/L (>300.82 mg/L – acetate ion) (Daphnia magna) NOEC(21d): 31.4 - 37.9 mg/L (Daphnia magna) (reproduction)

12.2 Persistence and degradability

No information available

Substances	Persistence and Degradability
Hydrochloric acid	The methods for determining biodegradability are not applicable to inorganic substances.
Acetic acid	Readily biodegradable (>95% @ 28d)

12.3 Bioaccumulative potential

No information available

Substances	Log Pow
Hydrochloric acid	0.25
Acetic acid	-0.17 BCF 3.16 (Calculated)

12.4 Mobility in soil

No information available

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

13. DISPOSAL CONSIDERATIONS

Disposal Method Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Australia Dangerous Goods

UN Number: UN3264

UN Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S. (Contains Hydrochloric Acid, Acetic Acid)

Transport Hazard Class(es): 8

Packing Group: II

IMDG/IMO

UN Number: UN3264
UN Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S. (Contains Hydrochloric Acid, Acetic Acid)
Transport Hazard Class(es): 8
Packing Group: II
Environmental Hazards: Not applicable
EMS: EmS F-A, S-B

IATA/ICAO

UN Number: UN3264
UN Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S. (Contains Hydrochloric Acid, Acetic Acid)
Transport Hazard Class(es): 8
Packing Group: II

Special Precautions for User None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

15. REGULATORY INFORMATION

Chemical Inventories

Australian AICS Inventory All components listed on inventory or are exempt.
New Zealand Inventory of Chemicals All components listed on inventory or are exempt.
US TSCA Inventory All components listed on inventory or are exempt.
EINECS Inventory This product does not comply with EINECS

Classification C - Corrosive.

Risk Phrases R34 Causes burns.

Safety Phrases S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S45 In case of accident or if you feel unwell, seek medical advice immediately.
S24/25 Avoid contact with skin and eyes.

16. OTHER INFORMATION

The following sections have been revised since the last issue of this SDS
Not applicable

Contact

Australian Poisons Information Centre
24 Hour Service: - 13 11 26
Police or Fire Brigade: - 000 (exchange): - 1100

New Zealand National Poisons Centre
0800 764 766

Additional information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

*****END OF MSDS*****