# **SAFETY DATA SHEET**



Date of issue/Date of revision 27 April 2016 Version 3

Section 1. Identification	
Product name	: NO. 80 CLAY
Product code	: ECQ-2219. (F1)
Other means of identification	: Not available.
Product type	: Solid.
Relevant identified uses of	the substance or mixture and uses advised against
Product use	: Industrial applications.
Use of the substance/ mixture	: Coating. Paints. Painting-related materials.
Uses advised against	: Not applicable.
Manufacturer	: PPG Industries, Inc. One PPG Place Pittsburgh, PA 15272
Emergency telephone number	: (412) 434-4515 (U.S.) (514) 645-1320 (Canada) 01-800-00-21-400 (Mexico)
Technical Phone Number	: 1-800-441-9695 (8:00 am to 5:00 pm EST)

# Section 2. Hazards identification

	United States	Page: 1/10
Disposal	: Not applicable.	
Storage	: Not applicable.	
Response	: Not applicable.	
Prevention	: Not applicable.	
Precautionary statements		
Hazard statements	: No known significant effects or critical hazards.	
Signal word	: No signal word.	
GHS label elements		
Classification of the substance or mixture	: Not classified.	
OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Standard (29 CFR 1910.1200), this SDS contains valuable informatio safe handling and proper use of the product. This SDS should be reta for employees and other users of this product.	n critical to the

Product name NO. 80 CLAY

# Section 2. Hazards identification

Supplemental label elements	: Emits toxic fumes when heated.
Hazards not otherwise classified	: None known.

# Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Product name	: NO. 80 CLAY

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person. Description of necessary first aid measures

# Eye contact: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids<br/>apart for at least 10 minutes and seek immediate medical advice.Inhalation: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is<br/>irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained<br/>personnel.Skin contact: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water<br/>or use recognized skin cleanser. Do NOT use solvents or thinners.Ingestion: If swallowed, seek medical advice immediately and show this container or label. Keep<br/>person warm and at rest. Do NOT induce vomiting.

### Most important symptoms/effects, acute and delayed

	United States Page:
Specific treatments	: No specific treatment.
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Indication of immediate n	nedical attention and special treatment needed, if necessary
Ingestion	: No specific data.
Skin contact	: No specific data.
Inhalation	: No specific data.
Eye contact	: No specific data.
Over-exposure signs/sy	<u>nptoms</u>
Ingestion	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Eye contact	: No known significant effects or critical hazards.

Product name NO. 80 CLAY

# Section 4. First aid measures

Protection of first-aiders : No a

: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

Extinguighting models	
<u>Extinguishing media</u>	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	<ul> <li>Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back.</li> <li>No specific data.</li> </ul>
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions, protect	<u>tiv</u>	<u>e equipment and emergency procedures</u>
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions		Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ш	anment and cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
		United States Page: 3/10

# Section 6. Accidental release measures

# Section 7. Handling and storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Special precautions	: Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Vapors are heavier than air and may spread along floors. If this material is part of a multiple component system, read the Safety Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Do not store above the following temperature: 35°C (95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

Control parameters	
Occupational exposure limits	
Recommended monitoring : procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Appropriate engineering : controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure : controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
	United States Page: 4/10

Product name NO. 80 CLAY

# Section 8. Exposure controls/personal protection

Eye/face protection Skin protection	: Safety glasses with side shields.
Hand protection	<ul> <li>Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.</li> </ul>
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

# Section 9. Physical and chemical properties

Physical state: Solid.Color: Not available.Odor: Not available.Odor threshold: Not available.pH: Not available.Boiling point: Not available.Boiling point: Not available.Boiling point: Not available.Flash point: Closed cup: Not applicable.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Flammability (solid, gas): Not available.Evaporation rate: 0 (butyl acetate = 1)Vapor pressure: 0 (butyl acetate = 1)Vapor density: 2.6Density (lbs / gal): 21.7Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): Not applicable.Volatility: 0% (v/v), 0% (w/w)	<u>Appearance</u>	
Odor: Not available.Odor threshold: Not available.pH: Not available.Melting point: Not available.Boiling point: Not available.Boiling point: Not available.Flash point: Closed cup: Not applicable.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Flammability (solid, gas): Not available.Lower and upper explosive: Not available.(flammable) limits: Not available.Evaporation rate: 0 (butyl acetate = 1)Vapor pressure: 0 kPa (0 mm Hg) [room temperature]Vapor density: Not available.Relative density: 2.6Density (lbs / gal): 21.7Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): Not applicable.	Physical state	: Solid.
Odor threshold:Not available.pH:Not available.Melting point:Not available.Boiling point:Not available.Flash point:Closed cup: Not applicable.Auto-ignition temperature:Not available.Decomposition temperature:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Not available.(flammable) limits::Evaporation rate:0 (butyl acetate = 1)Vapor pressure:0 kPa (0 mm Hg) [room temperature]Vapor density:2.6Density (lbs / gal):21.7Solubility:Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water:Not available.Viscosity:Kinematic (40°C (104°F)): Not applicable.	Color	: Not available.
pH:Not available.Melting point:Not available.Boiling point:Not available.Flash point:Closed cup: Not applicable.Auto-ignition temperature:Not available.Decomposition temperature:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Not available.(flammable) limits::Evaporation rate:0 (butyl acetate = 1)Vapor pressure:0 kPa (0 mm Hg) [room temperature]Vapor density::Relative density::2.6Density ( lbs / gal )::Partition coefficient: n- octanol/water:Not available.Viscosity::Not available.Viscosity::Not available.	Odor	: Not available.
Melting point: Not available.Boiling point: Not available.Flash point: Closed cup: Not applicable.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Flammability (solid, gas): Not available.Flammability (solid, gas): Not available.Lower and upper explosive: Not available.(flammable) limits: Not available.Evaporation rate: 0 (butyl acetate = 1)Vapor pressure: 0 kPa (0 mm Hg) [room temperature]Vapor density: 2.6Density (lbs / gal ): 21.7Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): Not applicable.		: Not available.
Boiling point:Not available.Flash point:Closed cup: Not applicable.Auto-ignition temperature:Not available.Decomposition temperature:Not available.Flammability (solid, gas):Not available.Lower and upper explosive (flammable) limits:Not available.Evaporation rate:0 (butyl acetate = 1)Vapor pressure:0 kPa (0 mm Hg) [room temperature]Vapor density:Not available.Relative density:2.6Density (lbs / gal):21.7Solubility:Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water:Not available.Viscosity:Kinematic (40°C (104°F)): Not applicable.	рН	Not available.
Flash point: Closed cup: Not applicable.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Flammability (solid, gas): Not available.Eower and upper explosive (flammable) limits: Not available.Evaporation rate: 0 (butyl acetate = 1)Vapor pressure: 0 kPa (0 mm Hg) [room temperature]Vapor density: Not available.Relative density: 2.6Density (lbs / gal): 21.7Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): Not applicable.	Melting point	: Not available.
Auto-ignition temperature: Not available.Decomposition temperature: Not available.Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Evaporation rate: 0 (butyl acetate = 1)Vapor pressure: 0 kPa (0 mm Hg) [room temperature]Vapor density: Not available.Relative density: 2.6Density (lbs / gal): 21.7Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): Not applicable.	Boiling point	: Not available.
Decomposition temperature: Not available.Flammability (solid, gas): Not available.Lower and upper explosive: Not available.(flammable) limits: Not available.Evaporation rate: 0 (butyl acetate = 1)Vapor pressure: 0 kPa (0 mm Hg) [room temperature]Vapor density: Not available.Relative density: 2.6Density (lbs / gal): 21.7Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): Not applicable.	Flash point	: Closed cup: Not applicable.
Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Evaporation rate: 0 (butyl acetate = 1)Vapor pressure: 0 kPa (0 mm Hg) [room temperature]Vapor density: Not available.Relative density: 2.6Density (lbs / gal): 21.7Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): Not applicable.	Auto-ignition temperature	: Not available.
Lower and upper explosive (flammable) limits: Not available.Evaporation rate: 0 (butyl acetate = 1)Vapor pressure: 0 kPa (0 mm Hg) [room temperature]Vapor density: Not available.Relative density: 2.6Density ( lbs / gal ): 21.7Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): Not applicable.	Decomposition temperature	: Not available.
(flammable) limitsEvaporation rate: 0 (butyl acetate = 1)Vapor pressure: 0 kPa (0 mm Hg) [room temperature]Vapor density: Not available.Relative density: 2.6Density ( lbs / gal ): 21.7Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): Not applicable.	Flammability (solid, gas)	: Not available.
Vapor pressure: 0 kPa (0 mm Hg) [room temperature]Vapor density: Not available.Relative density: 2.6Density ( lbs / gal ): 21.7Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): Not applicable.		: Not available.
Vapor density: Not available.Relative density: 2.6Density ( lbs / gal ): 21.7Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): Not applicable.	Evaporation rate	: 0 (butyl acetate = 1)
Relative density: 2.6Density ( lbs / gal ): 21.7Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): Not applicable.	Vapor pressure	: 0 kPa (0 mm Hg) [room temperature]
Density ( lbs / gal ): 21.7Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): Not applicable.	Vapor density	Not available.
Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): Not applicable.	Relative density	: 2.6
Partition coefficient: n- octanol/water       : Not available.         Viscosity       : Kinematic (40°C (104°F)): Not applicable.	Density(Ibs / gal)	: 21.7
octanol/waterViscosity: Kinematic (40°C (104°F)): Not applicable.	Solubility	: Insoluble in the following materials: cold water.
		: Not available.
Volatility : 0% (v/v), 0% (w/w)	Viscosity	: Kinematic (40°C (104°F)): Not applicable.
	Volatility	: 0% (v/v), 0% (w/w)
% Solid. (w/w) : 100	% Solid. (w/w)	: 100

Product name NO. 80 CLAY

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
Hazardous decomposition products	: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

# Section 11. Toxicological information

### Information on toxicological effects

Acute toxicity			
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.		
Irritation/Corrosion			
Conclusion/Summary			
Skin	: There are no data available on the mixture itself.		
Eyes	: There are no data available on the mixture itself.		
Respiratory	: There are no data available on the mixture itself.		
Sensitization			
Conclusion/Summary			
Skin	: There are no data available on the mixture itself.		
Respiratory	: There are no data available on the mixture itself.		
Mutagenicity			
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.		
<b>Carcinogenicity</b>			
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.		
Reproductive toxicity			
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.		
<b>Teratogenicity</b>			
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.		
Specific target organ toxicity (single exposure)			
Not available.			
Specific terrest organ toxic	sity (repeated evenesure)		

### Specific target organ toxicity (repeated exposure)

Not available.

Product name NO. 80 CLAY

# Section 11. Toxicological information

### Target organs

: Contains material which causes damage to the following organs: eyes. Contains material which may cause damage to the following organs: lungs, upper respiratory tract, stomach.

### Aspiration hazard

Not available.

### Information on the likely routes of exposure

Potential acute health effect	<u>S</u>			
Eye contact	: No known significant effects or critical hazards.			
Inhalation	: No known significant effects or critical hazards.			
Skin contact	: No known significant effects or critical hazards.			
Ingestion	: No known significant effects or critical hazards.			
Over-exposure signs/symptoms				
Eye contact	: No specific data.			
Inhalation	: No specific data.			
Skin contact	: No specific data.			
Ingestion	: No specific data.			
Delayed and immediate effec	ts and also chronic effects from short and long term exposure			
Conclusion/Summary	: There are no data available on the mixture itself. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.			
<u>Short term exposure</u>				
Potential immediate effects	: There are no data available on the mixture itself.			
Potential delayed effects	: There are no data available on the mixture itself.			
Long term exposure				
Potential immediate effects	: There are no data available on the mixture itself.			
Potential delayed effects	: There are no data available on the mixture itself.			
Potential chronic health effects				
General	: No known significant effects or critical hazards.			
Carcinogenicity	: No known significant effects or critical hazards.			
Mutagenicity	: No known significant effects or critical hazards.			
Teratogenicity	: No known significant effects or critical hazards.			
Developmental effects	: No known significant effects or critical hazards.			
Fertility effects	: No known significant effects or critical hazards.			
Numerical measures of toxicity				
Acute toxicity estimates				
Not available.				

Product name NO. 80 CLAY

# Section 12. Ecological information

### **Toxicity**

Not available.

### Persistence and degradability

Not available.

### **Bioaccumulative potential**

Not available.

### <u>Mobility in soil</u>

Soil/water partition coefficient (Koc)

: Not available.

# Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and
	sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

### 14. Transport information DOT IMDG ΙΑΤΑ **UN number** Not regulated. Not regulated. Not regulated. **UN proper shipping** \_ name Transport hazard class \_ (es) Packing group **Environmental hazards** No. No. No. Not applicable. Not applicable. Not applicable. Marine pollutant substances

		United States	Page: 8/10
--	--	---------------	------------

Product name NO. 80 CLAY

## 14. Transport information

### **Additional information**

- **DOT** : None identified.
- IMDG : None identified.
- IATA : None identified.

**Special precautions for user : Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

# Section 15. Regulatory information

### United States

United States inventory (TSCA 8b) : All components are listed or exempted.

SARA 302/304

SARA 304 RQ : Not applicable.

**Composition/information on ingredients** 

No products were found.

### SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

No products were found.

Additional environmental information is contained on the Environmental Data Sheet for this product, which can be obtained from your PPG representative.

# Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health : 1 \* Flammability : 0 Physical hazards : 0 (\*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)Health : 1Flammability : 0Instability : 0Instability : 0Date of previous issue: 8/20/2015Organization that prepared: EHSthe MSDS

Product name NO. 80 CLAY

### Section 16. Other information Key to abbreviations : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

### ✓ Indicates information that has changed from previously issued version.

### **Disclaimer**

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.