

Millenium New Era Embalming Powder is a concentrated topical embalming powder that is formaldehyde-free yet is highly reactive with a powerful embalming action and effective in mold control. It is to be used in concentrated form on skin surfaces of the body that require additional embalming and drying. It is effective in controlling mold growth when placed in sealed caskets or disaster pouches. Use only on areas of the body that are not to be viewed or cosmetized. Millenium New Era Embalming Powder embalms and mummifies on contact with a skin darkening reaction. If left open, Millenium New Era Embalming Powder will dry to a near odorless wood powder residue. Always use heavy duty autopsy gloves and other protective equipment necessary, maintain adequate ventilation and avoid contact with skin or eyes. Millenium New Era Embalming Powder is not recommended for normal viscera treatment in autopsies. Use Millenium New Era **Compound** for this purpose.

BEFORE USING, READ SAFETY DATA SHEET.
FOR PROFESSIONAL EMBALMING USE ONLY.



Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Date of issue: 05/27/2015

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : New Era Embalming Powder

Other means of identification : Millenium New Era Embalming Powder

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Embalming compound
Use of the substance/mixture : For professional use only

1.3. Details of the supplier of the safety data sheet

THE CHAMPION COMPANY 400 Harrison Street Springfield, Ohio 45505

Telephone No. (937) 324-5681

1.4. Emergency telephone number

Emergency number : CHEMTREC (800) 424-9300 (Spill, Leak, Fire, Exposure or Accident)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute Tox. 4 (Oral) H302 Acute Tox. 3 (Inhalation:dust.mist) H331 Skin Corr. 1B H314 Eve Dam. 1 H318 Resp. Sens. 1 H334 Skin Sens. 1 H317 Muta. 2 H341 STOT SE 3 H335 STOT RE 2 H373

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS06





Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction H318 - Causes serious eye damage

H331 - Toxic if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation H341 - Suspected of causing genetic defects

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust, fume, mist, spray, vapors P261 - Avoid breathing dust, fume, mist, spray, vapors P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only in a well-ventilated area

P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective clothing, protective gloves, eye protection, face protection

P285 - In case of inadequate ventilation wear respiratory protection

P301+P312 - If swallowed: Call a POISON CENTER

05/27/2015 EN (English) Page 1

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P302+P352 - If on skin: Wash with plenty of water

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P313 - If exposed or concerned: Get medical attention

P310 - Immediately call a POISON CENTER

P311 - Call a POISON CENTER

P312 - Call a POISON CENTER

P314 - Get medical attention if you feel unwell

P330 - Rinse mouth

P333+P313 - If skin irritation or rash occurs: Get medical attention

P342+P311 - If experiencing respiratory symptoms: Call a doctor

P362 - Take off contaminated clothing and wash before reuse

P363 - Wash contaminated clothing before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents and container to comply with applicable local, state, national and international regulation

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Glutaraldehyde	(CAS No) 111-30-8	10 - 15	Flam. Liq. 4, H227 Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1, H317 STOT SE 3, H335
Phenol	(CAS No) 108-95-2	<10	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Muta. 2, H341 STOT RE 2, H373
Methyl salicylate	(CAS No) 119-36-8	<5	Acute Tox. 4 (Oral), H302
Methyl alcohol	(CAS No) 67-56-1	<= 0.1	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapor), H331 STOT SE 1, H370

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Consult physician immediately. Keep victim warm and rested. If breathing stops, give artificial respiration. Seek medical attention immediately. Call a doctor.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical attention.

05/27/2015 EN (English) 2/10

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

: In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes First-aid measures after eye contact holding eyelids apart. Subsequently consult an ophthalmologist. Do not rub the skin and eyes after direct contact with the product. Remove contact lenses, if present and easy to do. Continue rinsing. Removal of contact lenses after an eye injury should only be undertaken by skilled

personnel. Obtain medical attention if pain, blinking or redness persist.

First-aid measures after ingestion If swallowed, rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Give water or milk if the person is fully conscious. Never give anything by mouth to a person who is not fully conscious. Call a POISON CENTER. Obtain emergency medical attention.

Most important symptoms and effects, both acute and delayed

: Causes severe skin burns and eye damage. Suspected of causing genetic defects. May cause Symptoms/injuries

damage to organs through prolonged or repeated exposure.

Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Symptoms/injuries after inhalation Irritating to the respiratory system, may cause throat pain and cough. May cause respiratory irritation. Danger of serious damage to health by prolonged exposure through inhalation. If user operation generates fumes. Product contains phenol. Inhalation of phenol vapors can lead to damage of the bronchial system and pulmonal oedema. Systemic damage to kidneys, liver and

heart as well as neuropsychiatric disturbances are produced.

Symptoms/injuries after skin contact Repeated or prolonged skin contact may cause dermatitis and defatting. May cause an allergic skin reaction. Skin rash/inflammation. Causes severe skin burns and eye damage. Contains phenol. Strong skin absorption as main danger of phenol poisoning at the workplace with

paralysis of th central nervous system (with lethal consiguences in severe cases) as well as liver and kidney damage. Phenol destroys the nerve endings in the skin. Therefore absence of pain does not necessarily mean the skin has been properly decontaminated.

Causes serious eye damage. Direct contact may cause severe irritation, pain and burns, possibly Symptoms/injuries after eye contact severe, and permanent damage including blindness.

Symptoms/injuries after ingestion Harmful if swallowed. Ingestion may cause nausea and vomiting. May cause gastric irritation.

Swallowing a small quantity of this material will result in serious health hazard. Death in extreme cases. Contains: Phenol and methanol. The swallowing of even a small amount of methanol can

cause blindness or lead to death.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. **Extinguishing media**

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

No additional information available

Advice for firefighters

Firefighting instructions Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering

environment.

Protective equipment for firefighters Do not enter fire area without proper protective equipment, including respiratory protection. Wear

a self contained breathing apparatus.

Other information Avoid raising powdered materials into airborne dust. Dust may form flammable and explosive

mixture with air. Thermal combustion may release carbon monoxide and dioxide. Toxic gases and fumes may be released in a fire. Silicon oxide. unburned hydrocarbons. Sulfur oxides.

Avoid breathing dust, fume, mist, spray, vapors, Avoid raising powdered materials into airborne

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

dust. Heavy airborne concentrations of fine powder in enclosed spaces may ignite or explode in

the presence of sources of ignition. Take precautionary measures against static discharge.

For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders 6.1.2.

General measures

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

05/27/2015 EN (English) 3/10

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Eliminate all sources of ignition, avoid sparks, flames and do not smoke in risk area. Avoid creating or spreading dust. Dust may form flammable and explosive mixture with air. Shovel into suitable and closed container for disposal. Store away from other materials. Collect all waste in suitable and labelled containers and dispose according to local legislation. Ensure all local, state, national and international regulations are observed. Consult the appropriate authorities about waste disposal.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Obtain special instructions before use. Work in a well-ventilated area. When not in use, keep containers tightly closed. Avoid contact with skin, eyes and clothes. Avoid raising powdered materials into airborne dust. Avoid breathing dust, mist or spray. Where excessive dust may result, wear approved mask. Wear recommended personal protective equipment. Take precautionary measures against static discharge. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Provide local exhaust or general room ventilation. A washing facility for eye and skin cleaning purposes should be present. Proper grounding procedures to avoid static electricity should be followed.

Storage conditions

: Keep out of reach of children. Keep only in the original container in a cool, well-ventilated place away from highly flammable substances. Keep container tightly closed and dry. Store away from direct sunlight or other heat sources. Keep away from: humid air. Product contains an approximate of 40% per weight sawdust. keep away from incompatible materials.

Incompatible materials

: Strong acids, bases. Oxidizing agents.

Heat and ignition sources

: Keep away from open flames, hot surfaces and sources of ignition.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Glutaraldehyde (111-	30-8)	
USA ACGIH	ACGIH Ceiling (ppm)	0.05 ppm (activated and inactivated)
DI 1 (100 07 0)		·
Phenol (108-95-2)		
USA ACGIH	ACGIH TWA (ppm)	5 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	19 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	5 ppm
Methyl alcohol (67-56	S-1)	
•	,	
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	250 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm

8.2. Exposure controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation.

Personal protective equipment

: Avoid all unnecessary exposure. Wear protective clothing, protective gloves, eye protection/goggles, face protection. For certain operations, additional Personal Protection Equipment (PPE) may be required.

Hand protection

: Wear impermeable protective nitrile gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

05/27/2015 EN (English) 4/10

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Eye protection : Contact lenses should not be worn. Chemical goggles and face shields are required to prevent

potential eye contact, irritation or injury.

Respiratory protection : In case of insufficient ventilation. Wear suitable respiratory equipment. Approved organic vapor

respirator.

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Wet granular material.

Color : Brown
Odor : Pungent odor
Odor threshold : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available
Freezing point : No data available

Boiling point : No data available

Flash point : > 37.77 °C (> 100 °F TCC)

: No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) : No data available : No data available Vapor pressure Relative vapor density at 20 °C : No data available : No data available Relative density Solubility No data available Log Pow No data available : No data available Log Kow Viscosity, kinematic No data available Viscosity, dynamic : No data available : No data available Explosive properties : No data available Oxidising properties Explosive limits : No data available

9.2. Other information

VOC content : 55 % (Percent volatiles)

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable at normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Keep away from heat, sparks, open flames, hot surfaces. - No smoking.

10.5. Incompatible materials

Strong acids. Strong bases. Oxidizing agents.

10.6. Hazardous decomposition products

On thermal combustion form: Fume. Carbon monoxide. Carbon dioxide. unburned hydrocarbons. Silicon dioxide. Toxic fumes. Sulfur oxides.

05/27/2015 EN (English) 5/10

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity · Harmful if swallowed Toxic if inhaled

Acute toxicity	: Harmful if swallowed. Toxic if inhaled.
New Era Embalming Powder	
ATE US (oral)	500.0000000 mg/kg bodyweight
ATE US (dust,mist)	0.50000000 mg/l/4h
Methyl salicylate (119-36-8)	
LD50 oral rat	887 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
ATE US (oral)	887.00000000 mg/kg bodyweight
Glutaraldehyde (111-30-8)	
LD50 oral rat	252 mg/kg
LD50 dermal rabbit	560 μl/kg
LC50 inhalation rat (mg/l)	0.1 mg/l/4h
ATE US (oral)	252.00000000 mg/kg bodyweight
ATE US (vapors)	0.10000000 mg/l/4h
ATE US (dust,mist)	0.10000000 mg/l/4h
Phenol (108-95-2)	
LD50 dermal rat	525
LD50 dermal rabbit	630 mg/kg
ATE US (oral)	100.0000000 mg/kg bodyweight
ATE US (dermal)	630.0000000 mg/kg bodyweight
ATE US (gases)	700.0000000 ppmv/4h
ATE US (vapors)	3.00000000 mg/l/4h
ATE US (dust,mist)	0.50000000 mg/l/4h
Methyl alcohol (67-56-1)	
LC50 inhalation rat (ppm)	22500 ppm (Exposure time: 8 h)
ATE US (oral)	100.0000000 mg/kg bodyweight
ATE US (dermal)	300.0000000 mg/kg bodyweight
ATE US (vapors)	3.00000000 mg/l/4h
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	 May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergi- skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: Not classified
- ,	(Based on available data, the classification criteria are not met)
Phenol (108-95-2)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Troproductive toxicity	(Based on available data, the classification criteria are not met)
On a sife to much assess to delta (electronic	(Dased on available data, the dassincation official are not met)

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

exposure)

: May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

(Based on available data, the classification criteria are not met)

Potential Adverse human health effects and

Specific target organ toxicity (repeated

symptoms

: Based on available data, the classification criteria are not met.

05/27/2015 EN (English) 6/10

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Symptoms/injuries after inhalation	: Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Irritating to the respiratory system, may cause throat pain and cough. May cause respiratory irritation. Danger of serious damage to health by prolonged exposure through inhalation. If user operation generates fumes. Product contains phenol. Inhalation of phenol vapors can lead to damage of the bronchial system and pulmonal oedema. Systemic damage to kidneys, liver and heart as well as neuropsychiatric disturbances are produced.
Symptoms/injuries after skin contact	: Repeated or prolonged skin contact may cause dermatitis and defatting. May cause an allergic skin reaction. Skin rash/inflammation. Causes severe skin burns and eye damage. Contains phenol. Strong skin absorption as main danger of phenol poisoning at the workplace with paralysis of th central nervous system (with lethal consiquences in severe cases) as well as liver and kidney damage. Phenol destroys the nerve endings in the skin. Therefore absence of pain does not necessarily mean the skin has been properly decontaminated.
Symptoms/injuries after eye contact	: Causes serious eye damage. Direct contact may cause severe irritation, pain and burns, possibly severe, and permanent damage including blindness.
Symptoms/injuries after ingestion	: Harmful if swallowed. Ingestion may cause nausea and vomiting. May cause gastric irritation. Swallowing a small quantity of this material will result in serious health hazard. Death in extreme cases. Contains: Phenol and methanol.

SECTION 12: Ecological information

12.1. **Toxicity**

Glutaraldehyde (111-30-8)	
LC50 fishes 1	7.8 - 22 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	14 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	2.6 - 4.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
EC50 Daphnia 2	0.56 - 1.0 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Phenol (108-95-2)	
LC50 fishes 1	11.9 - 50.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	4.24 - 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	20.5 - 25.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	10.2 - 15.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

New Era Embalming Powder	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential	
New Era Embalming Powder	
Bioaccumulative potential	Not established.
Methyl salicylate (119-36-8)	
Log Pow	2.55
Glutaraldehyde (111-30-8)	
Log Pow	0.22 (at 25 °C)
Phenol (108-95-2)	
BCF fish 1	(no significant bioaccumulation)
Log Pow	1.47

Mobility in soil

No additional information available

Other adverse effects

Effect on ozone layer : No additional information available Effect on the global warming : No additional information available Other information : Avoid release to the environment.

05/27/2015 EN (English) 7/10

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations

: Dispose in a safe manner in accordance with local, state, national and international regulations. Consult the appropriate authorities about waste disposal. Ensure all local, state, national and international regulations are changed.

international regulations are observed.

: Do not re-use empty containers. Do not pressurize, cut, weld, braze, solder, drill, grind, or

expose containers to flames, sparks, heat, or other potential ignition sources.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT

Additional information

Transport document description : UN2928, Toxic solids, corrosive, organic, n.o.s. (Phenol, Glutaraldehyde), 6.1, PGII, ltd. qty.

Hazard labels (DOT) : 6.1 - Poison inhalation hazard

8 - Corrosive

6 8

Packing group (DOT) : II - Medium Danger

DOT Packaging Exceptions (49 CFR 173.xxx) : 153
DOT Packaging Non Bulk (49 CFR 173.xxx) : 212
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Quantity Limitations Passenger aircraft/rail : 15 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 50 kg

CFR 175.75)

DOT Vessel Stowage Location

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

Additional information

Other information : No supplementary information available.

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Phenol (108-95-2)	
Listed on the United States TSCA (Toxic Substa Listed on the United States SARA Section 302 Listed on United States SARA Section 313	nces Control Act) inventory
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	500 - 10000
SARA Section 313 - Emission Reporting	1.0 %
Methyl alcohol (67-56-1)	
RO (Reportable quantity, section 304 of EPA's	5000 lb

List of Lists)	3000 lb
SARA Section 313 - Emission Reporting	1.0 %

05/27/2015 EN (English) 8/10

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

15.2. International regulations

CANADA

Methyl salicylate (119-36-8)	
Listed on the Canadian DSL (Domestic Sustances List)	
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects

Glutaraldehyde (111-30-8)	
Listed on the Canadian DSL (Domestic Sustance	s List)
WHMIS Classification	Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects Class E - Corrosive Material

Phenol (108-95-2)	
Listed on the Canadian DSL (Domestic Sustance	s List)
WHMIS Classification	Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects Class E - Corrosive Material

EU-Regulations

Phenol (108-95-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

No additional information available

15.2.2. National regulations

Phenol (108-95-2)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Poisonous and Deleterious Substances Control Law

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on the Canadian IDL (Ingredient Disclosure List)

15.3. US State regulations

Methyl alcohol (67-56-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
	Yes			

SECTION 16: Other information

Other information : None.

Full text of H-phrases: see section 16:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3	
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3	
Acute Tox. 3 (Inhalation:vapor)	Acute toxicity (inhalation:vapor) Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	

05/27/2015 EN (English) 9/10

Safety Data Sheet according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Flam. Liq. 2	Flammable liquids Category 2	
Flam. Liq. 4	Flammable liquids Category 4	
Muta. 2	Flammable liquids Category 1 flammable liquids Category 4	
Resp. Sens. 1	Sensitisation — Respiratory, category 1	
Skin Corr. 1B	skin corrosion/irritation Category 1B	
Skin Sens. 1	Sensitisation — Skin, category 1	
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2	
STOT SE 1	Specific target organ toxicity (single exposure) Category 1	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H225	Highly flammable liquid and vapor	
H227	Combustible liquid	
H301	Toxic if swallowed	
H302	Harmful if swallowed	
H311	Toxic in contact with skin	
H314	Causes severe skin burns and eye damage	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H330	Fatal if inhaled	
H331	Toxic if inhaled	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled	
H335	May cause respiratory irritation	
H341	Suspected of causing genetic defects	
H370	Causes damage to organs	
H373	May cause damage to organs through prolonged or repeated exposure	

HMIS III Rating

: 2 Moderate Hazard - Temporary or minor injury may occur Health

Flammability : 2 Moderate Hazard Physical : 0 Minimal Hazard

SDS US (GHS HazCom 2012)

The information herein given is in good faith but no warranty, expressed or implied, is made, except that to the best of the Company's knowledge it is accurate. The Champion Company does not assume any legal responsibilities for use or dependence upon same. Customers may wish to conduct tests of their own. The user is urged to read the information provided on the label before using product.

05/27/2015 EN (English) 10/10