

SAFETY DATA SHEET

SECTION 1: Product and Company Identification

Product Name: NEW RAPID TAP PASTE

Recommended Use: Multi-metal, heavy duty cutting and tapping product in paste form

Manufacturer Information:

Relton Corporation-Chemical Division Phone: (800)-423-1505
317 Rolyn Place Emergency Number (24 hours):
Arcadia, CA 91007-2838 CHEMTREC 800-424-9300

SECTION 2: Hazards Identification

GHS Classification: Acute toxicity, Category 4, Oral H302

Hazardous to the aquatic environment, acute hazard: Category 1, H400 Hazardous to the aquatic environment, long term hazard: Category 1, H410

Hazardous to the aquatic environment, long term hazard: Category 1, H410 GHS Label Elements:

GHS Laber Elements.

Signal Word: Warning

Hazard Statements:

H302 Harmful if swallowed H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements:

P260 Do not breathe mist/vapors.
P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P308+P313 IF exposed or concerned: Get medical advice/ attention.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P273 Avoid release to the environment.

P391 Collect spillage.

Disposal: Dispose of contents/container in accordance with local/regional/national/international

regulations

Hazards not otherwise classified (HNOC):

Not listed

SECTION 3: Composition/Information on Ingredients

Chemical Name	CAS#	%*	
Hydrotreated heavy naphthenic distillate and	MIXTURE	5-10	
Petroleum distillates, hydrotreated, light naphthenic Alkanes, C14-C16, Chloro	1372804-76-6	30-40	
Polypropylene glycol	25322-69-4	1-5	

May be a mixture of CAS 64742-52-5 and CAS 64742-53-6

The remaining ingredients are classified as non hazardous or are below reportable levels.

The exact percentage of composition has been withheld as a trade secret

SECTION 4: First Aid Measures

Inhalation: Remove individual to fresh air and keep at rest in a position comfortable for breathing.

If breathing is difficult give oxygen.

Skin Contact: Flush the affected area with water for 15 minutes minimum. Remove exposed or

contaminated clothing and shoes. Wash contaminated clothing before reuse. Seek

medical attention if irritation develops.

Eye Contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove

contact lenses. Seek medical attention if irritation develops or persists.

Ingestion: Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell.

Do NOT induce vomiting.

Most important symptoms

acute or delayed: Not available

Recommendations for immediate medical

care and special treatment: Not available

SECTION 5: Fire Fighting Measures

Suitable extinguishing media: Slightly combustible. Use carbon dioxide, extinguishing powder or foam. Avoid

water spray.

Unsuitable extinguishing media: Not available

Specific hazards arising

during fire:

Combustion may generate carbon monoxide, carbon dioxide, hydrogen chloride

and oxides of sulfur.

Firefighting equipment: Firefighters should wear suitable protective equipment

Firefighting instructions: Evacuate personnel to a safe area. Firefighters should use self contained breathing

equipment and protective clothing. Keep containers cool with water spray.

SECTION 6: Accidental Release Measures

Personal Precautions: Wear appropriate protective equipment and clothing during clean up. Keep

unprotected persons away.

Environmental Precautions: Do not allow product to enter sewers, surface or ground waters.

Methods and materials for

containment and cleanup:

Contain and recover liquid when possible. Absorb with suitable absorbent and place

in a chemical waste container for proper disposal (see Section 13, Disposal

Considerations).

SECTION 7: Handling and Storage

Precautions for safe handling: As with all chemical products, avoid contact and wash thoroughly after handling.

Do not eat, drink or smoke while using this product. Use only in well-ventilated areas. Remove contaminated clothing and protective equipment before entering eating areas.

Conditions for safe storage including incompatibilities:

All personnel who handle this product should be trained in its safe handling. Store tightly closed in cool, dry, ventilated area. Keep out of direct sunlight and away from heat and incompatible materials. Avoid contact with acids, oxidizing agents, and caustics.

SECTION 8: Exposure Controls/Personal Protection

Exposure limit values

Material	CAS#	List	Туре	Value
Polypropylene glycol	25322-69-4	WEEL	TWA	10mg/m3 (Aerosol)
Alkanes, C14-C16, Chloro	1372804-76-6	No data available		
Hydrotreated heavy naphthenic	64742-52-5	OSHA	PEL	5 mg/m3 (as oil mist)
distillate		ACGIH	TLV	5 mg/m3 (as oil mist)
Petroleum distillates,	64742-53-6	OSHA	PEL	5 mg/m3 (as oil mist)
hydrotreated light naphthenic		ACGIH	TLV	5 mg/m3 (as oil mist)

Appropriate Engineering Controls: Provide sufficient mechanical (general/and or local exhaust) ventilation to maintain

exposure below exposure guidelines, if applicable, or below levels that cause known,

suspected, or adverse effects.

Personal Protective Measures

Eye/face protection: Use chemical goggles or full face shield.

Hand protection: Use chemically-resistant gloves.

Respiratory protection: Not required under normal conditions of use. If airborne concentrations exceed

applicable exposure limits, use NIOSH approved respiratory protection.

Thermal hazards: Not available

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice.

Eyewash station and safety shower should be in vicinity of work area.

SECTION 9: Physical and Chemical Properties

Appearance:
Odor:
Odor threshold:
PH:
Solubility in water:
Not available
Insoluble
Not available
Not available
Not applicable
Not available

Specific Gravity @ 70F: 1.04

Melting point:Not availableFreezing point:Not available

VOC Content (ASTM E-1868-10):

Initial boiling point

Less than 10g/L AQMD SUPER COMPLIANT

and boiling range:

Flash point:

Evaporation rate:

Flammability (solid, gas):

Not available

Not available

Not available

Upper/Lower flammability or explosive limits (%)

Flammability limit-lower: Not available Flammability limit-upper: Not available **Explosive limit-lower:** Not available **Explosive limit-upper:** Not available

Vapor pressure <0.01 mmHg @ 20°C Heavier than air Vapor density

Partition coefficient

(octanol:water) Not available **Auto-ignition temperature** Not available **Decomposition temperature** Not available **Decomposition temperature** Not available

SECTION 10: Stability and Reactivity

Reactivity: No reactivity hazards are known.

Chemical Stability: Material is stable under normal conditions of storage and handling.

Possibility of No hazardous reactions are known under normal conditions of use.

hazardous reactions:

Conditions to avoid: Keep away from heat, sparks, open flames. Protect from freezing.

Materials to avoid: Do not store with strong oxidizing agents. Keep away from heat, sparks, open flames, or

all sources of ignition.

Hazardous decomposition

May include carbon monoxide, carbon dioxide, hydrogen chloride, oxides of products:

sulfur.

SECTION 11: Toxicological Information

Acute Toxicity:

Petroleum distillates, hydrotreated 64742-53-6

light naphthenic		
Test	Species	Test Results
LC 50(Inhalation)	Rat	2.18 mg/l, 4h
LD 50(Oral)	Rat	>5000mg/kg
LD 50(Skin)	Rabbit	>2000mg/kg
Hydrotreated heavy naphthenic distillate		64742-52-5
Test	Species	Test Results
LC 50(Inhalation)	Rat	2.18 mg/l, 4h
LD 50(Oral)	Rat	>5000mg/kg
LD 50(Skin)	Rabbit	>2000mg/kg

Test	Species	Test Results	
Acute Dermal Acute Liquid DNEL	Human	0.0065 mg/kg, 8 hours	
Oral Liquid NOAEL	Rat	23 mg/kg, 90 days by body weight - effected organ kidney; repeat dose study	
Chronic Inhalation Chronic Liquid DNEL	Rat	6.7 mg/m³	
Oral LD50 Liquid	Rodent	15000 mg/kg	
NOAEL	Rat	100 mg/kg, 90 days by body weight - target organ liver; Reproductive 1-generation study	
Polyglycols (Typical for this family o	f materials):		
Oral Acute LD 50	Rat	1,000-2000mg/kg, estimated	
Inhalation:	May cause mild irritation of the respiratory tract with prolonged exposure.		
Ingestion:	Ingestion may cause irritation of the gastrointestinal lining, nausea, vomiting, diarrhea, and abdominal pain.		
Delayed and immediate effects of exposure:	Not available.		
Classification	Category	Hazard Description	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) Skin corrosion/irritation STOT -single exposure STOT-repeated exposure Serious eye damage/eye irritation Respiratory sensitization Skin sensitization Carcinogenicity Reproductive toxicity	to human exposur	Harmful if swallowed Not applicable rinated paraffins CAS #1372804-76-6: Observed effects in rats not equivalent re. Refer to Chlorinated Paraffin: Reproduction-Range Finding Study in Rats 438/049 Mattawan, Michigan, USA, 1985.	
Carcinogenicity: IARC Monographs. Overall Evalua	Carcinogenicity: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. IARC Monographs. Overall Evaluation of Carcinogenicity: Not available.		

SECTION 12: Ecological Information

Ecotoxicity: Alkane C14-C16 Chloro (CAS # 1372804-76-6) is very toxic to aquatic life

with long lasting effects

Ingredient	CAS No.	Algae	Fish	Crustacea
Alkanes, C14-C16, Chloro	1372804-76-6	Not listed	LC Bluegill (Lepomis macrochirus) > 0.1 mg/l, 96 hours	Not listed
			Rainbow trout,donaldson trout (Oncorhynchus mykiss) > 0.1 mg/l, 96 Hours	Not listed
Petroleum distillates, hydrotreated light naphthenic	64742-53-6	Not listed	>5000: 96 h Pimephales promelas mg/L LC50	>1000: 48 h Daphnia magna mg/L EC50
Hydrotreated heavy naphthenic distillate	64742-52-5	Not listed	>5000: 96 h Pimephales promelas mg/L LC50	>1000: 48 h Daphnia magna mg/L EC50

Bioaccumulation potential: Not available.

Not available. Mobility:

Other adverse effects: This material is expected to have adverse effects on marine and plant life. Spills may

contaminate drinking water.

SECTION 13: Disposal Considerations

Dispose of contents/container in accordance with local/regional/national/international **Disposal instructions:**

regulations.

Disposal of contaminated

containers or packaging:

Dispose of as unused product.

SECTION 14: Transportation Information

DOT Not regulated as dangerous goods

IATA Not regulated as dangerous goods

IMDG

UN Number: 3082

UN proper shipping name: Environmentally hazardous substances, liquid, N.O.S, (Alkanes, C14-C16, chloro)

Transport hazard class: Subsidiary risk Packing group: Ш Labels: 9 **Marine Pollutant:** Yes

SECTION 15: Regulatory Information

Toxic Substances Control Act All components of this product are on the TSCA Inventory or are exempt from

(TSCA):

reporting requirements.

SARA 302 Extremely Hazardous

Substances:

No

SARA 311/312 Classification:

Immediate hazardNoDelayed hazardNoFire hazardNoReactive hazardNoPressure hazardNo

SARA 313 Components: No

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

HMIS Information:

NFPA	Information:





SECTION 16: Other Information

Issue date: March 30, 2015
Revision date: September 30, 2024

Version: 6.1

Disclaimer: Relton Corporation products are manufactured for professional and industrial use only. Relton Corporation believes the information contained herein is valid and accurate and makes no representation or warranty, express or implied, including the warranties of merchantability and fitness, for a particular purpose with respect to the information contained herein.