

OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/11/2013

Reviewed on 06/11/2013

1 Product and Company Identification

- · Product identifier
- · Trade name: NuFlo 151VR
- · Article number: ofc-151vr
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Product description PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the preparation Solvents
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

NuGenTec Oil Field Chemicals

1155 Park Avenue, Emeryville, CA 94608

ofcadmin@nugentec.com

www.nugentec.com/oilfield

888-996-8436 or 707-891-3012 for product information

• Emergency telephone number: Infotrac: 1-800-535-5053, 1-352-326-2510

2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

H315 Causes skin irritation.

H227 Combustible liquid.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H227 Combustible liquid.

H315 Causes skin irritation.

· Precautionary statements

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see on this label).

P362 Take off contaminated clothing and wash before reuse.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 2)



OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/11/2013

Reviewed on 06/11/2013

Trade name: NuFlo 151VR

(Contd. of page 1)

Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· NFPA ratings (scale 0 - 4)



Health = 1 Fire = 2 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 2 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

Non-Hazardous Coupling Agents

2-12%

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
Solvent naphtha (petroleum), medium aliph.	25-50%	
♦ H226; ♦ H304		
d-limonene	25-50%	
🊸 H226; 🅸 H400; H410; 🕚 H315; H317		
Glycol ether	15-35%	
♦ H315; H319; H335; H227		
Mixture of surfactants	2-12%	
♦ H302; H332; H315; H320		

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Give large amounts of water. If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/11/2013 Reviewed on 06/11/2013

Trade name: NuFlo 151VR

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Protect from heat.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from heat and direct sunlight.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)



OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/11/2013 Reviewed on 06/11/2013

Trade name: NuFlo 151VR

(Contd. of page 3)

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: Amber colored

Odor: Mix of orange and oil
Odour threshold: Not determined.

· pH-value @ 20 °C (68 °F): 7

(Contd. on page 5)



OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/11/2013 Reviewed on 06/11/2013

Trade name: NuFlo 151VR

		(Contd. of pa
Change in condition		
Melting point/Melting range:	~32 F (0 C)	
Boiling point/Boiling range:	180 °C (356 °F)	
Flash point:	68 °C (154 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	255 °C (491 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	0.6 Vol %	
Upper:	6.5 Vol %	
Vapor pressure @ 20 °C (68 °F):	6.6 hPa (5 mm Hg)	
Density @ 20 °C (68 °F):	0.851 g/cm³ (7.102 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic @ 20 °C (68 °F):	1 mPas	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	78.0 %	
VOC content:	78.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)



OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/11/2013 Reviewed on 06/11/2013

Trade name: NuFlo 151VR

(Contd. of page 5)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:					
Solvent n	Solvent naphtha (petroleum), medium aliph.				
Oral	LD50	>6500 mg/kg (rat)			
Dermal	LD50	>3000 mg/kg (rab)			
Inhalative	LC50/4 h	>14 mg/l (rat)			
d-limonene					
Oral	LD50	4400 mg/kg (rat)			

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

a-iimonene

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

IC A



OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/11/2013 Reviewed on 06/11/2013

Trade name: NuFlo 151VR

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

LINI Marinahari		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	None Void	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · DOT, ADR, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	-	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Solvent naphtha (petroleum), medium aliph.

(Contd. on page 8)



OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/11/2013

Reviewed on 06/11/2013

Trade name: NuFlo 151VR

	(Contd. of page 7)
	d-limonene
	Glycol ether
	Mixture of surfactants
65997-01-5	Corrosion Inhibitor

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

· Hazard statements

H227 Combustible liquid.

H315 Causes skin irritation.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see on this label).

P362 Take off contaminated clothing and wash before reuse.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 9)



OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/11/2013 Reviewed on 06/11/2013

Trade name: NuFlo 151VR

(Contd. of page 8)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

* Data compared to the previous version altered.

SDS / MSDS Created by MSDS Authoring Services (www.MSDSAuthoring.com)

USA