# SAFETY DATA SHEET



1. Identification

Product identifier OAK DRAW® 829-A

STAMPING AND DRAWING FLUID

Other means of identification

SDS number Not applicable Product code B30195

Recommended use STAMPING AND DRAWING FLUID

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CIMCOOL® Industrial Products LLC

3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

**Emergency telephone** 

number

1-800-424-9300 (CHEMTREC)

Emergency telephone number (outside USA)

1-703-527-3887 (CHEMTREC)

**Supplier** 

Company name Milacron Canada Corp.

Address 1175 Appleby Line Road, Unit B-1

Burlington Ontario L7L5H9 Canada

Telephone (General

Information)

905-319-1919

Emergency telephone number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier Not available.

2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Serious eye irritation Category 2A

Sensitization, skin Category 1

Environmental hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Causes serious eye irritation. May cause an allergic skin reaction.

**Precautionary statement** 

Prevention Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing

should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective

gloves.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical Response

advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information 47.74% of the mixture consists of component(s) of unknown acute oral toxicity. 47.74% of the

mixture consists of component(s) of unknown acute dermal toxicity.

The classified hazards shown on this SDS are associated with the product concentrate. These

hazards are not expected under recommended use conditions and dilution.

### 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name  | Common name and synonyms | CAS number | %   |
|--|--------------------------|------------|-----|
| CHLORINATED PARAFFIN   |                          | 63449-39-8 | ≤45 |
| SEVERELY-HYDROTREATED<br>NAPHTHENIC PETROLEUM<br>DISTILLATES |                          | 64742-52-5 | ≤40 |
| PETROLEUM SULFONIC ACID,<br>SODIUM SALT                      |                          | 68608-26-4 | ≤3  |
| HEXAHYDRO-1,3,5-TRIS<br>(2-HYDROXYETHYL)-S- TRIAZINI         | Ξ                        | 4719-04-4  | ≤1  |
| Other components below reportable                            | e levels                 |            | ≤25 |

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash Skin contact

contaminated clothing before reuse.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical Eye contact

attention if irritation develops and persists.

Ingestion Rinse mouth thoroughly. Do not give liquids. Do not induce vomiting. If vomiting occurs, keep head

low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

**General information** 

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. May cause an allergic skin reaction.

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

### 5. Fire-fighting measures

Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that are Suitable extinguishing media

appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment.

Fire fighting equipment/instructions Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

## 7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Do not allow material to freeze. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

## 8. Exposure controls/personal protection

## Occupational exposure limits

**ACGIH** 

|                  | Туре | Value   |
|------------------|------|---------|
| (CAS 64742-52-5) | TWA  | 5 mg/m3 |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is

recommended.

Skin protection

**Hand protection** Use protective gloves made of: Nitrile.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

Appearance CLEAR
Physical state Liquid.
Form Liquid.
Color Not available.

 Odor CHEMICAL
Odor threshold Not available.
pH Not Applicable
Melting point/freezing point < 32 °F (< 0 °C)

Initial boiling point and boiling

range

Not Applicable

Flash point 450 °F (232.2 °C) Cleveland Open Cup

**Evaporation rate** Like water when diluted

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) 100 % Water Miscible

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

pH in aqueous solution 9.4 @ 20%

Specific gravity 1.095

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

Conditions to avoid Heat, flames and sparks. Avoid temperatures exceeding the flash point. Contact with incompatible

materials.

Incompatible materials Acids. Oxidizing agents.

**Hazardous decomposition** 

products

Smoke, fumes, hydrogen chloride, and oxides of carbon

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation Not classified.

**Skin contact** May cause an allergic skin reaction.

Eye contact Causes eye irritation.

Ingestion Not classified.

Symptoms related to the physical, chemical and toxicological characteristics

Version #: 01

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. May cause an allergic skin reaction.

### Information on toxicological effects

Issue date: 06-12-2017

Material name: OAK DRAW® 829-A SDS Canada

Not known. **Acute toxicity** Not classified. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. Aspiration hazard

**Chronic effects** Not classified.

**Further information** The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

### 12. Ecological information

**Ecotoxicity** Contains a substance which causes risk of hazardous effects to the environment.

| Components      |                  | Species                          | Test Results         |  |
|-----------------|------------------|----------------------------------|----------------------|--|
| CHLORINATED PAR | AFFIN (CAS 63449 | -39-8)                           |                      |  |
| Aquatic         |                  |                                  |                      |  |
| Fish            | LC50             | Bluegill (Lepomis macrochirus)   | > 0.1 mg/l, 96 hours |  |
| Acute           |                  |                                  |                      |  |
| Fish            | LC50             | Bluegill (Lepomis macrochirus)   | > 0.1 mg/l, 96 hours |  |
| SEVERELY-HYDRO  | TREATED NAPHTH   | HENIC PETROLEUM DISTILLATES (CAS | 64742-52-5)          |  |
| Aquatic         |                  |                                  |                      |  |
| Acute           |                  |                                  |                      |  |

Acute

Fish LC50 Fish > 100 mg/l, 96 hours

## Persistence and degradability Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. Transport information

**TDG** 

**UN** number UN3082

Material name: OAK DRAW® 829-A SDS Canada 5/8

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLORINATED

PARAFFIN)

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group **Environmental hazards** E3

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

**UN** number UN3082

Environmentally hazardous substance, liquid, n.o.s. (CHLORINATED PARAFFIN) **UN** proper shipping name

Transport hazard class(es)

9 Class Subsidiary risk Ш Packing group **Environmental hazards** Yes **ERG Code** 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Allowed with restrictions. Passenger and cargo

aircraft

Cargo aircraft only Allowed with restrictions.

**IMDG** 

**UN** number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLORINATED **UN** proper shipping name

PARAFFIN), MARINE POLLUTANT

Transport hazard class(es)

Class 9 Subsidiary risk Packing group Ш **Environmental hazards** 

Marine pollutant Yes **EmS** F-A, S-F


Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not established.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

IATA; IMDG; TDG



#### Marine pollutant



**General information** IMDG Regulated Marine Pollutant.

Material name: OAK DRAW® 829-A SDS Canada 6/8

### 15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

### **Controlled Drugs and Substances Act**

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

#### International regulations

#### **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

#### **Kyoto protocol**

Not applicable.

#### **Montreal Protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

## **International Inventories** Country(s) or region

| 3 ( )       | to the grant of the contract o |     |
|-------------|--|-----|
| Australia   | Australian Inventory of Chemical Substances (AICS)   | Yes |
| Canada      | Domestic Substances List (DSL)   | Yes |
| Canada      | Non-Domestic Substances List (NDSL)  | No  |
| China       | Inventory of Existing Chemical Substances in China (IECSC)   | Yes |
| Europe      | European Inventory of Existing Commercial Chemical Substances (EINECS)   | No  |
| Europe      | European List of Notified Chemical Substances (ELINCS)   | No  |
| Japan       | Inventory of Existing and New Chemical Substances (ENCS)   | No  |
| Korea       | Existing Chemicals List (ECL)  | Yes |
| New Zealand | New Zealand Inventory  | No  |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS)  | Yes |
|             |  |     |

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

### 16. Other information

Issue date 06-12-2017

Version # 01

United States & Puerto Rico

Health: 1 NFPA ratings

Flammability: 1 Instability: 0

Inventory name

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Disclaimer

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

On inventory or exempt (yes/no)\*

Yes

materials or in any process, unless specified in the text.

Material name: OAK DRAW® 829-A SDS Canada 7/8 

#### **Revision information**

Product and Company Identification: Product Codes Product and Company Identification: Product Codes
Hazards Identification: US Hazard Categories
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Transport Information: Proper Shipping Name/Packing Group
Regulatory Information: United States
HazReg Data: North America
GHS: Classification

Material name: OAK DRAW® 829-A SDS Canada 8/8