

# SAFETY DATA SHEET



Océ TonerPearls PP Yellow

A CANON COMPANY

## Section 1. Identification

**GHS product identifier** : Océ TonerPearls PP Yellow  
**Article number (Océ)** : 1060099516 / 25001509 / 29800189  
**Product code (Canon)** : 7503B022AA / 7503B040AA / 7503B014AA  
**Product type** : Solid.

### Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : Toner for use in Océ ColorWave Printers. Other uses are not recommended.

**Supplier's details** : Canon USA Inc. One Canon Park, Melville, NY 11747, USA 1-800-OK-CANON  
Canon Canada Inc. 6390 Dixie Road, Mississauga ON L5T 1P7, Canada 905-795-1111

**e-mail address of person responsible for this SDS** : sds-hq@oce.com

**Emergency telephone number (with hours of operation)** : USA: CHEMTREC# 1-800-424-9300 (24-hour safety information)  
Canada: CHEMTREC 1-703-741-5500 (24-hour safety information)

or

001866 928 0789 24h

For chemical emergencies only.

## Section 2. Hazards identification

**OSHA/HCS status** : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

**Classification of the substance or mixture** : Not classified.

### GHS label elements

**Signal word** : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

### Precautionary statements

**Prevention** : Not applicable.

**Response** : Not applicable.

**Storage** : Not applicable.

**Disposal** : Not applicable.

**Hazards not otherwise classified** : TonerPearls may cause choking when swallowed. Keep out of the reach of children.

## Section 3. Composition/information on ingredients

**Substance/mixture** : Mixture

### CAS number/other identifiers

**CAS number** : Not applicable.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

**Occupational exposure limits, if available, are listed in Section 8.**

## Section 4. First aid measures

### Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.
- Inhalation** : If inhaled, remove to fresh air. Clean nose, mouth and throat. Cough up.
- Skin contact** : Wash contaminated skin with soap and water. Do NOT use solvents or thinners.
- Ingestion** : Wash out mouth with water. Seek medical advice if large quantities have been ingested. Keep person warm and at rest. Do not induce vomiting unless directed to do so by medical personnel.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

### Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

- Suitable extinguishing media** : In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.
- Unsuitable extinguishing media** : Do not use water jet.

**Specific hazards arising from the chemical** : No specific fire or explosion hazard.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides

**Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

## Section 5. Fire-fighting measures

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8). See also Section 8 for additional information on hygiene measures.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

- Small spill** : Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### Precautions for safe handling

- Protective measures** : Use with adequate ventilation. See operator manual or safety data sheet of the copier/ printer.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. See also Section 8 for additional information on hygiene measures.

**Conditions for safe storage, including any incompatibilities** : Do not store above the following temperature: 35°C (95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

None.

**Appropriate engineering controls** : Use with adequate ventilation. See operator manual or safety data sheet of the copier/ printer.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

### Individual protection measures

**Hygiene measures** : Wash hands after handling compounds and before eating, smoking and using the lavatory and at the end of the day. Wash contaminated clothing before reusing.

**Eye/face protection** : Not required during normal intended use of this product.

#### Skin protection

**Hand protection** : Not required during normal intended use of this product.

**Body protection** : Not required during normal intended use of this product.

## Section 8. Exposure controls/personal protection

- Other skin protection** : Not required during normal intended use of this product.  
**Respiratory protection** : Not required during normal intended use of this product.

## Section 9. Physical and chemical properties

### Appearance

- Physical state** : Solid. [spheres]  
**Color** : Yellow.  
**Odor** : Faint odor.  
**Odor threshold** : Not available.  
**pH** : Not available.  
**Melting point** : 80 to 85°C (176 to 185°F)  
**Boiling point** : >250°C (>482°F)  
**Flash point** : Closed cup: >200°C (>392°F) [Based on test result of similar product.]  
**Evaporation rate** : Not available.  
**Flammability (solid, gas)** : Not available.  
**Lower and upper explosive (flammable) limits** : Not available.  
**Vapor pressure** : Not available.  
**Vapor density** : Not available.  
**Relative density** : 1.2 (20 °C)  
 1.08 (130 °C)  
**Solubility** : Soluble in the following materials: Ethyl methyl ketone  
 Partially soluble in the following materials: acetone, Ethanol.  
 Insoluble in the following materials: cold water and hot water.  
**Solubility in water** : <0.00001 g/l  
**Partition coefficient: n-octanol/water** : Not available.  
**Auto-ignition temperature** : 422°C (791.6°F)  
**Decomposition temperature** : Not available.  
**Viscosity** : 9.0 - 11.0 mPa·s (130 °C)

## Section 10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.  
**Chemical stability** : The product is stable.  
**Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.  
**Conditions to avoid** : None known.  
**Incompatible materials** : None known.  
**Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
C.I. Solvent Yellow 146	LD50 Oral	Rat	2000 to 5000 mg/kg	-
benzoic acid	LD50 Oral	Rat - Male	1700 mg/kg	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
benzoic acid	Skin - Mild irritant	Human	-	40 minutes 0.76 Percent	-
-	Skin - Moderate irritant	Human	-	72 hours 22 milligrams Intermittent	-

#### Conclusion/Summary

- Skin** : Non-irritating to the skin. Based on toxicological literature on the ingredients of this product and test results of similar products.
- Eyes** : Non-irritating to the eyes. Based on toxicological literature on the ingredients of this product and test results of similar products.
- Respiratory** : Not applicable. No adverse effects are expected under intended use.

#### Sensitization

Product/ingredient name	Route of exposure	Species	Result
C.I. Solvent Yellow 146	skin	Mouse	Sensitizing
Océ TonerPearls PP Yellow	skin	Mouse	Not sensitizing

#### Conclusion/Summary

- Skin** : Contains Solvent Yellow 146. May cause allergic reactions in certain individuals.

#### Mutagenicity

Product/ingredient name	Test	Experiment	Result
Océ TonerPearls PP Yellow	471 Bacterial Reverse Mutation Test	Subject: Bacteria	Negative

**Conclusion/Summary** : Not mutagenic in Ames test. Based on toxicological literature on the ingredients of this product and test results of similar products.

#### Carcinogenicity

**Conclusion/Summary** : No known significant effects or critical hazards.

#### Reproductive toxicity

Not available.

**Conclusion/Summary** : No known significant effects or critical hazards.

#### Teratogenicity

Not available.

**Conclusion/Summary** : No known significant effects or critical hazards.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
benzoic acid	Category 1	Not determined	lungs

#### Aspiration hazard

## Section 11. Toxicological information

Not available.

**Information on the likely routes of exposure** : Benzoic acid is classified as STOT RE 1 (inhalation, dust). However, Benzoic acid dust will not be formed due to the physical state of the toner. This was confirmed by means of emission measurements during normal use.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No specific data.  
**Inhalation** : No specific data.  
**Skin contact** : No specific data.  
**Ingestion** : No specific data.

### Numerical measures of toxicity

#### Acute toxicity estimates

Not available.

## Section 12. Ecological information

### Toxicity

Product/ingredient name	Result	Species	Exposure
C.I. Solvent Yellow 146 benzoic acid	LC50 1.6 mg/l Acute EC50 860 mg/l Fresh water	Fish Daphnia - Daphnia magna - Neonate	96 hours 48 hours
-	Acute LC50 180 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours

**Conclusion/Summary** : No known significant effects or critical hazards.

### Persistence and degradability

Not available.

### Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
benzoic acid	1,88	-	low

### Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : Incineration or landfill should only be considered when recycling is not feasible. Dispose of according to all federal, state and local applicable regulations.

**RCRA classification** : This product is not listed hazardous waste in accordance with Federal Regulation 40 CFR Part 261.

## Section 14. Transport information

	<b>DOT Classification</b>	<b>TDG Classification</b>	<b>Mexico Classification</b>	<b>ADR/RID</b>	<b>IMDG</b>	<b>IATA</b>
<b>UN number</b>	Not available.	Not available.	Not available.	Not available.	Not available.	Not available.
<b>UN proper shipping name</b>	Not available.	Not available.	Not available.	Not available.	Not available.	Not available.
<b>Transport hazard class(es)</b>	Not available.	Not available.	Not available.	Not available.	Not available.	Not available.
<b>Packing group</b>	-	-	-	-	-	-
<b>Environmental hazards</b>	No.	No.	No.	No.	No.	No.
<b>Additional information</b>	-	-	-	-	-	-

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according  
to Annex II of MARPOL  
73/78 and the IBC Code** : Not available.

## Section 15. Regulatory information

**U.S. Federal regulations** : **TSCA 8(a) CDR Exempt/Partial exemption:** Not determined  
Not determined.  
**Clean Water Act (CWA) 311:** benzoic acid

**Clean Air Act Section 112  
(b) Hazardous Air  
Pollutants (HAPs)** : Not listed

**Clean Air Act Section 602  
Class I Substances** : Not listed

**Clean Air Act Section 602  
Class II Substances** : Not listed

**DEA List I Chemicals  
(Precursor Chemicals)** : Not listed

**DEA List II Chemicals  
(Essential Chemicals)** : Not listed

### SARA 302/304

#### Composition/information on ingredients

No products were found.

**SARA 304 RQ** : Not applicable.

### SARA 311/312

**Classification** : Not applicable.

#### Composition/information on ingredients

## Section 15. Regulatory information

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
C.I. Solvent Yellow 146 benzoic acid	1 - 5 1 - 5	No. No.	No. No.	No. No.	Yes. Yes.	No. Yes.

### State regulations

- Massachusetts** : The following components are listed: BENZOIC ACID
- New York** : The following components are listed: Benzoic acid
- New Jersey** : The following components are listed: BENZOIC ACID
- Pennsylvania** : The following components are listed: BENZOIC ACID

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

## Section 16. Other information

### Hazardous Material Information System (U.S.A.)

Health	0
Flammability	0
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

## Section 16. Other information

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

### History

**Date of printing** : 28-09-2015

**Date of issue/Date of revision** : 28-09-2015

**Date of previous issue** : 11-06-2015

**Version** : 2

### Key to abbreviations

: ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
UN = United Nations

### References

: Not available.

✔ Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.