

Material Safety Data Sheet

Product

Odontoprep

Product Code

OPR15G

Last Revision

March 2016

Version

3

COMPANY DETAILS

COMPANY NAME: ADM – Australian Dental Manufacturing
ACN: 010 967 432

ADDRESS: 25 Billabong Street
Kenmore Hills
QLD 4069

TELEPHONE: 07 38781901
FAX: 07 38781903
EMAIL: info@austdent.com.au

EMERGENCY TELEPHONE NUMBER: 131 126

PRODUCT INFORMATION

PRODUCT NAME: OdontoPrep

UN Number	N/A
Dangerous Goods Class	Not Classified as Dangerous
Hazchem Code	N/A
Packaging Group	None allocated
Poison Schedule	None Allocated
Product Use	Endodontic Lubricant

COMPOSITION

Chemical Composition

HAZARDOUS INGREDIENTS:

Disodium EDTA
Mandelic Acid

CAS number

6381-92-6
17199-29-0

Proportion

12%
6%

NON-HAZARDOUS INGREDIENTS

Polyethylene Glycol
Water

25322-68-3
7732-18-5

10-40%
40-70%

Material Safety Data Sheet

Product

Odontoprep

Product Code

OPR15G

Last Revision

March 2016

Version

3

PHYSICAL AND CHEMICAL DATA

Appearance:	Translucent gel
Odour	Odourless
Melting Point:	Not available
Boiling Point	Not available
Vapour Pressure @ 20°C @ 25°C	Negligible
Specific Gravity	1.32
Flash Point	Not flammable
Flammable Limits	Not flammable
Auto ignition Temperature	Not flammable
Reactivity	Reacts with metals
Solubility	Completely miscible in all ratios with water

HEALTH HAZARDS IDENTIFICATION

This Product is classified as non-hazardous.

ACUTE EFFECTS

INGESTION:

- Feeling of illness, dizziness, loss of co-ordination.
- May cause irritation to the throat.

EYE

- Irritating to eyes. Safety glass compliant with Australian Standards AS 1337 must be worn during use of this product

SKIN:

- Negligible risk to skin if contact is minimal in time. Wash hands after handling the solution. Sensitisation may occur.

INHALED

- Risk is minimal due to limited production of vapor.

CHRONIC & OVEREXPOSURE

- Dermal irritation

Material Safety Data Sheet

Product

Odontoprep

Product Code

OPR15G

Last Revision

March 2016

Version

3

FIRST AID

INGESTION:

- The risk of ingestion is negligible. If ingestion occurs seek immediate medical attention.

EYE:

- Irrigate the eye with copious amounts of water for 15 minutes. Cover eyes and protect from light. Seek immediate medical attention.

SKIN:

- Remove clothing and wash area with copious amounts of water.

INHALED:

- Unlikely to cause problems as vapors produce are negligible.

EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA

No occupational exposure limits have been established. This does not mean that this substance is not harmful. Safe work practices should always be followed.

Personal Protection

- Use gloves and safety glasses when handling the product.

COMBUSTIBILITY

FIRE HAZARD &
EXPLOSION:

- Non-combustible.

Material Safety Data Sheet

Product

Odontoprep

Product Code

OPR15G

Last Revision

March 2016

Version

3

ACCIDENTAL RELEASE MEASURES

- Avoid contact with the gel.
- Wash contaminated area liberally with water.
- Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact. Wipe up small spills with paper toweling and dispose to bin. Disposal of waste must be in accordance with the Local Waste Disposal Authority.

HANDLING & STORAGE

- Product to be handled only by qualified staff in dental offices/laboratories.
- See product instructions for safe use
- Store in a cool well ventilated place out of direct sunlight.
- Store below 30°C.
- Protect containers from physical damage, keep containers closed when not in use, and check regularly for leaks.
- Avoid contact with skins and eyes.
- Do not store together with food.

Risk Phrases

R36/38: Irritating to eyes and skin

Safety Phrases

S2: Keep out of reach of children

S23/24/25: Avoid contact with skin and eyes and breathing vapours

STABILITY & REACTIVITY

REACTIVITY

- Stable at normal temperatures and pressure.

CONDITIONS TO AVOID:

- Avoid high temperatures

INCOMPATIBLES:

- Not compatible with metals

DECOMPOSITION

- No data available

Material Safety Data Sheet

Product

Odontoprep

Product Code

OPR15G

Last Revision

March 2016

Version

3

TOXICOLOGICAL INFORMATION

SYMPTOMS: No adverse health effects are expected if this product is handled in accordance with this Material Safety Data Sheet and the Product label/instructions and safe work practices are followed.

If the product is spilled or mishandled, symptoms noted in section "Acute Effect" may occur:

Long Term Effects:

Long term exposure may cause dermal irritation.

ECOLOGICAL INFORMATION

- Spillages from the small packaging of this product are unlikely to penetrate soils.
- Unlikely to cause long term adverse effects in the environment. This material is not expected to bioaccumulate but does not biodegrade readily.

DISPOSAL CONSIDERATIONS

Empty tubes are recyclable.

.

TRANSPORT INFORMATION

Classified as non-hazardous

UN NUMBER:

Non-allocated

CLASS:

SUBSIDIARY RISK:

HAZCHEM CODE:

Packaging Group

Material Safety Data Sheet

Product

Odontoprep

Product Code

OPR15G

Last Revision

March 2016

Version

3

REGULATORY INFORMATION

This product is registered as a Class I Medical Device by TGA.

CONTACT POINT

CONTACT: Business Hours: 07 38781901
 Mobile: 0419665074
 Emergency 131 126

This MSDS summarises our best knowledge of the health and safety hazard information of this Product and how to safely handle and use the product in the workplace.

Each user should read this MSDS and consider the information in the context of how the Product will be handled and used in the workplace including its use in conjunction with other products.

If clarification of any term in this MSDS or further information is required to ensure safe use of this Product can be made the user should contact ADM – Australian Dental Manufacturers

OTHER INFORMATION

This MSDS is prepared with consideration of the document “National Code of Practice for the Preparation of Material Safety Data Sheets”, 2nd Edition [NOHSC:2011(2003)], Worksafe Australia.

Contact Points:

Australia

Police & Fire:

000

National Poisons Information Centre:

131126 (anywhere in Australia)

READ LABEL CAREFULLY BEFORE USING PRODUCT

END OF MSDS