SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

PELLET/CART KIT, HMX, 2.625 DCST

Revision Date: 11-Jan-2012 Revision Number: 3

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name PELLET/CART KIT, HMX, 2.625 DCST

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Explosive Charge
Uses Advised Against No information available

Details of the supplier of the safety data sheet

Halliburton Energy Services

Halliburton House, Howemoss Place

Kirkhill Industrial Estate

Dyce

Aberdeen, AB21 0GN

United Kingdom

Emergency Phone Number: +44 1224 795277 or +1 281 575 5000

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

Emergency telephone number

+44 1224 795277 or +1 281 575 5000

+44 1224 /952// 01+	1 281 575 5000			
Emergency telephone §45 - (EC)1272/2008				
Europe	112			
Denmark	Poison Control Hotline (DK): +45 82 12 12 12			
France	ORFILA (FR): + 01 45 42 59 59			
Germany	Poison Center Berlin (DE): +49 030 30686 790			
Italy	Poison Center, Milan (IT): +39 02 6610 1029			
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)			
Norway	Poisons Information (NO):+ 47 22 591300			
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97			
Spain	Poison Information Service (ES): +34 91 562 04 20			
United Kingdom	NHS Direct (UK): +44 0845 46 47			

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture REGULATION (EC) No 1272/2008

Explosives	Division 1 4- H204

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

Revision Date: 11-Jan-2012

2. HAZARDS IDENTIFICATION

Classification

- Explosive. Ε

Risk Phrases

R2 Risk of explosion by shock, fire, friction, or other sources of ignition.

Label Elements

Hazard Pictograms





Signal Word

Warning

Hazard Statements

H204 - Fire or projection hazard

Contains

Substances Cyclotetramethylenetetranitramine (HMX) **CAS Number** 2691-41-0

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P240 - Ground/Bond container and receiving equipment

P250 - Do not subject to grinding/shock/friction

P370 + P380 - In case of fire: Evacuate area

P372 - Explosion risk in case of fire

P373 - DO NOT fight fire when fire reaches explosives

Other Hazards

None known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	EINECS	CAS Number	PERCENT	EEC Classification	EU - CLP Substance Classification	REACH No.
Cyclotetramethylenetet ranitramine (HMX)	220-260-0	2691-41-0	Unknown	E; R2	Expl. 1.4 (H204) Acute Tox. 3 (H311) STOT SE 1 (H370) STOT RE 2 (H373)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of first aid measures

Inhalation

Eyes

Skin

If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention. In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing. Wash with soap and water. Get medical attention if irritation persists.

, · ·

4. FIRST AID MEASURES

Ingestion

Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

Revision Date: 11-Jan-2012

Most Important symptoms and effects, both acute and delayed

May cause eye, skin, and respiratory irritation. May cause headache, dizziness, and other central nervous system effects. May effect the blood's ability to carry oxygen.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIREFIGHTING MEASURES

Extinguishing mediaó

Suitable Extinguishing Media

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

Special hazards arising from the substance of mixture

Special Exposure Hazards

May detonate with impact or on heating. May explode and throw fragments 1 mile or more in fire. Evacuate all persons, including emergency responders.

Advice for firefighters

Special Protective Equipment for Fire-Fighters

Not applicable.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Use only competent persons for cleanup.

See Section 12 for additional information

Environmental precautions

Prevent from entering sewers, waterways, or low areas.

Methods and material for containment and cleaning up

Isolate area and remove sources of friction, impact, heat, low level electrical current, and RF energy. Remove ignition sources and work with non-sparking tools.

Reference to other sections

See Section 12 for additional information.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Do NOT consume food, drink, or tobacco in contaminated areas. Avoid contact with eyes, skin, or clothing. Wash hands after use. Launder contaminated clothing before reuse.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

Conditions for safe storage, including any incompatibilities

Store only in ATF approved magazines. Keep away from friction, impact, and heat.

Specific End Use(s)

Exposure Scenario No information available Other Guidelines No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Substances EU UK OEL Netherlands France OEL Germa

Revision Date: 11-Jan-2012

8. EXPOSURE CONTROLS/PERSONAL PROTECTION					
Cyclotetramethylenetetra	Not applicable				
nitramine (HMX)					

Substances	Italy	Poland	Hungary	Czech Republic	Denmark
Cyclotetramethylenetetra	Not applicable				
nitramine (HMX)					

No information available. **Derived No Effect Level (DNEL) Predicted No Effect Concentration** No information available.

(PNEC)

Exposure controls

Engineering Controls Use in a well ventilated area.

Personal protective equipment

Respiratory Protection Dust/mist respirator. (N95, P2/P3)

Hand Protection Cloth gloves.

Skin Protection Cotton coveralls, undergarments, and socks. Conductive soled shoes.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

Environmental Exposure Controls No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Metallic **Physical State:** Color: Solid

Odorless Odor Threshold: No information available Odor:

Property Values

Remarks/ Method

pH: No data available Melting Point/Range No data available Freezing Point/Range (C): No data available Boiling Point/Range No data available **Flash Point** No data available No data available **Evaporation rate Vapor Pressure** No data available **Vapor Density** No data available **Specific Gravity** No data available Insoluble in water **Water Solubility** Solubility in other solvents No data available Partition coefficient: n-octanol/water No data available No data available **Autoignition Temperature** No data available **Decomposition Temperature Viscosity** No data available **Explosive Properties** No information available **Oxidizing Properties** No information available

Other information

VOC Content (%) No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable

Chemical Stability

Stable

Possibility of Hazardous Reactions

Will Not Occur

Conditions to Avoid

May detonate with friction, impact, heat, and low level electrical current.

Incompatible Materials

10. STABILITY AND REACTIVITY

Strong acids. Strong alkalis.

Hazardous Decomposition Products

Shrapnel. Oxides of nitrogen. Metal oxides. Carbon monoxide and carbon dioxide.

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Acute Toxicity

Inhalation May cause effects to the blood and blood system. May cause central nervous system

depression including headache, dizziness, drowsiness, incoordination, slowed reaction time,

Revision Date: 11-Jan-2012

slurred speech, giddiness and unconsciousness.

May cause damage to the nervous, urinary, and reproductive systems. Nitrogen oxides

generated during use are irritating to the respiratory system.

Eye Contact May cause eye irritation.

Skin Contact May be absorbed through the skin and contribute to the symptoms listed under ingestion.

Nitrogen oxides generated during use are skin irritants.

Ingestion May cause abdominal pain, vomiting, nausea, and diarrhea.

Chronic Effects/Carcinogenicity Prolonged or repeated exposure may cause blood forming system, nervous,

urinary tract and reproductive system damage. Prolonged or repeated exposure may cause embryo and fetus toxicity. Prolonged or repeated exposure may cause

liver damage.

Substances	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cyclotetramethylenetetranitrami	LD50: 6490 mg/kg	LD50:630 mg/kg	No data available
ne (HMX)			

12. ECOLOGICAL INFORMATION

Toxicity

Ecotoxicity Effects

Substances	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water
				Flea)
Cyclotetramethylenetetra	No information available	LC50: 8.8-26 mg/L	No information available	No information available
nitramine (HMX)		(Pimephales promelas)		

Persistence and degradability

No information available

Bioaccumulative potential

No information available

Mobility in soil

No information available

Results of PBT and vPvB assessment

No information available.

Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

Revision Date: 11-Jan-2012

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal Method Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Do NOT reuse container. Store only in ATF approved magazines.

14. TRANSPORT INFORMATION

IMDG/IMO

UN Number: UN0349.

Articles, Explosive, N.O.S., (Pressed Desensitized Pellets of HMX) **UN Proper Shipping Name:**

Transport Hazard Class(es): , II **Packing Group:**

EMS: EmS F-B, S-X

RID

UN Number: UN0349,

UN Proper Shipping Name: Articles, Explosive, N.O.S., (Pressed Desensitized Pellets of HMX)

Transport Hazard Class(es): , 1.4S **Packing Group:** , II

ADR

UN0349, **UN Number:**

UN Proper Shipping Name: Articles, Explosive, N.O.S., (Pressed Desensitized Pellets of HMX)

Transport Hazard Class(es): , 1.4S , II **Packing Group:**

IATA/ICAO

UN Number: UN0349.

UN Proper Shipping Name: Articles, Explosive, N.O.S., (Pressed Desensitized Pellets of HMX)

, 1.4S Transport Hazard Class(es): , II **Packing Group:**

Special Precautions for User None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory This product, and all its components, complies with EINECS

US TSCA Inventory All components listed on inventory or are exempt. **Canadian DSL Inventory** All components listed on inventory or are exempt.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering

Classes (WGK)

Not determined.

Chemical Safety Assessment

No information available

16. OTHER INFORMATION

Revision Date: 11-Jan-2012

Full text of R-phrases referred to under Sections 2 and 3

R2 Risk of explosion by shock, fire, friction, or other sources of ignition.

Key literature references and sources for data

www.ChemADVISOR.com/

Revision Date: 11-Jan-2012 Revision Note Not applicable

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet