SAFETY DATA SHEET



Date of issue/Date of revision26 September 2016Version 5

Section 1. Identification		
Product name	: PERFORMA 0VOC FLAT NBASE 611503	
Product code	: 00414770	
Other means of identification	: Not available.	
Product type	: Liquid.	
Relevant identified uses of	of the substance or mixture and uses advised against	
Product use	: Industrial applications, Used by spraying.	
Use of the substance/ mixture	: Coating.	
Uses advised against	: Not applicable.	
Manufacturer	: PPG Industries, Inc. One PPG Place Pittsburgh, PA 15272	
Emergency telephone number	: (412) 434-4515 (U.S.) (514) 645-1320 (Canada) 01-800-00-21-400 (Mexico)	

Technical Phone Number : 1-800-441-9695 (8:00 am to 5:00 pm EST)

Section 2. Hazards identification

: Not applicable.	
: Not applicable.	
: Not applicable.	
: No known significant effects or critical hazards.	
: No signal word.	
Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 46	.8%
: Not classified.	
Standard (29 CFR 1910.1200), this SDS contains valuable information critic	al to the
S	 Not classified. Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 46 No signal word. No known significant effects or critical hazards. S Not applicable. Not applicable.

Product name PERFORMA 0VOC FLAT NBASE 611503

Section 2. Hazards identification

Disposal	: Not applicable.
Supplemental label elements	: Emits toxic fumes when heated.
Hazards not otherwise classified	: None known.

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Product name	: PERFORMA 0VOC FLAT NBASE 611503

Ingredient name	%	CAS number
	≥20 - ≤50 ≥5.0 - ≤10	1317-65-3 61790-53-2

SUB codes represent substances without registered CAS Numbers.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

Description of necessary first aid measures

Eye contact		nove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids rt for at least 10 minutes and seek immediate medical advice.
Inhalation	: Ren irreg	nove to fresh air. Keep person warm and at rest. If not breathing, if breathing is gular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained sonnel.
Skin contact		nove contaminated clothing and shoes. Wash skin thoroughly with soap and water se recognized skin cleanser. Do NOT use solvents or thinners.
Ingestion		vallowed, seek medical advice immediately and show this container or label. Keep son warm and at rest. Do NOT induce vomiting.
Most important symptoms/e	ffects, a	cute and delayed
Potential acute health effe	<u>ts</u>	
Eye contact	: No l	known significant effects or critical hazards.
Inhalation	: No l	known significant effects or critical hazards.
Skin contact	: No l	known significant effects or critical hazards.
Ingestion	: No l	known significant effects or critical hazards

Over-exposure signs/symptoms

Eye contact	
-------------	--

: No specific data.

Date of issue 26 September 2016Version 5

Product name PERFORMA 0VOC FLAT NBASE 611503

Section 4. First aid measures

Inhalation	1	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	1	No specific treatment.
Protection of first-aiders	1	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protect	ive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Product name PERFORMA 0VOC FLAT NBASE 611503

Section 6. Accidental release measures

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

 Methods and materials for containment and cleaning up

 Small spill
 : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

 Large spill
 : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling	1
Protective measures Special precautions	 Put on appropriate personal protective equipment (see Section 8). If this material is part of a multiple component system, read the Safety Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

= Short term Exposure limit values

= Threshold Limit Value

= Time Weighted Average

= Total dust

Product name PERFORMA 0VOC FLAT NBASE 611503

Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
☑ mestone Diatomaceous earth	OSHA PEL (United States, 2/2013). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust OSHA PEL Z3 (United States, 2/2013). TWA: 20 mppcf 8 hours. TWA: 80 mg/m ³ / (%SiO2) 8 hours.
A = Acceptable Maximum Peak ACGIH = American Conference of Governmental Industrial Hygienists. C = Ceiling Limit	S = Potential skin absorption SR = Respiratory sensitization SS = Skin sensitization

STEL

TD

TLV

TWA

- = Ceiling Limit С
- F = Fume
- IPEL = Internal Permissible Exposure Limit
- OSHA = Occupational Safety and Health Administration.
 - R = Respirable

Ζ = OSHA 29 CFR 1910.1200 Subpart Z - Toxic and Hazardous Substances

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures	:	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Appropriate engineering controls Environmental exposure controls		Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measur	<u>'es</u>	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection <u>Skin protection</u>	:	Safety glasses with side shields.
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Product name PERFORMA 0VOC FLAT NBASE 611503

Section 8. Exposure controls/personal protection

Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Section 9. Physical and chemical properties

Physical state:Liquid.Color:VariousOdor:Characteristic.Odor:Characteristic.Odor threshold:Not available.pH:9Melting point:Not available.Boiling point:100°C (212°F)Flash point:Closed cup: Not applicable. [Product does not sustain combustion.]Auto-ignition temperature:Not available.Decomposition temperature:Not available.Flammability (solid, gas):Not available.Furmmability (solid, gas):Not available.Evaporation rate:0.05 (butyl acetate = 1)Vapor pressure:0.05 (butyl acetate = 1)Vapor density:1.25Density (lbs / gal):1.25Density (lbs / gal):Not available.Solubility:0.21 cm²/s (>21 cSt)Viscosity::Viscosity::% Solid. (w/w)::% Solid. (w/w):% Solid. (w/w):% Solid. (w/w):	<u>Appearance</u>	
Odor:Characteristic.Odor threshold:Not available. pH :9Melting point:Not available.Boiling point:100°C (212°F)Flash point:Closed cup: Not applicable. [Product does not sustain combustion.]Auto-ignition temperature:Not available.Decomposition temperature:Not available.Flammability (solid, gas):Not available.Flammability (solid, gas):Vot available.Evaporation rate:0.05 (butyl acetate = 1)Vapor pressure:3.3 kPa (25 mm Hg) [room temperature]Vapor density:1.25Density (lbs / gal):10.43Solubility:Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water:Not available.Viscosity:Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility:62% (v/v), 49.17% (w/w)	Physical state	: Liquid.
Odor threshold: Not available.pH:9Melting point: Not available.Boiling point: 100°C (212°F)Flash point: Closed cup: Not applicable. [Product does not sustain combustion.]Auto-ignition temperature: Not available.Decomposition temperature: Not available.Flammability (solid, gas): Not available.Evaporation rate: Upper: 0%(flammable) limits:Evaporation rate: 0.05 (butyl acetate = 1)Vapor pressure: 3.3 kPa (25 mm Hg) [room temperature]Vapor density: 1.25Density (lbs / gal): 10.43Solubility: Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility: 62% (v/v), 49.17% (w/w)	Color	: Various
pH:9Melting point:Not available.Boiling point:100°C (212°F)Flash point:Closed cup: Not applicable. [Product does not sustain combustion.]Auto-ignition temperature:Not available.Decomposition temperature:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Upper: 0%(flammable) limits:0.05 (butyl acetate = 1)Vapor pressure:3.3 kPa (25 mm Hg) [room temperature]Vapor density:1.25Density (lbs / gal):10.43Solubility:Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water:Not available.Viscosity:Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility:62% (v/v), 49.17% (w/w)	Odor	: Characteristic.
Melting point: Not available.Boiling point: 100°C (212°F)Flash point: Closed cup: Not applicable. [Product does not sustain combustion.]Auto-ignition temperature: Not available.Decomposition temperature: Not available.Flammability (solid, gas): Not available.Lower and upper explosive: Upper: 0%(flammable) limits: 0.05 (butyl acetate = 1)Vapor pressure: 3.3 kPa (25 mm Hg) [room temperature]Vapor density: Not available.Relative density: 1.25Density (Ibs / gal): 10.43Solubility: Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility: 62% (v/v), 49.17% (w/w)	Odor threshold	: Not available.
Boiling point:100°C (212°F)Flash point:Closed cup: Not applicable. [Product does not sustain combustion.]Auto-ignition temperature:Not available.Decomposition temperature:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Upper: 0%(flammable) limits:0.05 (butyl acetate = 1)Evaporation rate:0.05 (butyl acetate = 1)Vapor pressure:3.3 kPa (25 mm Hg) [room temperature]Vapor density:Not available.Relative density:1.25Density (lbs / gal):10.43Solubility:Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water:Not available.Viscosity:Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility:62% (v/v), 49.17% (w/w)	рН	: 9
Flash point: Closed cup: Not applicable. [Product does not sustain combustion.]Auto-ignition temperature: Not available.Decomposition temperature: Not available.Flammability (solid, gas): Not available.Lower and upper explosive: Upper: 0%(flammable) limits: 0.05 (butyl acetate = 1)Vapor pressure: 3.3 kPa (25 mm Hg) [room temperature]Vapor density: Not available.Relative density: 1.25Density (lbs / gal): 10.43Solubility: Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility: 62% (v/v), 49.17% (w/w)	Melting point	: Not available.
Auto-ignition temperature: Not available.Decomposition temperature: Not available.Flammability (solid, gas): Not available.Lower and upper explosive: Upper: 0%(flammable) limits: Upper: 0%Evaporation rate: 0.05 (butyl acetate = 1)Vapor pressure: 3.3 kPa (25 mm Hg) [room temperature]Vapor density: Not available.Relative density: 1.25Density (lbs / gal): 10.43Solubility: Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility: 62% (v/v), 49.17% (w/w)	Boiling point	: 100°C (212°F)
Decomposition temperature: Not available.Flammability (solid, gas): Not available.Lower and upper explosive: Upper: 0%(flammable) limits: Upper: 0%Evaporation rate: 0.05 (butyl acetate = 1)Vapor pressure: 3.3 kPa (25 mm Hg) [room temperature]Vapor density: Not available.Relative density: 1.25Density (lbs / gal): 10.43Solubility: Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility: 62% (v/v), 49.17% (w/w)	Flash point	: Closed cup: Not applicable. [Product does not sustain combustion.]
Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Upper: 0%Evaporation rate: 0.05 (butyl acetate = 1)Vapor pressure: 3.3 kPa (25 mm Hg) [room temperature]Vapor density: Not available.Relative density: 1.25Density (lbs / gal): 10.43Solubility: Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility: 62% (v/v), 49.17% (w/w)	Auto-ignition temperature	: Not available.
Lower and upper explosive (flammable) limits: Upper: 0%Evaporation rate: 0.05 (butyl acetate = 1)Vapor pressure: 3.3 kPa (25 mm Hg) [room temperature]Vapor density: Not available.Relative density: 1.25Density (lbs / gal): 10.43Solubility: Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility: 62% (v/v), 49.17% (w/w)	Decomposition temperature	: Not available.
(flammable) limitsEvaporation rate: 0.05 (butyl acetate = 1)Vapor pressure: 3.3 kPa (25 mm Hg) [room temperature]Vapor density: Not available.Relative density: 1.25Density (lbs / gal): 10.43Solubility: Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility: 62% (v/v), 49.17% (w/w)	Flammability (solid, gas)	: Not available.
Vapor pressure: 3.3 kPa (25 mm Hg) [room temperature]Vapor density: Not available.Relative density: 1.25Density (lbs / gal): 10.43Solubility: Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility: 62% (v/v), 49.17% (w/w)		: Upper: 0%
Vapor density: Not available.Relative density: 1.25Density (lbs / gal): 10.43Solubility: Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility: 62% (v/v), 49.17% (w/w)	Evaporation rate	: 0.05 (butyl acetate = 1)
Relative density: 1.25Density (lbs / gal): 10.43Solubility: Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility: 62% (v/v), 49.17% (w/w)	Vapor pressure	: 3.3 kPa (25 mm Hg) [room temperature]
Density (lbs / gal): 10.43Solubility: Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility: 62% (v/v), 49.17% (w/w)	Vapor density	: Not available.
Solubility: Partially soluble in the following materials: cold water.Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility: 62% (v/v), 49.17% (w/w)	Relative density	: 1.25
Partition coefficient: n- octanol/water: Not available.Viscosity: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)Volatility: 62% (v/v), 49.17% (w/w)	Density(lbs / gal)	: 10.43
octanol/water : Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt) Volatility : 62% (v/v), 49.17% (w/w)	Solubility	: Partially soluble in the following materials: cold water.
Viscosity : Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt) Volatility : 62% (v/v), 49.17% (w/w)	Partition coefficient: n-	: Not available.
Volatility : 62% (v/v), 49.17% (w/w)	octanol/water	
	Viscosity	: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)
% Solid. (w/w) : 50.83	Volatility	: 62% (v/v), 49.17% (w/w)
	% Solid. (w/w)	: 50.83

Section 10. Stability and reactivity

	United States Page: 6/11
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Chemical stability	: The product is stable.
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.

Date of issue 26 September 2016Version 5

Product name PERFORMA 0VOC FLAT NBASE 611503

Section 10. Stability and reactivity

Refer to protective measures listed in sections 7 and 8.

Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
Hazardous decomposition products	:	Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity				
Conclusion/Summary	1	There are	e no data av	vailable on the mixture itself.
Irritation/Corrosion				
Conclusion/Summary				
Skin	1	There are	e no data av	vailable on the mixture itself.
Eyes	1	There are	e no data av	ailable on the mixture itself.
Respiratory	1	There are	e no data av	vailable on the mixture itself.
Sensitization				
Conclusion/Summary				
Skin	1	There are	e no data av	vailable on the mixture itself.
Respiratory	1	There are	e no data av	vailable on the mixture itself.
Mutagenicity				
Conclusion/Summary	1	There are	e no data av	ailable on the mixture itself.
Carcinogenicity				
Conclusion/Summary	1	There are	e no data av	vailable on the mixture itself.
Classification				
Product/ingredient name		OSHA	IARC	NTP

3

_

Carcinogen Classification code:

IARC: 1, 2A, 2B, 3, 4 NTP: Known to be a human carcinogen; Reasonably anticipated to be a human carcinogen OSHA: + Not listed/not regulated: -

_

Reproductive toxicity

Diatomaceous earth

Conclusion/Summary : There are no data available on the mixture itself.

Teratogenicity

Conclusion/Summary : There are no data available on the mixture itself.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Product name PERFORMA 0VOC FLAT NBASE 611503

Section 11. Toxicological information

Target organs

: Contains material which may cause damage to the following organs: lungs, upper respiratory tract, skin, eyes.

Aspiration hazard

Not available.

Information on the likely routes of exposure

Potential acute health effects

Potential acute nealth effect	<u>S</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sympt	<u>oms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effec	ts and also chronic effects from short and long term exposure
Conclusion/Summary	: There are no data available on the mixture itself. If splashed in the eyes, the liquid may cause irritation and reversible damage. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.
<u>Short term exposure</u>	
Potential immediate effects	: There are no data available on the mixture itself.
Potential delayed effects	: There are no data available on the mixture itself.
<u>Long term exposure</u>	
Potential immediate effects	: There are no data available on the mixture itself.
Potential delayed effects	: There are no data available on the mixture itself.
Potential chronic health effe	<u>cts</u>
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Not available.	

Product name PERFORMA 0VOC FLAT NBASE 611503

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

<u>Mobility in soil</u>

Soil/water partition coefficient (Koc)

: Not available.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewere
	sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

14. Transport information					
	DOT	IMDG	IATA		
UN number	Not regulated.	Not regulated.	Not regulated.		
UN proper shipping name	-	-	-		
Transport hazard class (es)	-	-	-		
Packing group	-	-	-		
Environmental hazards	No.	No.	No.		
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.		

United States	Page: 9/11
---------------	------------

Date of issue 26 September 2016Version 5

Product name PERFORMA 0VOC FLAT NBASE 611503

14. Transport information

Additional information

- **DOT** : None identified.
- **IMDG** : None identified.
- IATA : None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

United States

United States inventory (TSCA 8b) : All components are listed or exempted.

SARA 302/304

SARA 304 RQ : Not applicable.

Composition/information on ingredients

No products were found.

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

Name	hazard	Sudden release of pressure		(acute) health	Delayed (chronic) health hazard
Ďíatomaceous earth	Yes.	No.	No.	No.	No.

Additional environmental information is contained on the Environmental Data Sheet for this product, which can be obtained from your PPG representative.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health : 1 * Flammability : 0 Physical hazards : 0

(*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

Health :1Flammability :0Instability :0Date of previous issue:5/1/2016Organization that prepared:EHSthe MSDS	National Fire Protection Ass	ociation (U.	. S.A .)		
Organization that prepared : EHS	Health : 1 Flamma	ability : 0	Instability	1	0
• • • •	Date of previous issue	: 5/1/201	6		
	• • •	: EHS			

United States Page: 10/11

Product name PERFORMA 0VOC FLAT NBASE 611503

Section 16. Other information

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
----------------------	---

Indicates information that has changed from previously issued version.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.