

MATERIAL SAFETY DATA SHEET

REVISION DATE: 04/19/2012 REVISION NUMBER: 3

DATE PRINTED: 04/19/2012 **PREPARED BY:** EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: PHOS-TEC 2112

PRODUCT CODE: 118346

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

 Health:
 2/2
 Fire:
 0/0

 Reactivity:
 0/0
 Special/Protective Equipment:
 Acid/C

NAME OF THE Rochester Midland Corporation

MANUFACTURER: 155 Paragon Drive

Rochester, New York 14624

USA

Emergency Phone:

INFOTRAC: 1-800-535-5053 OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: May cause severe damage of gastrointestinal tract. May cause kidney damage. Aspiration can

be a hazard if this material is swallowed.

SKIN CONTACT: Causes severe burns. Prolonged contact can cause skin damage.

INHALATION: Can cause damage to mucous membranes of nose, throat, respiratory tract and lung tissue

depending on severity of exposure.

EYE CONTACT: Corrosive to eye tissue and may cause severe damage and blindness.

CHRONIC EFFECTS: Prolonged contact may cause dryness and irritation. Repeated overexposure may cause

damage to liver, kidney, and red blood cells.

EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.

ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Phosphoric acid 7664-38-2	10 - 20	1 mg/m ³	1 mg/m³

4. FIRST AID MEASURES

INGESTION: DO NOT INDUCE VOMITING. Drink promptly a large quantity of water, egg white, or gelatin

solution. Get immediate medical attention. Never give anything by mouth to an unconcious

person.

SKIN: Wash with soap and water. Remove contaminated clothing and discard. Get medical attention

if irritation persists.

INHALATION: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-

mouth. Aid in breathing, if necessary, and get immediate medical attention.

EYES: In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least

15 minutes and get medical attention immediately after flushing.

NOTES TO PHYSICIAN: None.

PHOS-TEC 2112

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: (F): None (C): Not determined

METHOD: ASTM D93

FLAMMABLE LIMITS IN AIR

LOWER (%): ND UPPER (%): ND

SENSITIVITY TO MECHANICAL IMPACT(Y/N): NO

SENSITIVITY TO STATIC DISCHARGE: Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA: Water fog, carbon dioxide, foam, dry chemical.

FIRE FIGHTING PROCEDURES: Cool exposed containers with water spray. Firefighters should be

equipped with self-contained breathing apparatus and turn out gear.

6. ACCIDENTAL RELEASE MEASURES

__

SPILL PROCEDURES:

SMALL SPILLS: Reclaim as much as possible. Flush residue with water.

LARGE SPILLS: Reclaim as much as possible. Shovel or sweep up residue and place in suitable containers.

PERSONAL PRECAUTIONS: Not applicable ENVIRONMENTAL PRECAUTIONS: Not applicable METHODS FOR CLEANING UP: Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKENIN HANDLING AND STORAGE:

DANGER: Mildly acidic liquid. Avoid contact with skin and eyes. Avoid breathing vapors, if exposed to high vapor concentration, leave area at once. Wash thoroughly after handling.

Store in a cool, dry area.

Keep container closed when not in use.

OTHER PRECAUTIONS: Empty containers may retain product residue, follow MSDS/label precautions even after

container is emptied.

SPECIFIC USE(S): Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS: None known.

RESPIRATORY PROTECTION: Use NIOSH approved organic vapor respirator as needed if spray mist or vapors exceed PEL

or TLV.

PROTECTIVE GLOVES: Rubber or plastic gloves recommended to minimize skin contact.

EYE PROTECTION: Goggles.

OTHER PERSONAL PROTECTION

EQUIPMENT: VENTILATION:

Appropriate protective clothing as needed to prevent skin contact.

Adequate ventilation should be provided to keep dust concentrations below acceptable exposure limits. Discharge from the ventilation system should comply with the applicable air

pollutions control regulations. Eliminate ignition sources.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear, colorless liquid. Mild odor.

BOILING POINT (F): 220 F

VAPOR PRESSURE: < 1 @ 20 C (63 F)

VAPOR DENSITY (AIR=1): > 1
SOLUBILITY IN WATER: Complete
SPECIFIC GRAVITY: 0.990 - 1.010

Page 2 of 4

(C) Not determined

PHOS-TEC 2112

9. PHYSICAL AND CHEMICAL PROPERTIES

VOC Content (%):

EVAPORATION RATE:

ND

PH: 1.0 - 3.0 (1% Solution)

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.

HAZARDOUS DECOMPOSITION: Oxides of Carbon. Oxides of Nitrogen. Carbon Monoxide. Carbon Dioxide.

INCOMPATIBILITY (MATERIALS TO Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Avoid contact with:

AVOID):

Bases, such as caustic soda, bleach, ammonia, etc. Alkalines.

CONDITIONS/HAZARDS TO AVOID: Extreme heat, direct sunlight.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not Established EFFECTS OF CHRONIC EXPOSURE: Not established. OTHER TOXIC EFFECTS: Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL No data at this time

INFORMATION:

CHEMICAL FATE INFORMATION:
MOBILITY:
PERSISTENCE/DEGRADABILITY:
BIOACCUMULATIVE POTENTIAL:
OTHER ADVERSE EFFECTS:
No data at this time.
Not applicable.
Not applicable
Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Phosphoric acid 7664-38-2	10 - 20	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Phosphoric acid 7664-38-2	10 - 20	2270 kg 5000 lb	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Phosphoric acid 7664-38-2	10 - 20	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PHOS-TEC 2112

PRODUCT COMPOSITION CAS#	%	MARTK:
Phosphoric acid 7664-38-2	10 - 20	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Phosphoric acid 7664-38-2	10 - 20	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Phosphoric acid 7664-38-2	10 - 20	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***