



MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008
DATE PRINTED: 11/11/2008

REVISION NUMBER: 2
PREPARED BY: EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: **POWER-SOL**
PRODUCT CODE: 118743

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health:	2/2	Fire:	2/2
Reactivity:	0/0	Special/Protective Equipment:	None/B
NAME OF THE MANUFACTURER:	Rochester Midland Corporation 333 Hollenbeck Street Rochester, New York 14621	Information: 585-336-2200 Emergency Phone: INFOTRAC: 1-800-535-5053 OUTSIDE US: 1-352-323-3500	

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION:	Irritation, nausea, vomiting and possible dizziness. Aspiration of ingested or vomited liquid into the lungs may cause chemical pneumonia, which can be fatal.
SKIN CONTACT:	Causes burns.
INHALATION:	Inhalation of spray mists irritating to nose and throat; possible nausea, dizziness. May cause Central Nervous System effects.
EYE CONTACT:	Causes eye burns.
CHRONIC EFFECTS:	None expected in normal use.
EFFECTS/CARCINOGENICITY:	None listed under OSHA, IARC, or NTP. Contains an ingredient which has been determined by NTP to be an animal carcinogen with no known relevance to humans.
ROUTES OF ENTRY:	Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Sodium Silicate 6834-92-0	5 - 10	NA	NA
Ethylene glycol butyl ether 111-76-2	1 - 5	20 ppm	240 mg/m ³ 50 ppm
Sodium tripolyphosphate 7758-29-4	1 - 5	NA	NA
Sodium dodecylbenzene sulfonate 25155-30-0	1 - 5	NA	NA

4. FIRST AID MEASURES

INGESTION:	Get immediate medical attention. DO NOT INDUCE VOMITING. May cause aspiration pneumonia. Never give anything by mouth to an unconscious person.
SKIN:	Flush with water for at least 15 minutes while removing all contaminated clothing and shoes. Get medical attention if irritation persists.
INHALATION:	If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.
EYES:	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

POWER-SOL

4. FIRST AID MEASURES

NOTES TO PHYSICIAN: None.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): None (C): 63 C
METHOD: TCC

FLAMMABLE LIMITS IN AIR

- LOWER (%): 0.5%
- UPPER (%): 5.0% min.

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

SENSITIVITY TO STATIC DISCHARGE:

SUITABLE EXTINGUISHING MEDIA:

FIRE FIGHTING PROCEDURES:

NO

Sensitivity to static discharge is not expected.

Water fog, carbon dioxide, foam, dry chemical.

Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed containers with water spray. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS: Mop up all possible. Flush residue with water.

LARGE SPILLS: Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water.

PERSONAL PRECAUTIONS: NA

ENVIRONMENTAL PRECAUTIONS: NA

METHODS FOR CLEANING UP: NA

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Caution: Use only with adequate ventilation. Do not store near heat, sparks or flame. Do not store near oxidizing agents. Store only in original container and keep closed. Do not reuse container. Avoid contact with skin and eyes. Do not breathe mist or vapors.

OTHER PRECAUTIONS:

Keep out of reach of children.

SPECIFIC USE(S):

NA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

Use in a well ventilated area.

RESPIRATORY PROTECTION:

Not normally required. If product is used in a manner which creates dust or mist above recommended exposure limits, a NIOSH/MSHA approved respirator with dust/mist filter may be needed in the absence of proper environmental controls.

Solvent resistant material such as Viton, neoprene or nitrile rubber.

PROTECTIVE GLOVES:

Safety Glasses. Goggles.

EYE PROTECTION:
OTHER PERSONAL PROTECTION EQUIPMENT:

Appropriate protective clothing as needed to prevent skin contact.

VENTILATION:

General mechanical and/or local exhaust as needed to meet exposure limits if mist in air. Use non-sparking equipment.

POWER-SOL

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Clear. Orange Red. Liquid.	
BOILING POINT (F):	Above 212 F	(C) NA
VAPOR PRESSURE:	NA	
VAPOR DENSITY (AIR=1):	NA	
SOLUBILITY IN WATER:	Complete	
SPECIFIC GRAVITY:	1.04 - 1.06	
VOC Content (%):	NE	
VOV Content (%):	NE	
EVAPORATION RATE:	Unknown	
PH:	11	

10. STABILITY AND REACTIVITY

STABILITY DATA:	STABLE
POLYMERIZATION:	Will Not Occur.
HAZARDOUS DECOMPOSITION:	Incomplete combustion produces: Fumes. Smoke. Carbon Dioxide. Carbon Monoxide.
INCOMPATIBILITY (MATERIALS TO AVOID):	Acids. Strong oxidants, such as nitric acid, or hypochlorites.
CONDITIONS/HAZARDS TO AVOID:	Open flames. Welding arcs. Avoid any source of ignition.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:	NE
EFFECTS OF CHRONIC EXPOSURE:	NE
OTHER TOXIC EFFECTS:	NE

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION:	No data at this time
CHEMICAL FATE INFORMATION:	No data at this time.
MOBILITY:	NA
PERSISTENCE/DEGRADABILITY:	NA
BIOACCUMULATIVE POTENTIAL:	NA
OTHER ADVERSE EFFECTS:	NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

POWER-SOL

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Sodium Silicate 6834-92-0	5 - 10	Listed	Not Listed	Listed	Not Listed
Ethylene glycol butyl ether 111-76-2	1 - 5	Listed	Listed	Listed	Not Listed
Sodium tripolyphosphate 7758-29-4	1 - 5	Listed	Listed	Listed	Not Listed
Sodium dodecylbenzene sulfonate 25155-30-0	1 - 5	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Sodium Silicate 6834-92-0	5 - 10	Not Listed	Not Listed	Not Listed
Ethylene glycol butyl ether 111-76-2	1 - 5	Not Listed	Not Listed	Listed
Sodium tripolyphosphate 7758-29-4	1 - 5	2270 kg 5000 lb	Not Listed	Not Listed
Sodium dodecylbenzene sulfonate 25155-30-0	1 - 5	1000 lb 454 kg	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Sodium Silicate 6834-92-0	5 - 10	Listed
Ethylene glycol butyl ether 111-76-2	1 - 5	Listed
Sodium dodecylbenzene sulfonate 25155-30-0	1 - 5	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Ethylene glycol butyl ether 111-76-2	1 - 5	Listed
Sodium tripolyphosphate 7758-29-4	1 - 5	Listed
Sodium dodecylbenzene sulfonate 25155-30-0	1 - 5	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Ethylene glycol butyl ether 111-76-2	1 - 5	Listed
Sodium tripolyphosphate 7758-29-4	1 - 5	Listed
Sodium dodecylbenzene sulfonate 25155-30-0	1 - 5	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Ethylene glycol butyl ether 111-76-2	1 - 5	Listed
Sodium tripolyphosphate 7758-29-4	1 - 5	Listed
Sodium dodecylbenzene sulfonate 25155-30-0	1 - 5	Listed

16. OTHER INFORMATION

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

***** END OF MSDS *****