

## MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008 REVISION NUMBER: 2

**DATE PRINTED:** 11/11/2008 **PREPARED BY:** EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: POWER FOAM B

PRODUCT CODE: 118393

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health:3/3Fire:0/0Reactivity:1/1Special/Protective Equipment:CORR/C

NAME OF THE Rochester Midland Corporation Information: 585-336-2200

**MANUFACTURER:** 333 Hollenbeck Street Emergency Phone:

Rochester, New York 14621 INFOTRAC: 1-800-535-5053 OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

**EFFECTS FROM ACUTE EXPOSURE:** 

**INGESTION:** Causes burns of the mouth, throat and stomach. SKIN CONTACT: Causes severe skin irritation with tissue destruction.

**INHALATION:** Causes irritation of the mouth,nose,and throat. May irritate the lungs.

**EYE CONTACT:** Corrosive. Causes eye burns.

CHRONIC EFFECTS: None known.

**EFFECTS/CARCINOGENICITY:** None listed under OSHA, IARC, or NTP.

**ROUTES OF ENTRY:** Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	%	ACGIH TLV	OSHA PELs
CAS#			
Sodium hypochlorite 7681-52-9	1.0-5.0	NA	NA
POTASSIUM HYDROXIDE 1310-58-3	5.0-10.0	NA	NA

### 4. FIRST AID MEASURES

INGESTION: DO NOT INDUCE VOMITING. Get immediate medical attention. Rinse mouth.

**SKIN:** Flush with water for at least 15 minutes while removing all contaminated clothing and shoes.

Get medical attention.

**INHALATION:** If inhaled, move victim to fresh air and seek medical attention.

**EYES:** Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate

medical attention.

NOTES TO PHYSICIAN: Probable mucosal damage may contraindicate gastric lavage.

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): None (C): NA

METHOD: None

FLAMMABLE LIMITS IN AIR

#### **POWER FOAM B**

- LOWER (%): None
- UPPER (%): None

SENSITIVITY TO MECHANICAL IMPACT(Y/N): NO

SENSITIVITY TO STATIC DISCHARGE: Sensitivity to static discharge is not expected. SUITABLE EXTINGUISHING MEDIA: As for surrounding fire. None - does not burn.

FIRE FIGHTING PROCEDURES: Wear self-contained breathing equipment and rubber protective

clothing.

#### 6. ACCIDENTAL RELEASE MEASURES

**SPILL PROCEDURES:** 

**SMALL SPILLS:** Pick up with absorbant material.

LARGE SPILLS: Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

PERSONAL PRECAUTIONS: NA
ENVIRONMENTAL PRECAUTIONS: NA
METHODS FOR CLEANING UP: NA

### 7. HANDLING AND STORAGE

**PRECAUTIONS TO BE TAKEN**IN HANDLING AND STORAGE:

Danger: Corrosive. Avoid contact with eyes, skin and clothing. Keep container closed when not in use. Use only in a well ventilated area. Wash thoroughly after handling. Avoid creating mists

in use. Use only in a well ventilated area, wash thoroughly after handling. Avoid creating mistor aerosols. Store away from acids.

OTHER PRECAUTIONS: No other spill procedures necessary.

SPECIFIC USE(S): NA

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



**EXPOSURE CONTROLS:** Use in a well ventilated area.

**RESPIRATORY PROTECTION:** Cartridge respirator.

**PROTECTIVE GLOVES:** Butyl rubber. Neoprene. Nitrile gloves. PVC. Rubber gloves.

**EYE PROTECTION:** Goggles. Face shield.

OTHER PERSONAL PROTECTION E

EQUIPMENT:

Eyewash fountains and safety showers must be easily accessible.

**VENTILATION:** General mechanical and/or local exhaust as needed if mist or vapors cause irritation.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear liquid. Chlorine odor.

BOILING POINT (F): NA (C) NA

SOLUBILITY IN WATER: Complete
SPECIFIC GRAVITY: 1.13
VOV Content (%): NE
PH: 12 (1%)

### 10. STABILITY AND REACTIVITY

STABILITY DATA:STABLEPOLYMERIZATION:Will Not Occur.HAZARDOUS DECOMPOSITION:Chlorine gas.

INCOMPATIBILITY (MATERIALS TO Strong acids and oxidizers. Reactive metals such as aluminum and magnesium. Reducing

AVOID): ager

agents.

CONDITIONS/HAZARDS TO AVOID: Extreme heat, direct sunlight.

#### **POWER FOAM B**

## 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE EFFECTS OF CHRONIC EXPOSURE: NE OTHER TOXIC EFFECTS: NE

## 12. ECOLOGICAL INFORMATION

**ECOTOXICOLOGICAL** No data at this time

**INFORMATION:** 

CHEMICAL FATE INFORMATION: No data at this time.

MOBILITY: NA
PERSISTENCE/DEGRADABILITY: NA
BIOACCUMULATIVE POTENTIAL: NA
OTHER ADVERSE EFFECTS: NA

## 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

#### 15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Sodium hypochlorite 7681-52-9	1.0-5.0	Listed	Listed	Listed	Not Listed
POTASSIUM HYDROXIDE 1310-58-3	5.0-10.0	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Sodium hypochlorite 7681-52-9	1.0-5.0	100 lb 45.4 kg	Not Listed	Not Listed
POTASSIUM HYDROXIDE 1310-58-3	5.0-10.0	1000 lb 454 kg	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Sodium hypochlorite 7681-52-9	1.0-5.0	Listed
POTASSIUM HYDROXIDE 1310-58-3	5.0-10.0	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Sodium hypochlorite 7681-52-9	1.0-5.0	Listed
POTASSIUM HYDROXIDE 1310-58-3	5.0-10.0	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

### **POWER FOAM B**

PRODUCT COMPOSITION CAS#	%	NJRTK:
Sodium hypochlorite 7681-52-9	1.0-5.0	Listed
POTASSIUM HYDROXIDE 1310-58-3	5.0-10.0	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Sodium hypochlorite 7681-52-9	1.0-5.0	Listed
POTASSIUM HYDROXIDE 1310-58-3	5.0-10.0	Listed

# **16. OTHER INFORMATION**

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

\*\*\* END OF MSDS \*\*\*