

Product name: PRE-MOUNT
Revision Date: 2015-01-09
Document No.: M0052

Page: 1/8
Print date: 2015-01-09
SDS-ID: GB-EN/13.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: PRE-MOUNT
Cat. No. 40101001, 40101003, 40101005
Container size: 10 kg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Resin for embedding of specimens.

1.3. Details of the supplier of the safety data sheet

Supplier: Struers A/S
Pederstrupvej 84
DK-2750 Ballerup
Tel:+45 44 600 800

Responsible for safety data sheet authoring: Responsible for safety data sheet authoring: DHI
Any questions to the contents of this safety data sheet should be sent to:
Chemical.info@struers.dk

1.4. Emergency telephone number

Emergency telephone: +45 44 600 800
(Only during office hours)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

The product is not classified. Test has determined that the product is not sensitizing by skin contact.

67/548/EEC / 1999/45/EC: -

GHS/CLP: -

2.2. Label elements

The substance/mixture does not meet the criteria for classification, but the following labelling must be applied:

Safety data sheet available on request.

2.3. Other hazards

Fine particles may form explosive vapour/air mixtures. Inhalation of dust may irritate the respiratory system. May irritate eyes and skin. (*)

PBT/vPvB: Not relevant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: resin.

SAFETY DATA SHEET

Product name:	PRE-MOUNT	Page:	2/8
Revision Date:	2015-01-09	Print date:	2015-01-09
Document No.:	M0052	SDS-ID:	GB-EN/13.0

67/548/EEC:

%:	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
7-10	100-97-0	202-905-8	01-2119474895-20-	Methenamine	F;R11 R43	
<0,5	108-95-2	203-632-7	01-2119471329-32-	Phenol	Muta3;R68 T;R23/24/25 C;R34 Xn;R48/20/21/22	

GHS/CLP:

%:	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
7-10	100-97-0	202-905-8	01-2119474895-20-	Methenamine	Flam. Sol. 2;H228 Skin Sens. 1;H317	
<0,5	108-95-2	203-632-7	01-2119471329-32-	Phenol	Muta. 2;H341 Acute Tox. 3;H331 Acute Tox. 3;H311 Acute Tox. 3;H301 STOT RE 2;H373 Skin Corr. 1B;H314	

References: The full text for all R-phrases and hazard statements are displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Move into fresh air and keep at rest.

Skin contact: Remove contaminated clothes and rinse skin thoroughly with water.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

SAFETY DATA SHEET

Product name:	PRE-MOUNT	Page:	3/8
Revision Date:	2015-01-09	Print date:	2015-01-09
Document No.:	M0052	SDS-ID:	GB-EN/13.0

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Specific hazards: The product is non-combustible. If heated, toxic vapours may be formed.

5.3. Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Follow precautions for safe handling described in this safety data sheet. Avoid contact with skin and eyes. Avoid inhalation of dust and vapours.

6.2. Environmental precautions

Environmental precautions: Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Collect spillage with shovel, broom or the like and reuse, if possible. Dispose of large amounts of spillage/waste according to agreement with local authorities.

6.4. Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Avoid inhalation of dust and contact with skin and eyes. Observe good chemical hygiene practices.

Technical measures: Work practice should minimise contact. Use work methods which minimise dust production.

Technical precautions: Local exhaust is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: No special precautions.

Storage conditions: Store in tightly closed original container. Store at room temperature.

7.3. Specific end use(s)

Specific use(s): Not relevant.

SAFETY DATA SHEET

Product name: PRE-MOUNT
Revision Date: 2015-01-09
Document No.: M0052

Page: 4/8
Print date: 2015-01-09
SDS-ID: GB-EN/13.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

<u>CAS-No.:</u>	<u>Chemical name:</u>	<u>As:</u>	<u>Exposure limits:</u>		<u>Type:</u>	<u>Notes:</u>	<u>References:</u>
108-95-2	Phenol	-	2 ppm	7.8 mg/m3	TWA	Sk	EH40
		-	4 ppm	16 mg/m3	STEL	Sk; 15min	
-	Dusts, total inhalable dust	-		10 mg/m3	TWA	-	EH40
-	Dusts, respirable dust	-		4 mg/m3	TWA	-	EH40

Notes: Sk: Can be absorbed through skin.

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Observe occupational exposure limits and minimise the risk of inhalation. Local exhaust is recommended.

Personal protection: Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: In case of inadequate ventilation and work of brief duration, use suitable respiratory equipment. Use respiratory equipment with combination filter, type A2/P2.

Hand protection: Risk of contact: Wear protective gloves. Nitrile gloves are recommended. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Risk of contact: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of contact.

Hygiene measures: Wash hands after handling.

Environmental Exposure Controls: Not available.

SAFETY DATA SHEET

Product name: PRE-MOUNT
Revision Date: 2015-01-09
Document No.: M0052

Page: 5/8
Print date: 2015-01-09
SDS-ID: GB-EN/13.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: Solid.
Colour: Various colours
Odour: Odourless.
pH: Not available.
Boiling point: Not available.
Flash point: Not available.
Explosion limits: Not available.
Relative density: Not available.
Solubility: insoluble in water
Auto-ignition temperature (°C): >450 °C

9.2. Other information

Other data: Volatile Organic Compound (VOC): < 5 g/l (calculated)

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: None known.

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions/materials to avoid: Avoid contact with acids and oxidising substances. Avoid dust close to ignition sources.

10.5. Incompatible materials

Incompatible materials: None known.

10.6. Hazardous decomposition products

Hazardous decomposition products: When heated, toxic vapours are formed.

SAFETY DATA SHEET

Product name:	PRE-MOUNT	Page:	6/8
Revision Date:	2015-01-09	Print date:	2015-01-09
Document No.:	M0052	SDS-ID:	GB-EN/13.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation: Dust may irritate throat and respiratory system and cause coughing. Vapours liberated during curing of the product may in high concentrations irritate the throat and respiratory system and cause coughing.

Skin contact: Prolonged contact may cause redness and irritation. Phenol can be absorbed through the skin and cause chronic poisoning. Test has determined that the product is not sensitizing by skin contact.

Eye contact: Dust may cause irritation.

Ingestion: No harmful effects expected in amounts likely to be ingested by accident.

Specific effects: Contains a small amount of a substance/group of substances with possible risks of irreversible effects.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity: The environmental hazard of the product is considered to be limited.

12.2. Persistence and degradability

Degradability: There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

12.6. Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Note that fully cured material is not considered as hazardous waste.

Waste from residues: EWC-code: 16 05 09

SAFETY DATA SHEET

Product name:	PRE-MOUNT	Page:	7/8
Revision Date:	2015-01-09	Print date:	2015-01-09
Document No.:	M0052	SDS-ID:	GB-EN/13.0

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

UN-No: -

14.2. UN proper shipping name

Proper Shipping Name: -

14.3. Transport hazard class(es)

Class: -

14.4. Packing group

PG: -

14.5. Environmental hazards

Marine pollutant: -

Environmentally Hazardous substance: -

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.
The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).
The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.
EH40/2005, Workplace exposure limits 2005, with amendments.
The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status: Not relevant.

SAFETY DATA SHEET

Product name:	PRE-MOUNT	Page:	8/8
Revision Date:	2015-01-09	Print date:	2015-01-09
Document No.:	M0052	SDS-ID:	GB-EN/13.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 2.

The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Wording of R-phrases/H-statements:

R11	Highly flammable.
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R34	Causes burns.
R43	May cause sensitisation by skin contact.
R48/20/21/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.
R68	Possible risk of irreversible effects.
H228	Flammable solid.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H373	May cause damage to organs through prolonged or repeated exposure.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.
www.dhigroup.com.