



## MATERIAL SAFETY DATA SHEET

REVISION DATE:  
DATE PRINTED:

10/28/2008  
11/11/2008

REVISION NUMBER:  
PREPARED BY:

3

EH&S DEPARTMENT

### 1. CHEMICAL PRODUCT

PRODUCT NAME:  
PRODUCT CODE:

**PROKLEEN 130**

118394

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 2/2  
Reactivity: 0/0

Fire: 1/1  
Special/Protective Equipment: None/B

NAME OF THE  
MANUFACTURER:

Rochester Midland Corporation  
333 Hollenbeck Street  
Rochester, New York 14621

Information: 585-336-2200  
Emergency Phone:  
INFOTRAC: 1-800-535-5053  
OUTSIDE US: 1-352-323-3500

### 2. HAZARDS IDENTIFICATION

#### EFFECTS FROM ACUTE EXPOSURE:

INGESTION: May cause irritation. Nausea. Vomiting.  
SKIN CONTACT: Causes moderate skin irritation.  
INHALATION: Irritating to respiratory tract in high concentrations.  
EYE CONTACT: Causes moderate eye irritation.  
CHRONIC EFFECTS: None known.  
EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.  
ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Sodium lauriminodipropionate 14960-06-6	1.0-5.0	NA	NA
Dodecylbenzene Sulfonic Acid- Potassium salt 68584-27-0	1.0-5.0	NA	NA
Ethylene glycol butyl ether 111-76-2	1.0-5.0	20 ppm	240 mg/m <sup>3</sup> 50 ppm
POTASSIUM HYDROXIDE 1310-58-3	1.0-5.0	NA	NA

### 4. FIRST AID MEASURES

INGESTION: DO NOT INDUCE VOMITING. Get immediate medical attention. Rinse mouth.  
SKIN: Flush skin with large amounts of water. If irritation persists, get medical attention.  
INHALATION: If inhaled, move victim to fresh air and seek medical attention.  
EYES: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.  
NOTES TO PHYSICIAN: None.

### 5. FIRE AND EXPLOSION HAZARD DATA

# PROKLEEN 130

## 5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): None (C): NA  
METHOD: None

### FLAMMABLE LIMITS IN AIR

- LOWER (%): None  
- UPPER (%): None

### SENSITIVITY TO MECHANICAL IMPACT(Y/N):

SENSITIVITY TO STATIC DISCHARGE:

SUITABLE EXTINGUISHING MEDIA:

FIRE FIGHTING PROCEDURES:

NO

Sensitivity to static discharge is not expected.

As for surrounding fire. Product will not be expected to burn unless all the water is boiled away. Foam. Carbon dioxide. Water.

Wear self-contained breathing equipment and rubber protective clothing.

## 6. ACCIDENTAL RELEASE MEASURES

### SPILL PROCEDURES:

SMALL SPILLS: Pick up with absorbant material.  
LARGE SPILLS: Dike to contain, reclaim all possible. Reclaim as much as possible. Shovel or sweep up residue and place in suitable containers.

PERSONAL PRECAUTIONS: NA

ENVIRONMENTAL PRECAUTIONS: NA

METHODS FOR CLEANING UP: NA

## 7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN  
IN HANDLING AND STORAGE:

WARNING Avoid contact with skin and eyes. Keep container closed when not in use. Wash thoroughly after handling.

OTHER PRECAUTIONS:

Use only with sufficient ventilation.

SPECIFIC USE(S): NA

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

Use in a well ventilated area.

RESPIRATORY PROTECTION:

None normally required. Wear self-contained breathing apparatus.

PROTECTIVE GLOVES:

Butyl rubber. Neoprene. Nitrile gloves. PVC.

EYE PROTECTION:

Goggles.

OTHER PERSONAL PROTECTION

Eyewash fountains and safety showers must be easily accessible.

EQUIPMENT:

VENTILATION:

General mechanical and/or local exhaust as needed if mist or vapors cause irritation.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear liquid. Mild odor.

BOILING POINT (F): NA

(C) NA

SOLUBILITY IN WATER: Complete

SPECIFIC GRAVITY: 1.1

VOV Content (%): NE

PH: 13.0 (100%)

# PROKLEEN 130

## 10. STABILITY AND REACTIVITY

**STABILITY DATA:** STABLE  
**POLYMERIZATION:** Will Not Occur.  
**HAZARDOUS DECOMPOSITION:** Oxides of Carbon. Oxides of Sulfur.  
**INCOMPATIBILITY (MATERIALS TO AVOID):** Strong acids and oxidizers.  
**CONDITIONS/HAZARDS TO AVOID:** Freezing conditions.

## 11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY:** NE  
**EFFECTS OF CHRONIC EXPOSURE:** NE  
**OTHER TOXIC EFFECTS:** NE

## 12. ECOLOGICAL INFORMATION

**ECOTOXICOLOGICAL INFORMATION:** No data at this time  
**CHEMICAL FATE INFORMATION:** No data at this time.  
**MOBILITY:** NA  
**PERSISTENCE/DEGRADABILITY:** NA  
**BIOACCUMULATIVE POTENTIAL:** NA  
**OTHER ADVERSE EFFECTS:** NA

## 13. DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL METHODS:** Dispose in accordance with Federal, State and Local regulations.

## 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

## 15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Sodium lauriminodipropionate 14960-06-6	1.0-5.0	Listed	Not Listed	Listed	Not Listed
Dodecylbenzene Sulfonic Acid- Potassium salt 68584-27-0	1.0-5.0	Listed	Not Listed	Listed	Not Listed
Ethylene glycol butyl ether 111-76-2	1.0-5.0	Listed	Listed	Listed	Not Listed
POTASSIUM HYDROXIDE 1310-58-3	1.0-5.0	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Sodium lauriminodipropionate 14960-06-6	1.0-5.0	Not Listed	Not Listed	Not Listed
Dodecylbenzene Sulfonic Acid- Potassium salt 68584-27-0	1.0-5.0	Not Listed	Not Listed	Not Listed
Ethylene glycol butyl ether 111-76-2	1.0-5.0	Not Listed	Not Listed	Listed
POTASSIUM HYDROXIDE 1310-58-3	1.0-5.0	1000 lb 454 kg	Not Listed	Not Listed

## PROKLEEN 130

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Ethylene glycol butyl ether 111-76-2	1.0-5.0	Listed
POTASSIUM HYDROXIDE 1310-58-3	1.0-5.0	Listed

None of the components of this material are included in the Massachusetts Substance List nor are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Ethylene glycol butyl ether 111-76-2	1.0-5.0	Listed
POTASSIUM HYDROXIDE 1310-58-3	1.0-5.0	Listed

None of the components of this material are included in the New Jersey Substance List nor are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Ethylene glycol butyl ether 111-76-2	1.0-5.0	Listed
POTASSIUM HYDROXIDE 1310-58-3	1.0-5.0	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Ethylene glycol butyl ether 111-76-2	1.0-5.0	Listed
POTASSIUM HYDROXIDE 1310-58-3	1.0-5.0	Listed

## 16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

\*\*\* END OF MSDS \*\*\*