



Material Safety Data Sheet

Flexo Products Limited 4777 Kent Avenue, Niagara Falls, ON L2H 1J5
 Phone: (905) 354-2723 Fax: (905) 354-1301 Web Site: www.flexoproducts.com

Prolong

Use: Floor Finish

Code: FH485

Date of MSDS: December 1, 2017

WHMIS: D2B

TDG: Not Regulated

HMIS: Health - 1, Flammability - 0, Reactivity - 0, PPE - B

Emergency Telephone #
CANUTEC 613-996-6666

I - HAZARDOUS INGREDIENTS

Chemical Name	Wt/Wt %	CAS #	LD50 (mg/kg - oral rat)	LC50
Acrylic Copolymer	40-70	Not Hazardous	Not Available	Not Available
Wax Emulsion	5-10	Not Hazardous	Not Available	Not Available
Diethylene Glycol Monoethyl Ether	3-7	111-90-0	5500	Not Available

II - PHYSICAL DATA

Physical State: liquid	Viscosity: not applicable	Vapour Pressure: not available
Oil/Water Factor: not available	Appearance: milky white	pH: 8-9
Vapour Density: not available	Evaporation Rate: emulsifiable	Odour: mild acrylic
Specific Gravity: 1.00±0.002	Boiling Point (°C): 96	Odour Threshold: not available
Freezing Point (°C): not available		

III - FIRE AND EXPLOSION DATA

Conditions of Flammability: not flammable	UFL: not applicable
Flash Point and Test Method: not applicable	LFL: not applicable
Sensitivity to Static Discharge or Mechanical Impact: not available	Auto-Ignition Temperature: not applicable
Hazardous Combustion Products: oxides of carbon	
Means of Extinction: treat for surrounding material & fire	

IV - REACTIVITY DATA

Conditions of Chemical Instability: stable	Conditions of Reactivity: not applicable
Incompatible Substances: strong oxidizers, strong acids	Hazardous Decomposition Products: not available
Storage Requirements: store in closed containers away from incompatible materials	

V - TOXICOLOGICAL PROPERTIES

Synergistic Materials: not available	Route(s) of Entry: skin, eyes, ingestion, inhalation
Irritancy of Product: mild	Sensitization: not available
Acute Effects	Chronic Effects
Eye: may cause mild irritation	Carcinogen: none known
Skin: May cause mild irritation. Prolonged & repeated contact may cause irritation	Teratogen: not available
Ingestion: not available	Mutagen: not available
Inhalation: not available	Reproductive Toxin: not available

VI - FIRST AID MEASURES

Eye Contact:	Immediately flush with water for 15 minutes. If irritation persists, contact a physician.
Skin Contact:	Immediately flush with water for 15 minutes. Contact a physician if irritation develops.
Inhalation:	Remove to fresh air. If symptoms persist, contact a physician.
Ingestion:	Do not induce vomiting. Rinse mouth with water, then drink one glass of water. Contact a physician immediately. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness or is convulsing.

VII - PROTECTIVE EQUIPMENT

Personal Protective Equipment:	Eyes: safety glasses recommended
	Skin: impermeable gloves recommended for those with sensitive skin
	Respiratory: not normally required if good ventilation is maintained
Ventilation: general ventilation normally adequate	

VIII - SPECIAL MEASURES

For Leaks or Spills: Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.

Waste Disposal: Review all Federal, Provincial and local regulations prior to disposal.

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.