SAFETY DATA SHEET



Date of issue/Date of revision 2 July 2016 Version 6.01

Section 1. Identification			
Product name	: PS 890 B 1/2 Part B		
Product code	: PS 890 B 1/2 Part B		
Other means of identification	: Not available.		
Product type	: Solid.		
Relevant identified uses of	of the substance or mixture and uses advised against		
Product use	: Industrial applications.		
Use of the substance/ mixture	: Sealants		
Uses advised against	: Not applicable.		
Manufacturer	: PPG Aerospace PRC-DeSoto 12780 San Fernando Road Sylmar, CA 91342		
<u>Emergency telephone</u> <u>number</u>	Phone: 818 362 6711 : (412) 434-4515 (U.S.) (514) 645-1320 (Canada) 01-800-00-21-400 (Mexico)		

Section 2. Hazards identification

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: CARCINOGENICITY - Category 2 TOXIC TO REPRODUCTION (Unborn child) - Category 2 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 9.4%
GHS label elements Hazard pictograms	
Signal word	: Warning

Product name PS 890 B 1/2 Part B

Section 2. Hazards identification

Hazard statements	: Suspected of damaging the unborn child.
	Suspected of causing cancer.
	May cause damage to organs through prolonged or repeated exposure.
Precautionary statements	
Prevention	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Do not breathe dust.
Response	: Get medical attention if you feel unwell. IF exposed or concerned: Get medical attention.
Storage	: Store locked up.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: 1-component mixtures: formaldehyde is released during curing. Formaldehyde may cause irreversible effects, is irritating to the mucous membranes and may cause skin sensitization. Avoid contact with skin and clothing. Wash thoroughly after handling. Emits toxic fumes when heated.
Hazards not otherwise classified	: Prolonged or repeated contact may dry skin and cause irritation.

Section 3. Composition/information on ingredients

Substance/mixture	1	Mixture
Product name	:	PS 890 B 1/2 Part B

Ingredient name	%	CAS number
proprietary modified polysulfide polymer	≥1.0 - ≤6.6	Not available.
titanium dioxide	≥1.0 - ≤5.0	13463-67-7
toluene	≥0.10 - ≤2.1	108-88-3
proprietary modified polysulfide polymer	≤1.2	Not available.
Formaldehyde, oligomeric reaction products with phenol	<1.0	9003-35-4
thiram (ISO)	<1.0	137-26-8

SUB codes represent substances without registered CAS Numbers.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

Description of necessary first aid measures

Eye contact

: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

Product name PS 890 B 1/2 Part B

Most important symptoms/effects. acute and delayed Potential acute health effects Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact : Defatting to the skin. May cause skin dryness and irritation. Ingestion : No known significant effects or critical hazards. Over-exposure signs/symptoms : No specific data. Inhalation : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations Skin contact : Adverse symptoms may include the following:	ng if breathing is	
Ingestionor use recognized skin cleanser. Do NOT use solvents or thinnersIngestion: If swallowed, seek medical advice immediately and show this con person warm and at rest. Do NOT induce vomiting.Most important symptoms/effects, acute and delayed Potential acute health effectsEye contact: No known significant effects or critical hazards. InhalationInhalation: No known significant effects or critical hazards.Skin contact: Defatting to the skin. May cause skin dryness and irritation. IngestionOver-exposure signs/symptomsEye contact: No specific data. InhalationInhalation: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformationsSkin contact: Adverse symptoms may include the following:		
Aost important symptoms/effects, acute and delayed Potential acute health effects Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact : Defatting to the skin. May cause skin dryness and irritation. Ingestion : No known significant effects or critical hazards. Over-exposure signs/symptoms : No specific data. Inhalation : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations Skin contact : Adverse symptoms may include the following:		
Potential acute health effectsEye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: Defatting to the skin. May cause skin dryness and irritation.Ingestion: No known significant effects or critical hazards.Over-exposure signs/symptomsEye contact: No specific data.Inhalation: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformationsSkin contact: Adverse symptoms may include the following:	If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.	
Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: Defatting to the skin. May cause skin dryness and irritation.Ingestion: No known significant effects or critical hazards.Over-exposure signs/symptomsEye contact: No specific data.Inhalation: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformationsSkin contact: Adverse symptoms may include the following:		
Inhalation: No known significant effects or critical hazards.Skin contact: Defatting to the skin. May cause skin dryness and irritation.Ingestion: No known significant effects or critical hazards.Over-exposure signs/symptomsEye contact: No specific data.Inhalation: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformationsSkin contact: Adverse symptoms may include the following:		
Skin contact : Defatting to the skin. May cause skin dryness and irritation. Ingestion : No known significant effects or critical hazards. Over-exposure signs/symptoms		
Ingestion : No known significant effects or critical hazards. Over-exposure signs/symptoms Eye contact : No specific data. Inhalation : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations Skin contact : Adverse symptoms may include the following:		
Over-exposure signs/symptoms Eye contact : No specific data. Inhalation : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations Skin contact : Adverse symptoms may include the following:		
Eye contact: No specific data.Inhalation: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformationsSkin contact: Adverse symptoms may include the following:		
Inhalation: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformationsSkin contact: Adverse symptoms may include the following:		
reduced fetal weight increase in fetal deaths skeletal malformations Skin contact : Adverse symptoms may include the following:		
irritation dryness cracking reduced fetal weight increase in fetal deaths skeletal malformations		
Ingestion : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations		
ndication of immediate medical attention and special treatment needed, if necessary		
Notes to physician : Treat symptomatically. Contact poison treatment specialist imme quantities have been ingested or inhaled.	diately if large	
Specific treatments : No specific treatment.		
Protection of first-aiders : No action shall be taken involving any personal risk or without suit be dangerous to the person providing aid to give mouth-to-mouth		

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protec	tiv	e equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	onta	ainment and cleaning up
Small spill	:	Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

United States Page: 4/14

Product name PS 890 B 1/2 Part B

Section 6. Accidental release measures

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Special precautions	: If this material is part of a multiple component system, read the Safety Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits		
proprietary modified polysulfide polymer	None.		
titanium dioxide	OSHA PEL (United States, 2/2013).		
	TWA: 15 mg/m ³ 8 hours. Form: Total dust		
	ACGIH TLV (United States, 3/2015).		
	TWA: 10 mg/m ³ 8 hours.		
toluene	OSHA PEL Z2 (United States, 2/2013).		
	AMP: 500 ppm 10 minutes.		
	CEIL: 300 ppm		
	TWA: 200 ppm 8 hours.		
	ACGIH TLV (United States, 3/2015).		
	TWA: 20 ppm 8 hours.		
proprietary modified polysulfide polymer	None.		
Formaldehyde, oligomeric reaction products with phenol	None.		
thiram (ISO)	ACGIH TLV (United States, 3/2015). Skin		
	sensitizer.		
	United States Page: 5/14		

Product name PS 890 B 1/2 Part B

Section 8. Exposure controls/personal protection

TWA: 0.05 mg/m³ 8 hours. Form: Inhalable fraction and vapor **OSHA PEL (United States, 2/2013).** TWA: 5 mg/m³ 8 hours.

	Key to abbreviations		
А	 Acceptable Maximum Peak 	S	 Potential skin absorption
ACGIH	 American Conference of Governmental Industrial Hygienists. 	SR	 Respiratory sensitization
С	= Ceiling Limit	SS	 Skin sensitization
F	= Fume	STEL	 Short term Exposure limit values
IPEL	 Internal Permissible Exposure Limit 	TD	= Total dust
OSHA	 Occupational Safety and Health Administration. 	TLV	= Threshold Limit Value
R	= Respirable	TWA	 Time Weighted Average

Z = OSHA 29 CFR 1910.1200 Subpart Z - Toxic and Hazardous Substances

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Appropriate engineering	:	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures,
controls		local exhaust ventilation or other engineering controls to keep worker exposure to
		airborne contaminants below any recommended or statutory limits.
Environmental exposure	- A.	Emissions from ventilation or work process equipment should be checked to ensure

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

	will be necessary to reduce emissions to acceptable levels.
Individual protection measure	<u>S</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection Skin protection	: Safety glasses with side shields.
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Product name PS 890 B 1/2 Part B

Section 8. Exposure controls/personal protection

Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the
	hazards of the product and the safe working limits of the selected respirator. If workers
	are exposed to concentrations above the exposure limit, they must use appropriate,
	certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying
	with an approved standard if a risk assessment indicates this is necessary.

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Solid.
Color	: White.
Odor	: Not available.
Odor threshold	: Not available.
рН	: Not available.
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: 48.89°C (120°F)
Material supports combustion.	: Yes.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Evaporation rate	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 1.5
Density(lbs / gal)	: 12.52
Solubility	: Insoluble in the following materials: cold water.
Partition coefficient: n- octanol/water	: Not available.
Viscosity	: Kinematic (40°C (104°F)): Not applicable.
voc	: 44 g/l

Section 10. Stability and reactivity

	United States Page: 7/14
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Chemical stability	: The product is stable.
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.

Date of issue 2 July 2016

Version 6.01

Product name PS 890 B 1/2 Part B

Section 10. Stability and reactivity

Refer to protective measures listed in sections 7 and 8.

Hazardous decomposition products	:	Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.	
	:	Keep away from the following materials to prevent strong exothermic reactions: xidizing agents, strong alkalis, strong acids.	

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result			Species	Dose	Exposure
ii tanium dioxide	LD50 Oral			Rat	>11 g/kg	-
toluene	LC50 Inhal	ation Vapor	-	Rat	49 g/m³	4 hours
	LC50 Inhal	ation Vapor	-	Rat	8000 ppm	4 hours
	LD50 Dern	nal		Rabbit	8.39 g/kg	-
	LD50 Oral			Rat	636 mg/kg	-
thiram (ISO)		ation Dusts	and mists	Rat	4420 mg/m ³	4 hours
	LD50 Dern	nal		Rat	>5000 mg/kg	-
	LD50 Oral			Rat	560 mg/kg	-
Conclusion/Summary	: There are	e no data av	ailable on th	e mixture itself.		
Irritation/Corrosion						
Conclusion/Summary						
Skin	kin : There are no data available on the mixture itself.					
Eyes	: There are	e no data av	ailable on th	e mixture itself.		
Respiratory	: There are no data available on the mixture itself.					
<u>Sensitization</u>						
Conclusion/Summary						
Skin	: There are	e no data av	ailable on th	e mixture itself.		
Respiratory	: There are	e no data av	ailable on th	e mixture itself.		
<u>Mutagenicity</u>						
Conclusion/Summary						
<u>Carcinogenicity</u>						
Conclusion/Summary	: There are	e no data av	ailable on th	e mixture itself.		
Classification						
Product/ingredient name	OSHA	IARC	NTP			
titanium dioxide	-	2B	-			
toluene	-	3	-			
thiram (ISO)	-	3	-			

Carcinogen Classification code:

Product name PS 890 B 1/2 Part B

Section 11. Toxicological information

	ARC: 1, 2A, 2B, 3, 4
	ITP: Known to be a human carcinogen; Reasonably anticipated to be a human carcinogen
(OSHA: +
	lot listed/not regulated: -

Reproductive toxicity

Conclusion/Summary :	There are no data available on the mixture itself.
----------------------	--

Teratogenicity

Conclusion/Summary : There are no data available on the mixture itself.

Specific target organ toxicity (single exposure)

Name	Category
proprietary modified polysulfide polymer	Category 3
toluene	Category 3
proprietary modified polysulfide polymer	Category 3

Specific target organ toxicity (repeated exposure)

Name	Category
toluene	Category 2
thiram (ISO)	Category 2

Target organs

: Contains material which causes damage to the following organs: brain, central nervous system (CNS).

Contains material which may cause damage to the following organs: blood, kidneys, the reproductive system, liver, heart, upper respiratory tract, skin, eye, lens or cornea.

Aspiration hazard

Name	Result
toluene	ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure

		o. 0/4.4
	skeletal malformations	
	increase in fetal deaths	
	reduced fetal weight	
	cracking	
	dryness	
Skin contact	: Adverse symptoms may include the following: irritation	
	skeletal malformations	
	increase in fetal deaths	
	reduced fetal weight	
Inhalation	: Adverse symptoms may include the following:	
Eye contact	: No specific data.	
Over-exposure signs	s/symptoms	
Ingestion	: No known significant effects or critical hazards.	
Skin contact	: Defatting to the skin. May cause skin dryness and irritation.	
Inhalation	: No known significant effects or critical hazards.	
Eye contact	: No known significant effects or critical hazards.	
Potential acute healt		

Product name PS 890 B 1/2 Part B _

Ingestion	: Adverse symptoms may include the following:			
Ingestion	reduced fetal weight			
	increase in fetal deaths			
	skeletal malformations			
Delayed and immediate effect	ts and also chronic effects from short and long term exposure			
Conclusion/Summary	: There are no data available on the mixture itself. 1-component mixtures: formaldehyde is released during curing. Formaldehyde may cause irreversible effects, is irritating to the mucous membranes and may cause skin sensitization. Exposure to component solvent vapor concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. There is some evidence that repeated exposure to organic solvent vapors in combination with constant loud noise can cause greater hearing loss than expected from exposure to noise alone. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.			
Short term exposure				
Potential immediate effects	: There are no data available on the mixture itself.			
Potential delayed effects	: There are no data available on the mixture itself.			
Long term exposure				
Potential immediate effects	: There are no data available on the mixture itself.			
Potential delayed effects	: There are no data available on the mixture itself.			
Potential chronic health effe	<u>cts</u>			
General	: May cause damage to organs through prolonged or repeated exposure. Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.			
Carcinogenicity	: Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.			
Mutagenicity	: No known significant effects or critical hazards.			
Teratogenicity	: Suspected of damaging the unborn child.			
Developmental effects	: No known significant effects or critical hazards.			
Fertility effects	: No known significant effects or critical hazards.			
Numerical measures of toxic	<u>ity</u>			
Acute toxicity estimates				
Route	ATE value			

Date of issue 2 July 2016

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Manium dioxide thiram (ISO)	Acute LC50 >100 mg/l Fresh water Acute EC50 0.04 mg/l Marine water Acute LC50 0.02 mg/l Marine water	Daphnia - Daphnia magna Algae - Nannochloropsis oculata Crustaceans - Artemia franciscana - Nauplii	48 hours 72 hours 48 hours
	Acute LC50 0.01 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours

Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability	
voluene	-	-	Readily	

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
foluene	2.73	8.32	low
thiram (ISO)	1.73	3.39	low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains
	and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

14. Transport information

	DOT	IMDG	IATA
JN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class (es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.
Product RQ (lbs)	5915.9	Not applicable.	Not applicable.
RQ substances	(thiram (ISO), toluene)	Not applicable.	Not applicable.

Additional information

DOT	1	Package sizes shipped in quantities less than the product reportable quantity are not subject to the
		RQ (reportable quantity) transportation requirements.

IMDG :	None identified.
--------	------------------

IATA : None identified.

Section 15. Regulatory information

United States

United States inventory (TSCA 8b) : All components are listed or exempted.

SARA 302/304

SARA 304 RQ : Not applicable.

Composition/information on ingredients

No products were found.

SARA 311/312

Classification

: Immediate (acute) health hazard

Delayed (chronic) health hazard

Composition/information on ingredients

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

Name	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
proprietary modified polysulfide polymer	No.	No.	No.	Yes.	No.
titanium dioxide	No.	No.	No.	No.	Yes.
toluene	Yes.	No.	No.	Yes.	Yes.
proprietary modified polysulfide polymer	No.	No.	No.	Yes.	No.
Formaldehyde, oligomeric reaction products with phenol	Yes.	No.	No.	Yes.	No.
thiram (ISO)	Yes.	No.	No.	Yes.	Yes.

SARA 313

Supplier notification

Chemical name : toluene CAS number 108-88-3 Concentration 1 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health : 2 * Flammability : 2 Physical hazards : 0

(*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection AssHealth:2Flamma	ociation (U.S.A.) bility : 2 Instability : 0
Date of previous issue	: 4/24/2016
Organization that prepared the MSDS	: EHS
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

Section 16. Other information

Indicates information that has changed from previously issued version.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.