

Revision date: 09-Apr-2010 Version: 1.4 Page 1 of 8

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Inc **Pfizer Pharmaceuticals Group** 235 East 42nd Street New York, New York 10017 1-212-573-2222

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300

Contact E-Mail: pfizer-MSDS@pfizer.com Pfizer Ltd Ramsgate Road Sandwich, Kent **CT13 9NJ United Kingdom** +00 44 (0)1304 616161

Emergency telephone number:

ChemSafe (24 hours): +44 (0)208 762 8322

Material Name: Methylprednisolone Acetate Suspension, USP, Sterile

Trade Name: Depo-Medrol **Chemical Family:** Mixture

Intended Use: Pharmaceutical product used as anti-inflammatory

2. HAZARDS IDENTIFICATION

Appearance: White suspension

Signal Word: **DANGER**

Statement of Hazard: May damage the unborn child.

Additional Hazard Information:

Short Term: May be harmful if absorbed through the skin. Not acutely toxic (based on animal data).

Accidental ingestion may cause effects similar to those seen in clinical use. May produce

allergic reactions following skin contact.

Long Term: Animal studies have shown a potential to cause adverse effects on the fetus. Repeat-dose

studies in animals have shown a potential to cause adverse effects on blood and blood

forming organs

Known Clinical Effects: Adverse clinical reactions include the development of hypersensitivity and/or irritation leading

to rashes, itching, and burning. Clinical use has resulted in hormonal alterations. Clinical use

has resulted in changes in electrolytes and/or blood chemistry changes.

EU Indication of danger: Toxic to reproduction: Category 1

EU Hazard Symbols:



EU Risk Phrases:

R61 - May cause harm to the unborn child. Hazardous Substance. Non-Dangerous Goods.

Australian Hazard Classification (NOHSC):

Material Name: Methylprednisolone Acetate Suspension, USP, Page 2 of 8

Sterile

Revision date: 09-Apr-2010 Version: 1.4

2. HAZARDS IDENTIFICATION

Note:

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the active substance or its intermediates regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	%
Benzyl Alcohol	100-51-6	202-859-9	Xn;R20/22	*
Methylprednisolone Acetate	53-36-1	200-171-3	T;48/22-R61	2-8

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	%
Polysorbate 80	9005-65-6	Not listed	Not Listed	*
Sodium phosphate, monobasic	7558-80-7	231-449-2	Not Listed	*
Sodium phosphate, dibasic	7558-79-4	231-448-7	Not Listed	*
Water	7732-18-5	231-791-2	Not Listed	*
Polyethylene glycol	25322-68-3	Not listed	Not Listed	*

Additional Information: * Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Symptoms and Effects of Exposure: For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Identification and/or Section 11 - Toxicological Information.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Use carbon dioxide, dry chemical, or water spray.

Hazardous Combustion Products: May include oxides of carbon.

Fire Fighting Procedures: During all fire fighting activities, wear appropriate protective equipment, including self-

contained breathing apparatus.

Material Name: Methylprednisolone Acetate Suspension, USP, Page 3 of 8

Sterile

Revision date: 09-Apr-2010 Version: 1.4

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

6. ACCIDENTAL RELEASE MEASURES

Health and Safety Precautions: Personnel involved in clean-up should wear appropriate personal protective equipment (see

Section 8). Minimize exposure.

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill

area thoroughly.

Measures for Environmental

Protections:

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to

avoid environmental release.

Additional Consideration for Large

Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

General Handling: Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use

appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or

environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other

equivalent controls.

Storage Conditions: Store as directed by product packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to available public information for specific member state Occupational Exposure Limits.

Benzyl Alcohol

Bulgaria OEL - TWA

Czech Republic OEL - TWA

Listed
Latvia OEL - TWA

Listed
Lithuania OEL - TWA

Listed
Poland OEL - TWA

Listed

Methylprednisolone Acetate

Pfizer OEL TWA-8 Hr: 4µg/m³, Skin

Polyethylene glycol

 Austria OEL - MAKs
 Listed

 Germany - TRGS 900 - TWAs
 1000 mg/m³

 Germany (DFG) - MAK
 1000 mg/m³ MAK

Slovenia OEL - TWA Listed

Analytical Method: Analytical method available for methylprednisolone. Contact Pfizer Inc for further information.

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Environmental Exposure Controls: Refer to specific Member State legislation for requirements under Community environmental

legislation.

Material Name: Methylprednisolone Acetate Suspension, USP, Page 4 of 8

Sterile

Revision date: 09-Apr-2010 Version: 1.4

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal Protective Equipment: Refer to applicable national standards and regulations in the selection and use of personal

protective equipment (PPE).

Impervious gloves are recommended if skin contact with drug product is possible and for bulk Hands:

processing operations.

Eves: Wear safety glasses or goggles if eye contact is possible.

Impervious protective clothing is recommended if skin contact with drug product is possible and Skin:

for bulk processing operations.

If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate Respiratory protection:

respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Suspension Color: White **Physical State:** Molecular Formula: Mixture **Molecular Weight:** Mixture

Polymerization: Will not occur

10. STABILITY AND REACTIVITY

Stable under normal conditions of use. **Chemical Stability:**

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions. As a precautionary measure, keep away from strong oxidizers **Incompatible Materials:**

11. TOXICOLOGICAL INFORMATION

The information included in this section describes the potential hazards of the individual **General Information:**

ingredients. The information included in this section describes the potential hazards of various

forms of the active ingredient.

Acute Toxicity: (Species, Route, End Point, Dose)

Methylprednisolone Acetate

>10,000 mg/m³ Rat Oral LD50

Sub-tenon injection (eye) LD50 >1,409 mg/kg Mouse

Rat Subcutaneous LD50 265 mg/kg

Methylprednisolone

Oral LD 50 Rat > 2000 mg/kg Mouse Oral LD 50 450 mg/kg

Rat Intraperitoneal LD 50 1000 mg/kg Mouse Intraperitoneal LD 50 1409 mg/kg Rat Subcutaneous LD 50 >3000 mg/kg

Polysorbate 80

LD 50 Rat Intravenous 1790 mg/kg

Mouse Oral LD 50 25 g/kg

Material Name: Methylprednisolone Acetate Suspension, USP, Page 5 of 8

Sterile

Revision date: 09-Apr-2010 Version: 1.4

11. TOXICOLOGICAL INFORMATION

Benzyl Alcohol

Rat Oral LD50 1230 mg/kg Rat Para-periosteal LD50 53 mg/kg

Rat Inhalation LC50 46 mg/m³

Sodium phosphate, dibasic

Rat Oral LD 50 17 g/kg

Sodium phosphate, monobasic

Rat Oral LD 50 8290 mg/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Methylprednisolone Acetate

Eye Irritation Rabbit No effect Skin Irritation Rabbit No effect

Methylprednisolone

Skin Irritation Rabbit No effect Eye Irritation Rabbit No effect

Skin Sensitization - GPMT Guinea Pig No effect

Polyethylene glycol

Eye Irritation Rabbit Mild Skin Irritation Rabbit Mild

Benzyl Alcohol

Eye Irritation Rabbit Severe
Skin Irritation Rabbit Moderate
Skin Irritation Guinea Pig Moderate

Sodium phosphate, dibasic

Eye Irritation Rabbit Mild Skin Irritation Rabbit Mild

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Methylprednisolone

42 Day(s) Dog Oral 167 μg/kg/day LOAEL Adrenal gland

6 Week(s) Rat Subcutaneous 500 μ g/kg/day LOAEL None identified

14 Week(s) Rat Subcutaneous 0.4 μg/kg/day NOAEL Blood forming organs, Adrenal gland 52 Week(s) Rat Subcutaneous 4 μg/kg/day NOAEL Blood forming organs Adrenal gland

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Methylprednisolone

Reproductive & Fertility Rat Subcutaneous 0.004 mg/kg/day NOAEL Paternal toxicity Reproductive & Fertility Rat Subcutaneous 0.02 mg/kg/day LOAEL Fetotoxicity

Embryo / Fetal Development Rat Subcutaneous 1.0 mg/kg/day LOAEL Fetotoxicity, Teratogenic

PZ01163

Material Name: Methylprednisolone Acetate Suspension, USP, Page 6 of 8

Sterile

Revision date: 09-Apr-2010 Version: 1.4

11. TOXICOLOGICAL INFORMATION

Embryo / Fetal Development Mouse Intramuscular 330 mg/kg/day LOAEL Teratogenic Embryo / Fetal Development Rabbit Intramuscular 0.1 mg/kg/day LOAEL Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Methylprednisolone Acetate

Direct DNA Interaction Not applicable Negative In Vitro Cytogenetics Not applicable Negative

Methylprednisolone

Bacterial Mutagenicity (Ames) Salmonella Negative
Unscheduled DNA Synthesis Rat Hepatocyte Negative

Mammalian Cell Mutagenicity Chinese Hamster Ovary (CHO) cells Negative

Direct DNA Interaction Negative

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties have not been investigated. Releases to the environment should be

avoided.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

EU Symbol:

EU Indication of danger: Toxic to reproduction: Category 1

EU Risk Phrases:

R61 - May cause harm to the unborn child.

EU Safety Phrases:

S53 - Avoid exposure - obtain special instructions before use.

S36/37 - Wear suitable protective clothing and gloves.

Material Name: Methylprednisolone Acetate Suspension, USP, Page 7 of 8

Sterile

Revision date: 09-Apr-2010 Version: 1.4

15. REGULATORY INFORMATION

OSHA Label:

DANGER

May damage the unborn child.

Canada - WHMIS: Classifications

WHMIS hazard class:

Class D, Division 2, Subdivision A



Polysorbate 80

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Listed

Benzyl Alcohol

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

202-859-9

Sodium phosphate, monobasic

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

231-449-2

Sodium phosphate, dibasic

CERCLA/SARA Hazardous Substances 2270 kg final RQ and their Reportable Quantities: 5000 lb final RQ

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

231-448-7

Water

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

REACH - Annex IV - Exemptions from the

Present

obligations of Register:

EU EINECS/ELINCS List 231-791-2

Methylprednisolone Acetate

Australia (AICS): Listed EU EINECS/ELINCS List 200-171-3

Polyethylene glycol

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Listed

Material Name: Methylprednisolone Acetate Suspension, USP, Page 8 of 8

Sterile

Revision date: 09-Apr-2010 Version: 1.4

16. OTHER INFORMATION

Text of R phrases mentioned in Section 3

R61 - May cause harm to the unborn child.

R20/22 - Harmful by inhalation and if swallowed.

R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed.

Data Sources: Pfizer proprietary drug development information. Publicly available toxicity information.

Reasons for Revision: Not applicable

Prepared by: Toxicology and Hazard Communication

Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet
