PROFESSIONAL PEAT MOSS STANDARD BROWN

LAMBERT PEAT MOSS EMERGENCY TELEPHONE NUMBER: 418 852 • 2885

106, LAMBERT ROAD TELEPHONE NUMBER FOR INFO: (USA) 1 800 463•4083
RIVIÈRE-OUELLE. QC (CA) 1 800 463•1313

CANADA GOL 2CO DATE: OCTOBER 19, 2008

PREPARED BY: ÉRIC BLONDÉAU

HAZARDOUS INGREDIENTS / IDENTIFY INFORMATION

Hazardous Components (Chemical and common name)

COMPONENT: Nuisance dust

EXPOSURE LIMITS: OSHA PEL ACGIH TLV

RESPIRABLE MASS: 5 mg/m3 5 mg/m3 TOTAL MASS: 15 mg/m3 15 mg/m3

PHYSICAL / CHEMICAL CHARACTERISTICS

BOILING POINT Not applicable Specific Gravity (H20=1) 0,15

VAPOR PRESSURE (MM HG)

Not applicable

Not applicable

Not applicable

Evaporation Rate

Not applicable

(Butyl Acetate=1)

SOLUBILITY IN WATER Not applicable

APPEARANCE AND ODOR From blond to dark brown fiber, earthy odor

FIRE AND EXPLOSION HAZARD DATA

SPECIAL FIRE FIGHTING PROCEDURES:

FLASH POINT (METHOD USED) Not applicable UNUSUAL FIRE AND EXPLOSION HAZARD None

None Caution: Burning may continue inside piles or bags after surface fire is out.

Seperate pile or break bags to assure that the fire is extinguished.

REACTIVITY DATA

STABILITY: Stable CONDITIONS TO AVOID: None Known

INCOMPATIBILITY (materials to avoid): None known

HAZARDOUS DECOMPOSITION or by PRODUCTS: None

HAZARDOUS POLYMERIZATION: Will not occur CONDITIONS TO AVOID: None Known



HEALTH HAZARD DATA

ROUTE OF ENTRY: INHALATION SKIN INGESTION EYES

Possible Open wounds Not applicable Possible

CARCINOGENICITY

Long term exposure (10-15 years) to concentrated quartz dust, present in common soil mix ingredients such as Perlite, gypsum and sand, may cause significant risk of lung damage (silicosis). However, product water content renders significant exposure unlikely under typical use conditions.

SIGNS AND SYMPTOMS OF EXPOSURE:

Inhalation over long periods of high amounts of any nuisance dust may overload lung clearance mechanism, irritate mucous membrane and make lungs more vulnerable to respiratory disease.

EMERGENCY AND FIRST AID PROCEDURES:

If inhaled, provide fresh air. If eye irritation occurs, flush with fresh water. Keep open wounds covered and clean assuggested by any good hygiene program.

PRECAUTIONS FOR SAFE HANDLING AND USE

STEP TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Use methods to clean spill which avoid creating airbone dust.

WASTE DISPOSAL METHOD: The waste of this product is not defined as hazardous.

Dispose of all waste in accordance with federal, state and local regulation.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: If excessive dust is created, avoid breathing dust by using adequate ventilation

and/or NIOSH or MSHA approved respirator for nuisance dust of this type.

OTHER PRECAUTIONS: Protective eyewear should be worn where dust levels are high enough to cause irritation.

CONTROL MEASURES

RESPIRATORY PROTECTION (Specify Type): If dust is created use NIOSH or MSHA approved repirator for nuisance dust of this type.

VENTILATION: Local exhaust advisable if excessive dust is created.

PROTECTIVE GLOVES:

Not normally necessary but suggested in cases of open wounds that are not

appropriately protected.

EYE PROTECTION: Protective eyewear should be worn where dust levels are high enough

to cause irritation.

PROTECTIVE CLOTHING OR EQUIPMENT: Normal work clothing.

WORK / HYGIENIC PRATICES:

NIOSH or MSHA approved respirator, eye protection and evntilation under

conditions where excessive dust is created.

Open wounds should be kelp clean and protected.

SUPPLEMENT INFORMATION

The information above is accurate and reliable to the best of our knowledge as the date hereof. However, such information is not to be interpreted as representing a warranty or guarantee as to its accuracy and reliability or completeness. No warrantly of any kind is given or implied and LAMBERT PEAT MOSS Inc. will not be liable for any damages, losses, injuries or consequential damages which may result from the uses or reliance on any information contained. The users must do their own research for the pertinance of the information for specific use.

