PERMA-PATCH(R\*)
PREMIUM ASPHALT PRODUCTS

SAFETY DATA SHEET

ISSUING DATE: NO DATA AVAILABLE

REVISION DATE: 19-DEC-2014

REVISION NUMBER: 0

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION

AND THE COMPANY/UNDERTAKING

GHS PRODUCT IDENTIFIER:

PRODUCT NAME: PERMA-PATCH

OTHER MEANS OF IDENTIFICATION:

PRODUCT CODE(S): PP-60C

SYNONYMS: PERMANENT COLD PATCH

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE:

RECOMMENDED USE: PAVEMENT PATCHING-POTHOLES AND UTILITY CUTS

USES ADVISED AGAINST: NO INFORMATION AVAILABLE

SUPPLIER'S DETAILS:

SUPPLIER ADDRESS: PERMA-PATCH, INC. 6123 OAKLEAF AVE BALTIMORE, MD 21215

TEL: 410-764-7117

EMERGENCY TELEPHONE NUMBER:

EMERGENCY CONTACT NUMBER: CHEMTREC: 800-424-9300

# 2. HAZARDS IDENTIFICATION

CLASSIFICATION:

THIS CHEMICAL IS CONSIDERED HAZARDOUS ACCORDING TO THE OSHA HAZARD COMMUNICATION STANDARD 2012 (29 CFR 1910.1200)

CARCINOGENICITY: CATEGORY 2

FLAMMABLE LIQUIDS: CATEGORY 4

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS:

EMERGENCY OVERVIEW:

SIGNAL WORD: WARNING

HAZARD STATEMENTS:

MAY BE HARMFUL IN CONTACT WITH SKIN

MAY CAUSE CANCER COMBUSTIBLE LIQUID.

HEALTH HAZARD

APPEARANCE: BLACK

PHYSICAL STATE: SOLID (COMPRESSED).

ODOR: ASPHALTIC

PRECAUTIONARY STATEMENTS:

PREVENTION:

OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.

DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED.

KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES - NO SMOKING.

GENERAL ADVICE:

IF EXPOSED OR CONCERNED: GET MEDICAL ATTENTION/ADVICE

FIRE:

IN CASE OF FIRE: USE CO2, DRY CHEMICAL, OR FOAM FOR EXTINCTION.

STORAGE: STORE IN A WELL-VENTILATED PLACE. KEEP COOL.

DISPOSAL:

DISPOSE OF CONTENTS/CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

HAZARD NOT OTHERWISE CLASSIFIED (HNOC): NOT APPLICABLE

OTHER INFORMATION:

COLD PATCH ASPHALT IS NOT LISTED AS A CARCINOGEN BY IARCA (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER) OR UNDER THE NATIONAL TOXICOLOGY PROGRAM (NTP); HOWEVER, THE IARCA HAS DETERMINED THAT THERE IS SOME EVIDENCE OF THE CARCINOGENICITY OF ASPHALT FUMES IN ANIMAL EXPERIMENTS BUT NOT IN HUMANS. COLD PATCH ASPHALT CONTAINS TRACE AMOUNTS OF CRYSTALLINE SILICA THAT IS CLASSIFIED BY IARCA AND NTP AS HUMAN CARCINOGEN.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

SYNONYMS: PERMANENT COLD PATCH

CHEMICAL NAME	CAS-NO	WEIGHT %
LIMESTONE	1317-65-3	95
ASPHALT	8052-42-4	3.75
PROPRIETARY		1.25

### 4. FIRST AID MEASURES

DESCRIPTION OF NECESSARY FIRST-AID MEASURES:

### EYE CONTACT:

RINSE THOROUGHLY WITH PLENTY OF WATER, ALSO UNDER THE EYELIDS. IF SYMPTOMS PERSIST, CALL A PHYSICIAN.

#### SKIN CONTACT:

WASH SKIN WITH SOAP AND WATER. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE RE-USE. IF SKIN IRRITATION PERSISTS, CALL A PHYSICIAN.

#### INHALATION:

MOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF SYMPTOMS PERSIST, CALL A PHYSICIAN.

#### INGESTION:

DO NOT INDUCE VOMITING. DRINK PLENTY OF WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. IF SYMPTOMS PERSIST, CALL A PHYSICIAN.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

MOST IMPORTANT SYMPTOMS/EFFECTS: NO INFORMATION AVAILABLE.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY:

NOTES TO PHYSICIAN: TREAT SYMPTOMATICALLY.

### 5. FIRE-FIGHTING MEASURES

### SUITABLE EXTINGUISHING MEDIA:

USE EXTINGUISHING MEASURES THAT ARE APPROPRIATE TO LOCAL CIRCUMSTANCES AND THE SURROUNDING ENVIRONMENT.

UNSUITABLE EXTINGUISHING MEDIA: NO INFORMATION AVAILABLE.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: COMBUSTIBLE MATERIAL.

#### EXPLOSION DATA:

SENSITIVITY TO MECHANICAL IMPACT: NONE. SENSITIVITY TO STATIC DISCHARGE: YES.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:

AS IN ANY FIRE, WEAR SELF-CONTAINED BREATHING APPARATUS PRESSURE-DEMAND, MSHA/NIOSH (APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR.

### **6. ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

PERSONAL PRECAUTIONS:

REMOVE ALL SOURCES OF IGNITION. ENSURE ADEQUATE VENTILATION. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. USE PERSONAL PROTECTIVE EQUIPMENT.

ENVIRONMENTAL PRECAUTIONS:

ENVIRONMENTAL PRECAUTIONS:

SEE SECTION 12 FOR ADDITIONAL ECOLOGICAL INFORMATION.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

METHODS FOR CONTAINMENT:

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO.

METHODS FOR CLEANING UP:

TAKE UP MECHANICALLY AND COLLECT IN SUITABLE CONTAINER FOR DISPOSAL.

## 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

### HANDLING:

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. REMOVE ALL SOURCES OF IGNITION. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WEAR PERSONAL PROTECTIVE EQUIPMENT. USE ONLY IN AREA PROVIDED WITH APPROPRIATE EXHAUST VENTILATION. IN CASE OF INSUFFICIENT VENTILATION, WEAR SUITABLE RESPIRATORY EQUIPMENT. DO NOT TAKE INTERNALLY. DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. WASH THOROUGHLY AFTER HANDLING.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: STORAGE: KEEP CONTAINERS IN A DRY, COOL AND WELL-VENTILATED PLACE. INCOMPATIBLE PRODUCTS: STRONG OXIDIZING AGENTS.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL PARAMETERS:

EXPOSURE GUIDELINES:

CHEMICAL NAME ACGIH TLV OSHA PEL NIOSH IDLH

LIMESTONE TWA: 15 MG/M3 TWA:

1317-65-3 TWA: 5 MG/M3 5 MG/M3 RESPIRABLE

(VACATED) TWA: 15 MG/M3 DUST

(VACATED) TWA: 5 MG/M3

TWA:

10 MG/M3 TOTAL

DUST

ASPHALT TWA:

8052-42-4 0.5 MG/M3

CEILING:

5 MG/M3 FUME 15 MIN

BENZENE SOLUBLE AEROSOL FUME, INHALABLE FRACTION

APPROPRIATE ENGINEERING CONTROLS:

ENGINEERING MEASURES:

SHOWERS

EYEWASH STATIONS
VENTILATION SYSTEMS

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:

EYE/FACE PROTECTION:

SAFETY GLASSES WITH SIDE-SHIELDS. IF SPLASHES ARE LIKELY TO OCCUR, WEAR: TIGHTLY FITTING SAFETY GOGGLES.

SKIN AND BODY PROTECTION: IMPERVIOUS CLOTHING. IMPERVIOUS GLOVES.

RESPIRATORY PROTECTION:

NO PROTECTIVE EQUIPMENT IS NEEDED UNDER NORMAL USE CONDITIONS. IF EXPOSURE LIMITS ARE EXCEEDED OR IRRITATION IS EXPERIENCED, NIOSH/MSHA APPROVED RESPIRATORY PROTECTION SHOULD BE WORN.

HYGIENE MEASURES:

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

PHYSICAL STATE: SOLID (COMPRESSED)

APPEARANCE: BLACK

ODOR: ASPHALTIC

ODOR THRESHOLD: NO INFORMATION AVAILABLE

PROPERTY VALUES REMARKS/ - METHOD

PH NO DATA AVAILABLE NONE KNOWN

MELTING POINT/RANGE NO DATA AVAILABLE NONE KNOWN

BOILING POINT/BOILING RANGE	NO DATA AVAILABLE	NONE KNOWN
FLASH POINT	MINIMUM: 77 DEG. C	NONE KNOWN
EVAPORATION RATE	NO DATA AVAILABLE	NONE KNOWN
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE	NONE KNOWN
FLAMMABILITY LIMITS IN AIR: UPPER FLAMMABILITY LIMIT LOWER FLAMMABILITY LIMIT	NO DATA AVAILABLE NO DATA AVAILABLE	
VAPOR PRESSURE	NO DATA AVAILABLE	NONE KNOWN
VAPOR DENSITY	NO DATA AVAILABLE	NONE KNOWN
SPECIFIC GRAVITY	2.5 @ 4 DEG. C	NONE KNOWN
WATER SOLUBILITY	INSOLUBLE IN WATER.	NONE KNOWN
SOLUBILITY IN OTHER SOLVENTS	SOLUBLE.	NONE KNOWN
PARTITION COEFFICIENT N-OCTANOL/WATER	NO DATA AVAILABLE	NONE KNOWN
AUTOIGNITION TEMPERATURE	NO DATA AVAILABLE	NONE KNOWN
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE	NONE KNOWN
VISCOSITY	NO DATA AVAILABLE	NONE KNOWN
FLAMMABLE PROPERTIES	NOT FLAMMABLE	
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE	
OXIDIZING PROPERTIES	NO DATA AVAILABLE	
OTHER INFORMATION:		
VOC CONTENT (%)	0	
VOC (G/L)	0	

# **10. STABILITY AND REACTIVITY**

REACTIVITY: NO DATA AVAILABLE.

CHEMICAL STABILITY: STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS: NONE UNDER NORMAL PROCESSING.

HAZARDOUS POLYMERIZATION: HAZARDOUS POLYMERIZATION DOES NOT OCCUR.

CONDITIONS TO AVOID: HEAT, FLAMES AND SPARKS. INCOMPATIBLE PRODUCTS.

INCOMPATIBLE MATERIALS: STRONG OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS:

CARBON MONOXIDE (CO). CARBON DIOXIDE (CO2). SULFUR OXIDES.

# 11. TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE:

PRODUCT INFORMATION:

INHALATION: THERE IS NO DATA AVAILABLE FOR THIS PRODUCT.

EYE CONTACT: CONTACT WITH EYES MAY CAUSE IRRITATION.

SKIN CONTACT:

MAY BE HARMFUL IN CONTACT WITH SKIN. PROLONGED SKIN CONTACT MAY CAUSE SKIN IRRITATION.

INGESTION: NOT EXPECTED TO BE TOXIC FOLLOWING INGESTION.

CHEMICAL NAME LD50 ORAL LD50 DERMAL LC50 INHALATION

ASPHALT 5000 MG/KG (RAT) >2000 MG/KG (RABBIT)

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL

CHARACTERISTICS:

SYMPTOMS: NO INFORMATION AVAILABLE.

DELAYED AND IMMEDIATE EFFECTS AND ALSO CHRONIC EFFECTS FROM SHORT AND LONG TERM EXPOSURE:

SENSITIZATION: NO INFORMATION AVAILABLE.

MUTAGENIC EFFECTS: NO INFORMATION AVAILABLE.

CARCINOGENICITY:

MAY CAUSE CANCER. THE TABLE BELOW INDICATES WHETHER EACH AGENCY HAS LISTED ANY INGREDIENT AS A CARCINOGEN.

CHEMICAL NAME ACGIH IARC NTP OSHA

ASPHALT GROUP 2B REASONABLY ANTICIPATED X

IARC (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER): GROUP 2B - POSSIBLY CARCINOGENIC TO HUMANS

NTP (NATIONAL TOXICITY PROGRAM):
REASONABLY ANTICIPATED - REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGEN

OSHA (OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION):

X - PRESENT

REPRODUCTIVE TOXICITY: NO INFORMATION AVAILABLE.

STOT - SINGLE EXPOSURE: NO INFORMATION AVAILABLE.

STOT - REPEATED EXPOSURE: NO INFORMATION AVAILABLE.

ASPIRATION HAZARD: NO INFORMATION AVAILABLE.

NUMERICAL MEASURES OF TOXICITY - PRODUCT:

ACUTE TOXICITY:

96.2% OF THE MIXTURE CONSISTS OF INGREDIENT(S) OF UNKNOWN TOXICITY.

THE FOLLOWING VALUES ARE CALCULATED BASED ON CHAPTER 3.1 OF THE GHS

DOCUMENT:

LD50 ORAL: 5067 MG/KG; ACUTE TOXICITY ESTIMATE LD50 DERMAL: 2028 MG/KG; ACUTE TOXICITY ESTIMATE

# 12. ECOLOGICAL INFORMATION

ECOTOXICITY:

THE ENVIRONMENTAL IMPACT OF THIS PRODUCT HAS NOT BEEN FULLY INVESTIGATED.

CHEMICAL NAME TOXICITY TO ALGAE TOXICITY TO FISH

TRADE SECRET EC50 72 H: LC50 96 H:

=0.87 MG/L 5.0-10.0 MG/L STATIC (PSEUDOKIRCHNERIELLA (BRACHYDANIO RERIO)

SUBCAPITATA)

CHEMICAL NAME TOXICITY TO MICROORGANISMS DAPHNIA MAGNA (WATER FLEA)

TRADE SECRET EC50 48 H:

=39.7 MG/L (DAPHNIA

MAGNA)

PERSISTENCE AND DEGRADABILITY: NO INFORMATION AVAILABLE.

BIOACCUMULATION:

CHEMICAL NAME LOG POW

ASPHALT 6.006

OTHER ADVERSE EFFECTS: NO INFORMATION AVAILABLE.

# 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS:

DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS

CONTAMINATED PACKAGING: DO NOT RE-USE EMPTY CONTAINERS.

### 14. TRANSPORT INFORMATION

DOT: NOT REGULATED

# 15. REGULATORY INFORMATION

INTERNATIONAL INVENTORIES:

#### LEGEND:

TSCA - UNITED STATES TOXIC SUBSTANCES CONTROL ACT SECTION 8(B) INVENTORY DSL/NDSL - CANADIAN DOMESTIC SUBSTANCES LIST/NON-DOMESTIC SUBSTANCES LIST

#### U.S. FEDERAL REGULATIONS:

SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA). THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS WHICH ARE SUBJECT TO THE REPORTING REQUIREMENTS OF THE ACT AND TITLE 40 OF THE CODE OF FEDERAL REGULATIONS, PART 372.

SARA 311/312 HAZARD CATEGORIES:

ACUTE HEALTH HAZARD: NO

CHRONIC HEALTH HAZARD: YES

FIRE HAZARD: YES

SUDDEN RELEASE OF PRESSURE HAZARD: NO

REACTIVE HAZARD: NO

# CLEAN WATER ACT:

THIS PRODUCT DOES NOT CONTAIN ANY SUBSTANCES REGULATED AS POLLUTANTS PURSUANT TO THE CLEAN WATER ACT (40 CFR 122.21 AND 40 CFR 122.42).

## CERCLA:

THIS MATERIAL, AS SUPPLIED, DOES NOT CONTAIN ANY SUBSTANCES REGULATED AS HAZARDOUS SUBSTANCES UNDER THE COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT (CERCLA) (40 CFR 302) OR THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) (40 CFR 355). THERE MAY BE SPECIFIC REPORTING REQUIREMENTS AT THE LOCAL, REGIONAL, OR STATE LEVEL PERTAINING TO RELEASES OF THIS MATERIAL.

# U.S. STATE REGULATIONS:

### CALIFORNIA PROPOSITION 65:

THIS PRODUCT DOES NOT CONTAIN ANY PROPOSITION 65 CHEMICALS.

# U.S. STATE RIGHT-TO-KNOW REGULATIONS:

"X" DESIGNATES THAT THE INGREDIENTS ARE LISTED ON THE STATE RIGHT TO KNOW LIST.

CHEMICAL NAME NEW JERSEY MASSACHUSETTS PENNSYLVANIA ILLINOIS RHODE
TSLAND

LIMESTONE	X	X	X	Χ
ASPHALT	X	Χ	X	Χ

U.S. EPA LABEL INFORMATION:

EPA PESTICIDE REGISTRATION NUMBER: NOT APPLICABLE

# **16. OTHER INFORMATION**

NFPA:

HEALTH HAZARD 1
FLAMMABILITY 2
INSTABILITY 0
PHYSICAL AND CHEMICAL HAZARDS

HMTS.

HEALTH HAZARD 1
FLAMMABILITY 2
PHYSICAL HAZARD 0
PERSONAL PROTECTION X

\*INDICATES A CHRONIC HEALTH HAZARD.

REVISION DATE: 19-DEC-2014

REVISION NOTE: NO INFORMATION AVAILABLE.

# GENERAL DISCLAIMER:

THE INFORMATION PROVIDED ON THIS SDS IS CORRECT TO THE BEST OF OUR KNOWLEDGE, INFORMATION AND BELIEF AT THE DATE OF ITS PUBLICATION. THE INFORMATION GIVEN IS DESIGNED ONLY AS A GUIDE FOR SAFE HANDLING, USE, PROCESSING, STORAGE, TRANSPORTATION, DISPOSAL AND RELEASE AND IS NOT TO BE CONSIDERED AS A WARRANTY OR QUALITY SPECIFICATION. THE INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS, UNLESS SPECIFIED IN THE TEXT.

WPS-PRM-002 - PERMA-PATCH